

Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

# **KARNATAKA POWER TRANSMISSION** **CORPORATION LIMITED**

Ref: KPTC/B11/1426/99-2000



CORPORATE OFFICE,  
CAUVERY BHAVAN,  
BANGALORE - 560 009  
Date : 3<sup>rd</sup> Jan '2000

## **CIRCULAR**

### **Sub : Recovery of outstanding dues from Agricultural Consumers in instalments – Regarding.**

Despite several initiatives, the arrears due from the agricultural consumers are mounting from month to month. This is a matter of major concern for the organisation over the years.

In the Senior Officers meeting held on 1-12-1999, the zonal Chief Engineers Electy., have been asked by the Chairman and Managing Director to take up rigorous recovery drives and improve the collection of revenue from this category. Specific targets have also been fixed to each of the zones. A D.O. letter has also been addressed by the Chairman and Managing Director to the zonal Chief Engineers Electy., to publicise their recovery drives through News-papers and pamphlets to bring in awareness among the IP Sets consumers to clear their outstanding arrears on or before 15-01-2000 failing which disconnection drives need to be under taken with effect from 17-01-2000.

In order to enable the IP Set consumers to clear the outstanding arrears it has been decided to allow a time of 4 (four) months to pay their dues in four equal monthly instalments subject to levy of interest as per rules. The Assistant Executive Engineers Electy., O&M Sub-Divisions are authorised to extend this facility.

In the case of such of the IP Set consumers who make payment of First instalment on or before 15-01-2000, power supply need not be disconnected.

However, it should be ensured that the balance instalments are paid by IP consumers promptly.

8050

*Pr...* 3/1/2000.  
ADDITIONAL SECRETARY

0267

(P.T.O.)

To,

All Executive Engineers Elecl., O&M Divisions, KPTCL.

All Asst. Executive Engineers Electy., O&M Sub-Divisions, KPTCL.

Copy to

The Chief Engineer Electy. (General), KPTCL, B'lore.

The Chief Financial Advisor, KPTCL, B'lore.

The Chief Electrical Inspector to Govt., of Karnataka, K. R. Circle, B'lore.

The Inspector General of Police (Vigilance), KPTCL, B'lore.

All Chief Engineers Electy., KPTCL.

All Chief Controller of Accounts, KPTCL.

The Chief Law Officer, KPTCL, B'lore.

The Chief Industrial Relations Officer, KPTCL, B'lore.

The Superintending Engineer Electy., Reforms, Board Secretariat, KPTCL, B'lore.

The Superintending Engineer Electy., A R M Cell, KPTCL, B'lore.

The Superintending Engineer Electy., Computers, KPTCL, B'lore.

The Superintendent of Police (Vigilance), KPTCL, B'lore./ Hubli.

All Controllers, KPTCL.

All Deputy Controller of Accounts, O&M Circles, KPTCL.

All Deputy Controller of Accounts (Revenue Monitoring), O&M Circles, KPTCL.

The Public Relations Officer, KPTCL, B'lore.

The Resident Audit Officer (Audit wing), KPTCL, B'lore.

All Accounts Officers (Internal Audit), KPTCL.

All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.

All Accounts Officers, O&M Divisions, KPTCL.

All Officers, Corporate Office, KPTCL.

PS to CMD/ Dir. (Finance)/ Dir. (Transmission)/ Dir. (Distribution)/ Secy./ Addl. Secy.

SA II (Records), Corporate Office.

Copy for information to

Shri. T. Hanumanthappa, Director, KPTCL, B'lore.

0268

1250



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

## PREAMBLE:

In order to assess the consumption of IP sets Meters have been provided to the Distribution Transformer Centres, which feed predominately IP set loads. Such metering arrangement at present is made at the rate of 2 Transformer centres per Sub-Division and the readings are taken and sent to Chief Engineer, Electy., Research and Development, for assessing the IP set consumption in the State. But the consumption recorded from such smaller number of IP sets connected to such TC's does not even represent 1% of the total IP sets in service in the State. In order to have a more representative and realistic IP set consumption it has been decided to provide such metering arrangement to atleast on two Distribution Transformers Centres in each of the O&M Section in the State. The metering should be made on the LT side of the outgoing line from the TC feeding predominately or exclusively the IP set loads. The Karnataka Electricity Regulatory Commission has also recommended to take action. Hence this order.

*13/1/2000*  
**Board Order No.KPTCL/B19/5110/88-89**

**Bangalore, Dated: 04-01-2000**

In order to have more representative IP set consumption the following action should be taken by each of the O&M Sub-Divisional Officers and the O&M Section Officers immediately.

- 1) In each of the O&M Units two Distribution Transformers feeding predominately or exclusively IP set Metering arrangement shall be made on the LT side of the Transformer by providing meters and CT's (if required), enclosed in a proper Metering box. Such TC's should be numbered or named which shall be a permanent for all representation in future.
- 2) Meter Reading shall be taken by the O&M Unit Section Officer on 25<sup>th</sup> of every month and sent to their Sub-Division Officer on the same day. Inturn the Sub-Divisional Officer shall consolidated the same and forwarded it to the Chief Engineer, Electy., Research & Development, KPTCL, K.R. Circle, Bangalore - 560 001 in the format prescribed by him.
- 3) The O&M Unit Section Officer and the Sub-Divisional Officer shall not draw their salary for the month of un less the readings and the consumption are sent in the above manner.

0150

- 4) Providing Metering arrangement should be completed by the above Officers on or before 31-03-2000 and the readings shall be taken from April 2000 positively.
- 5) Till such time additional TC's are provided with meters the existing system of taking readings from the TC's where meters already provided shall continue to be taken and information sent to Chief Engineer Electy., Research & Development. However the condition mentioned in item (2) above shall apply now also.
- 6) The requirement of CT's, Meters and Metering box shall be assessed immediately and consolidated requirement shall be sent by the Sub-Divisional Officer to the Zonal Chief Engineer, Electy. The Zonal CEE's are authorised to purchase CT's and metering box of suitable design. The CT's used shall be class-1 bar primary type..

By Order,

 4/1/2000.

ADDITIONAL SECRETARY

Copy to:

- 1) The Chief Engineer, Electy., Gen., KPTCL, Bangalore
- 2) The Chief Financial Advisor, KPTCL, Bangalore.
- 3) The Chief Engineers, Electy., MM&P, KPTCL, Bangalore.
- 4) All Zonal Chief Engineers, Electy., KPTCL.
- 5) All Chief Controllers, KPTCL
- 6) The Chief Engineer, Electy., Research and Development, KPTCL, Bangalore
- 7) All Superintending Engineers, Elecl., O&M Circle, KPTCL.
- 8) All Zonal Controllers, KPTCL.
- 9) All Executive Engineers, Elecl., KPTCL.
- 10) All Deputy Controller of Accounts, O&M Circle, KPTCL.
- 11) All Accounts Officers, Internal audit, KPTCL.
- 12) All O&M Sub-Divisional Officer, KPTCL, to take action and also to inform the Section Officers under their control.
- 13) All Officers of Board Secretariat, KPTCL.
- 14) PS to CMD/D (F)/D (D)/D (T)/Secretary/Additional Secretary, KPTCL.
- 15) SA-II, Records, Board Secretariat

Copy for information to:

- 1) Sri. T. Hanumanthappa, Director, KPTCL, Bangalore
- 2) The General Secretary, KPTCL Employees Union, Reg. No. 659, Bangalore
- 3) The General Secretary, KPTCL Engineers Association, Bangalore

0270

२२९०



**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED.**

**PREAMBLE**

U.O.Note No. CEE/CA/MW/42 dated : 8.10.1999 of the Chief Engineer (El.) Major Works, KPTCL Bangalore, requesting to enhance the existing financial powers of Executive Engineers and Superintending Engineers in respect of payment of tree cut / Crop damage compensation. Since the existing financial powers of Executive Engineers and Superintending Engineers were fixed during 1977, it was decided to enhance their powers, hence this order.

Board Order No. KPTCL/B19/7654/84-85-Bangalore. Date: **5 JAN 2000**

Approval is hereby accorded for enhancing the financial powers of the Executive Engineers and Superintending Engineers as follows in respect of payment of tree cut/crop damage compensation.

Executive Engineers ————— Rs. 4,000/- per owner  
Superintending Engineers ——— Rs. 10,000/- per owner

The Chief Engineer (Electy.) have full powers which shall continue. A separate notification shall be issued for amending the item 27 C & D of Manual of Delegation of Powers.

By Order,

*Pravin Kumar* 4/1/2000

Additional Secretary,  
KPTCL.

To,

1. The Chief Engineer Electricity (G), KPTCL, Cauvery Bhavan, Bangalore.
2. Chief Financial Advisors, KPTCL, Bangalore.
3. All The Chief Engineer (Electy), KPTCL.
4. All The Superintending Engineer (El.), KPTCL.
5. All The Executive Engineer (El.), KPTCL.
6. All Chief Controller of Accounts, KPTCL,
7. All Controller of Accounts, KPTCL.
8. All Deputy Controller of Accounts, KPTCL.
9. Assistant Secretary (Admn.) for amending the Manual of Delegation of Powers.
10. All Officers of Corporate Office  
PS to C&MD/D(F)/D(T)/D(D)/Secretary/Additional Secretary.



Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

No.KPTCL/B11/1358/99-2000.

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : ...7.1.2000

**CIRCULAR**

Sub : Arranging Temporary Power Supply to M.S. buildings and others - Delegation of power to Zonal CEE's.

Ref.: Order No. KPTCL/B11/1358/99-2000 dated 1/1/2000

In the above Order, KPTCL has delegated full powers to Zonal Chief Engineer (Ele), to sanction / Extension of Temporary Power Supply for the permanent usage under special circumstances, where infrastructure is yet to be created or in process, to individual houses / M.S. Buildings / Residential / Commercial Complex / Layouts & others.

In order to prevent misuse of Temporary Power Supply, I am directed to issue the following instructions for the guidance of the field staff.

- 1) Weekly readings with connected load be taken and furnished to revenue section by AE/JE of O & M Unit / Section.
- 2) The consumption with respect to sanctioned load be watched.
- 3) If the meter becomes MNR, the same shall be replaced immediately.
- 4) When permanent power supply is given to the premises, care should be taken to dismantle the temporary service mains, Meter Board etc.,
- 5) In case of M.S. Buildings, Temporary Power Supply for permanent usage be given only after collection of augmentation charges for Permanent power supply from the respective consumers & further, where the work is being executed under self execution, the field officer should also ensure that the work is under progress.
- 6) The Temporary Power Supply shall also be arranged in cases, where power sanction for Permanent power supply is conveyed subject to the condition that, the consumer agrees to pay augmentation charges for Permanent power supply within a month of servicing Temporary Power Supply, failing which the Temporary Power Supply shall be disconnected.
- 7) Under no circumstances the installation be serviced under Direct connection.

The above instructions shall be followed with utmost care by the field officers & no deviation be made.

ETSU

*[Signature]* 6/1/2000

ADDITIONAL SECRETARY

0272

P.T.O.

Copy to.

- The Chief Engineer Electy., (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, B'lore.
- The Inspector General of Police (Vigilance), KPTCL Bangalore.
- All Zonal Chief Engineers Electy., KPTCL, for information & needful.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.
- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- All Superintending Engineers (Ele), O&M Circles, KPTCL, for information & needful.
- The Superintending Engineer, (Ele.) (Reforms), Board Secretariat, KPTCL, Cauvery Bhavan, Bangalore.
- The Superintending Engineer., (Elecl.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer, (Elecl.), (Computers) KPTCL., Cauvery Bhavan Bangalore.
- The Superintendent of Police (Vigilance), KPTCL, Hubli/Bangalore.
- All Controllers, KPTCL
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.
- All Executive Engineers (Ele), O&M Divisions, KPTCL, for information and needful.
- The Public Relation Officer, KPTCL, Bangalore.
- The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan Bangalore.
- All Accounts Officers (Internal Audit), KPTCL.
- All Accounts Officers (Revenue Monitoring ) O&M Divisions, KPTCL.
- All Accounts Officers O&M Divisions, KPTCL.
- All Asst. Executive Engineers (Ele), O&M Sub-divisions, KPTCL for information and needful.
- All Officers of Board Secretariat.
- PS to C.M.D, Director (Finance), Director (Distribution), Director (Transmission) / Secretary/ Additional Secretary.
- SA II (Records) Board Secretariat.

Copy for information to:

- Shri. T. Hanumanthappa, Director, KPTCL, Bangalore.

0273

5750



Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

## KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No.KPTCL/No.B11/1402/99-2000

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 10-1-2000

### CIRCULAR

**Sub : Procedure for Refund of Development charges Collected from Consumers who had Registered their Applications for Power supply prior to 1.12.1998.**

- Ref. :**
- (1) Board Notification No. KEB/B11/B10/6948/90-91/ Dated : 4.11.1998
  - (2) Board Circular No. KEB/B11/B10/6948/90-91 Dated : 26.11.98.
  - (3) Board Circular No.KEB/B11/B10/6948/90-91/ Dated : 5.2.1999

--- 0 ---

12/1  
The Circulars under reference 1,2 and 3 relate to collection of Development Charges. In Board Circular dated: 5.2.1999, it is prescribed that Development charges has to be collected from power supply aspirants coming under the purview of Electricity Supply Regulation 5 and 7, if the applications for power supply are registered on or after 1.12.1998. The applications registered prior to 1.12.1998 are to be processed as per old rules and excess Development charges already collected if any shall be refunded or adjusted to future energy bills. As the Development charges will have been credited to A/c Code 55.106 at the time of collection, the refund by adjustment to future bill may be arranged by obtaining refund bill with necessary certificates (given here under) from concerned Revenue accounting unit and pass the bill for adjustment by debit to A/c code 55.106 and credit to respective account in 23 series. The adjustment No. and date may be intimated to the Revenue unit by the Division office for giving credit to consumer's ledger account. The adjustment bill shall be passed duly observing all corporation's formalities.

If the amount has to be refunded by Cash, the pre-receipted REFUND bill obtained from the concerned unit may be passed for payment at the Division office debiting A/c code 55.106 duly observing all corporation's formalities. An Account Payee Crossed Cheque shall be issued to the payee.

0274



**Certificate to be furnished by Revenue Accounting unit :**

1) Application requesting for sanction of power supply of ....KW ...HP/  
Addl. power supply of ... KW .....HP to existing R.R.No.. ....  
was registered vide No. .... Dated :... .. of Register of Application  
for power supply.

2) Power Supply was sanctioned vide No. .... Dated: .....

3) The Applicant has paid Rs.....to-wards Development Charges vide  
Rt.No..... Dated:.....the Original of which has been  
obtained and enclosed.

4) Work Order was issued vide No.....Dtd..... and the  
installation was serviced on.....duly assigning  
R.R.No.....(in case of New Installation).

Asst.Engineer (El),(Tech),  
.....Sub/divn.,KPTCL.

Asst. Executive Engineer,(El),  
.....Sub-divn. KPTCL.


**To be Certified by Revenue Accounting Section:**

Certified that Rs..... paid vide Rt.No & Date..... by  
Smt/Sri.....is accounted as Development  
Charges in the concerned books of accounts of Sub-division/ Section.

Asst./Cashier

Sr.Asst. / Asst.Accounts Officer,  
.....Sub-divn.,/KPTCL.

Action may be taken as per procedure indicated above for adjustment /Refund of  
development charges collected from consumers who had Registered their application  
for power supply prior to 1.12.1998.

 10/11/2000  
Additional Secretary, KPTCL.

To

All Executive Engineers (Ele), O & M Divisions, KPTCL.  
All Asst. Executive Engineer (Ele), O & M Sub-divisions, KPTCL.

ATSO 0275

**Copy to :**

The Chief Engineer Electy.,(General) KPTCL, Bangalore.  
The Chief Financial Adviser, KPTCL, Bangalore.  
The Chief Electrical Inspector to Govt.of Karnataka, J.C.Road, Bangalore.  
The Inspector General of Police(Vigilance),KPTCL,Bangalore.  
All Chief Engineers Electy., KPTCL  
All Chief Controllers of Accounts, KPTCL.  
The Chief Law Officer, KPTCL, Bangalore.  
The Chief Industrial Relation Officer, KPTCL, Bangalore.  
The Superintendent of Police (Vigilance), KPTCL, Hubli/Bangalore.  
All Superintending Engineers (Ele), O & M Circles, KPTCL.  
All Controllers, KPTCL.  
The Superintending Engineer,(Ele) (Computers) KPTCL, Cauvery Bhavan,  
Bangalore  
The Superintending Engineer (Ele) ARM Cell, KPTCL, BPL Building,  
K.R.Circle, Bangalore.  
All Deputy Controllers, KPTCL  
The Public Relation Officer, KPTCL, Bangalore .  
All Accounts Officers (O & M) / (Revenue Monitoring) / (Internal Audit),  
All Officers of Corporate Office.  
PS to CM&MD/D(F)/D(T) /Secretary/Additional Secretary.  
SA II(Records) Corporate Office.

**Copy for information to:**

Shri.T.Hanumanthappa, Director(Labour), KPTCL, Bangalore.





KARNATAKA ELECTRICITY BOARD

R E A D:


1. Proposal of Chief Engineer, Electricity, B'lore Zone, K.E.B., Bangalore dated 7.8.1993 for providing P&T Telephones to Non-accounting Section Offices of Bangalore Zone.
2. IMC Resolution No. IMC(T)/96/302 dated 18.12.1993.

ORDER NO.KEB/B12/1204/93-94

BANGALORE DATED:27-1-1994

Board approval is hereby accorded for providing P&T Telephones to the Non-accounting Section Offices of K.E.B., on Non-OYT basis and without STD facility.

BY ORDER,

  
(J. PHILOMEN RAJ),  
ADDITIONAL SECRETARY.

To:

Sri K.N.Narasimiah, Member, K.E.B.,  
The Chief Engineer, Electricity, (General), KEB., Bangalore.  
All Chief Engineers, Electricity, K.E.B.,  
The Financial Adviser & CAO., K.E.B., Bangalore.  
All Superintending Engineers, Electrical, K.E.B.,  
All Chief Controllers of Accounts, K.E.B.,  
All Controllers of Accounts, K.E.B.,  
All Executive Engineers, Electrical/All Accounts Officers, KEB;  
All Officers of Board Secretariat, K.E.B., Bangalore.  
PAs to CM/FM/TM/Secretary/Addl.Secretary.

M.F.

as.

0278



ಟೆಲೆಫನ್ : 845-2435 ಕೆಇಬಿಇನ್

ಗ್ರಾಂಪ್ : ಕೆಲ್ ಬೋರ್ಡ್



# ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ಸಂಖ್ಯೆ: ಕವಿಪ್ರನಿ : ಬಿ19/7555/B/86-87

ಕಾರ್ಪೊರೇಟ್ ಆಫೀಸ್

“ಕಾವೇರಿ ಭವನ”

ಬೆಂಗಳೂರು - 560 009

ದಿನಾಂಕ : 10.1.2000...

## ಸುತ್ತೋಲೆ

ವಿಷಯ : ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸುವ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ: ಮಂಡಳಿಯ ಸಮ ಸಂಖ್ಯೆ ಸುತ್ತೋಲೆ ದಿನಾಂಕ: 21.2.95.

---

ಉಲ್ಲೇಖದಲ್ಲಿರುವ ಮಂಡಳಿಯ ಸುತ್ತೋಲೆಯಲ್ಲಿ ಹೊಸದಾಗಿ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ವಿದ್ಯುತ್ ಪಡೆಯುವ ಅರ್ಜಿದಾರರು ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆಯುವ ಮುನ್ನ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು ಎಂದು ಸೂಚಿಸಲಾಗಿತ್ತು. ಅಲ್ಲದೆ ಹಾಲಿ ಚಾಲ್ತಿಯಲ್ಲಿರುವ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೂ ಸಹಾ ದಿನಾಂಕ: 31.5.95 ರೊಳಗೆ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸಿಕೊಳ್ಳಲು ಸಹಾ ಸೂಚಿಸಲಾಗಿತ್ತು. 1996 ರ ಟ್ಯಾರಿಪ್‌ನಲ್ಲಿ ಮೀಟರಿಲ್ಲದ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಪವರ್ ಪ್ಯಾಕ್ಟರ್ ಪೆನಾಲ್ಟಿಯೆಂದು ಸರ್ ಚಾರ್ಜ್ ವಿಧಿಸಲಾಗಿತ್ತು ಮತ್ತು 1997 ಹಾಗೂ 1998 ರ ಟ್ಯಾರಿಪ್‌ನಲ್ಲಿ ಸಹಾ ಇದೇ ರೀತಿಯ ಪಿ.ಎಪ್ ದಂಡ ಮುಂದುವರಿದಿರುತ್ತದೆ.

ವಿದ್ಯುತ್ ಬಿಲ್ಲುಗಳಲ್ಲಿ ಈ ರೀತಿ ಸೇರಿರುವ ಪೆನಾಲ್ಟಿಯನ್ನು ಪಾವತಿಸಲು ರೈತರು ಪ್ರತಿಭಟಿಸುತ್ತಿದ್ದಾರೆ. ಆದ್ದರಿಂದ ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸಿಕೊಂಡಿಲ್ಲದಿರುವ ಬಗ್ಗೆ ವಿಧಿಸಲಾಗುತ್ತಿರುವ ಪೆನಾಲ್ಟಿ (ದಂಡ) ಯ ವಿಷಯವನ್ನು ಪರಿಶೀಲಿಸಿ, “ಯಾವ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರ ತನ್ನ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗೆ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್‌ನ್ನು ದಿನಾಂಕ: 31.3.2000 ರೊಳಗೆ ಅಳವಡಿಸಿಕೊಳ್ಳುತ್ತಾರೋ ಅಂತಹ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರನ ಬಿಲ್‌ನಲ್ಲಿ ಸೇರಿಸಲಾಗಿರುವ ದಂಡವನ್ನು ಮನ್ನಾ ಮಾಡಲಾಗುವುದು” ಎಂಬುದಾಗಿ ತೀರ್ಮಾನಿಸಲಾಗಿದೆ.

ಇಂತಹ ಪರಿಸ್ಥಿತಿಯಲ್ಲಿ ಯಾವುದೇ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರು ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್‌ನ್ನು ದಿನಾಂಕ: 31.3.2000 ರೊಳಗೆ ಅಳವಡಿಸಿಕೊಂಡರೆ ಅಂತಹ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳ ಬಗ್ಗೆ ವಿಧಿಸಲಾಗಿರುವ ಪವರ್ ಪ್ಯಾಕ್ಟರ್ ಪೆನಾಲ್ಟಿಯನ್ನು ಹಿಂತೆಗೆದುಕೊಳ್ಳಬಹುದು (ಮನ್ನಾ ಮಾಡಲು) ಎಂದು ತಿಳಿಸಲು ನಿರ್ದೇಶಿತನಾಗಿದ್ದೇನೆ.

ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗೆ ಅಳವಡಿಸಿರುವ ಕೆಪಾಸಿಟರ್ ಐಎಸ್‌ಐ ಮಾದರಿಗೆ ಸರಿ ಹೊಂದುವಂತಿರಬೇಕು. ಸಂಬಂಧಿಸಿದ ಶಾಖೆಯ ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ / ಕಿರಿಯ ಇಂಜಿನಿಯರ್ ರವರುಗಳು ಈ ಬಗ್ಗೆ ದೃಢೀಕರಣ ನೀಡತಕ್ಕದ್ದು ಮತ್ತು ಅಳವಡಿಸಿರುವ ವಿಷಯವನ್ನು ಕಂದಾಯ ಶಾಖೆಗೆ ಆರ್ ಆರ್ ಸಂಖ್ಯೆಯೊಂದಿಗೆ ಕೆಳಕಂಡ ವಿವರಗಳನ್ನು ಒದಗಿಸತಕ್ಕದ್ದು.

...2

1850

0279

ಅ) ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್ ಅಳವಡಿಸಲಾಗಿದೆಯೇ?

ಆ) ಕೆಪಾಸಿಟರ್‌ನ್ನು ಅಳವಡಿಸಿದ ದಿನಾಂಕ.

ಇ) ಕೆಪಾಸಿಟರ್‌ನ್ನು ಮತ್ತು ಮೋಟಾರುಗಳ ವಿವರಗಳನ್ನು ಒದಗಿಸುದು [Name Plate details]

ಮೇಲ್ಕಂಡ ವಿವರಗಳನ್ನು ಪಡೆದ ನಂತರ ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ / ಹಿರಿಯ ಸಹಾಯಕರು ಖಾತಾ ಪುಸ್ತಕದಲ್ಲಿ ವಿವರಗಳನ್ನು ನಮೂದಿಸಿ, ಆರ್.ಆರ್ ಕಡತದಲ್ಲಿ ಸರ್ಟಿಫಿಕೇಟನ್ನು ಪ್ರೆಲ್ ಮಾಡತಕ್ಕದ್ದು.

ಆಂತರಿಕ ಪರಿಶೋಧನೆ ವಿಭಾಗದವರು ಕೆಪಾಸಿಟರ್‌ನ್ನು ಅಳವಡಿಸಿಕೊಂಡಿರುವ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳ ಪೆನಾಲ್ಟಿಯ ವಿವರವನ್ನು ಪರಿಶೀಲಿಸಿ ದೃಢೀಕರಿಸಿದ ನಂತರ ಸಂಬಂಧಿಸಿದ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ಎ) ರವರು ಈಗಾಗಲೇ ವಿಧಿಸಿರುವ ಸಂಪೂರ್ಣ ಪವರ್ ಪ್ಯಾಕರ್ ಪೆನಾಲ್ಟಿಯನ್ನು ಹಿಂತೆಗೆದುಕೊಳ್ಳಲು ಆದೇಶಿಸಬಹುದು.

ಮೇಲ್ಕಂಡ ಸೂಚನೆಗಳನ್ನು ಕ್ಷೇತ್ರಾಧಿಕಾರಿಗಳು ಎಚ್ಚರಿಕೆಯಿಂದ ಪಾಲಿಸತಕ್ಕದ್ದು ಮತ್ತು ಯಾವುದೇ ವಿಧದಲ್ಲೂ ಉಲ್ಲಂಘನೆಯಾಗಕೂಡದು.

10/11/2000  
ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ  
ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

ಇವರಿಗೆ:

- ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ಎ), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ವಿಭಾಗಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ಎ), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ, ಉಪ ವಿಭಾಗಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

ಪ್ರತಿಗಳು:

- ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುಚ್ಛಕ್ತಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಆರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಮೈಸೂರು ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಇನ್ಸ್‌ಪೆಕ್ಟರ್ ಜೆನೆರಲ್ ಆಫ್ ಪೋಲೀಸ್ (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ (ಎ) ಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಮತ್ತು ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಮುಖ್ಯ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಮುಖ್ಯ ಕಾನೂನು ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಔದ್ಯಮಿಕ ಬಾಂಧವ್ಯ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ) (ರಿಫಾರ್ಮ್), ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ), ಎಆರ್‌ಎಂ ಘಟಕ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬಿ.ಪಿ.ಎಲ್ ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ) (ಕಂಪ್ಯೂಟರ್), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಹುಬ್ಬಳ್ಳಿ / ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.



- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವೆನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ, ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ಆಂತರಿಕ ಪರಿಶೋಧನೆ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವೆನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ನಿಗಮ ಕಾರ್ಯಾಲಯದ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.
- ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು, ನಿರ್ದೇಶಕರು (ಹಣಕಾಸು), ನಿರ್ದೇಶಕರು (ವಿತರಣೆ), ನಿರ್ದೇಶಕರು (ಪ್ರಸರಣ) / ಕಾರ್ಯದರ್ಶಿ / ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿಯವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿ.
- ಹಿಸ್-2 (ದಾಖಲೆ ವಿಭಾಗ), ನಿಗಮ ಕಾರ್ಯಾಲಯ.

ಪ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:

ಶ್ರೀ. ಟಿ. ಹನುಮಂತಪ್ಪ, ನಿರ್ದೇಶಕರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED


No. **T/Com1/F60/Cys- 329**

Office of the  
Chief Engineer Electy.(Genl),  
Cauvery Bhavan, P.B.No. 9990,  
BANGALORE - 560 009.  
Dt: **18-1-2000.**

All The Executive Engineers (Ele),  
O&M Division, K.P.T.C.L.

CEE (HZ) HUBLI
SE (T&S) D&M
CA
EE (O)
EE (C)
EE (SIC)
AO
SPA

the Asst.Exe.Enginers (Ele),  
Sub-Dvn., K.P.T.C.L.



Sub: Reduction of sanctioned load of I.P. Set  
installations.

Ref: Board Lr. No. KPTCL/B11/797/98-99 dt.  
30-12-99.

---

It is reported that some of the I.P. Set Consumers have availed power supply to their installation by applying for higher HP to satisfy the economic feasibility criteria. After servicing and lapse of time the consumers are approaching for reduction of sanctioned load from higher HP to lower HP, which results in loss of Revenue to the Board in the form of Tariff minimum charges.

CEH
SE
CA

The above subject has been examined by the Board and it is clarified vide letter under reference that no reduction in sanctioned load of an IP set installation be made upto 7 years period from the date of service.

Accordingly action be taken whenever reduction of sanctioned load of IP Set is requested duly observing other Rules & Regulations.

Yours faithfully,

*[Signature]* 18/1/2000  
Chief Engineer Electy.(Genl).

/DRAFT APPD. BY CEE(G)/

Copy to:-

The Additional Secretary, KPTCL, Cauvery Bhavan, B'lore.

All the Zonal Chief Engineer's Electy., /All the Chief Engineer's Electy., KPTCL.,

The Chief Controller of Accounts, KPTCL, Cauvery Bhavan, B'lore.

All the Superintending Engineers Ele., K.P.T.C.L, O&M Circle.



Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No.KPTCL/B11/1444/99-2000

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : ... 28.11.2000

CIRCULAR

Sub: Power factor penalty in case of Electronic Tri-Vector meter.

Several industrial associations have represented to the corporation that in case of LT installation if power factor recorded is 0.85 & below, and the power factor penalty is being levied in their current monthly bill. In this regard they requested the corporation to give some time to set right / fix the required capacity capacitor.

Hence the corporation issues the following instructions for the guidance of the field staff whenever the recorded power factor in a Tri-Vector meter is less than 0.85.

- BT
- 1) A notice to be served to the consumer giving 30 days time duly intimating to install required capacity of capacitor.
  - 2) Since Tri-Vector meter records average power factor, the consumer may be advised to install distributed capacitors near actual loads as per the individual rating of the motor on load side.
  - 3) Wherever lumped capacitor is fixed near the corporation's meter Board, the same has to be connected to load side of the circuit and has to be switched off whenever the loads are not on. Consumer may be suitably advised in this regard.
  - 4) Whenever new installations are serviced the capacitors should be fixed near the individual motors on load side in future. This condition may be added in the power sanction letter.

The above instructions shall be followed with immediate effect.

 28/11/2000  
ADDITIONAL SECRETARY

To,

- All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL,
- All Executive Engineers (Ele), O&M Divisions, KPTCL,

COPY TO :-

- The Chief Engineer Electy., (General), KPTCL, Bangalore.

0283

- The Chief Financial Adviser, KPTCL, Bangalore.
- The Inspector General of Police (Vigilance), KPTCL Bangalore.
- All Zonal Chief Engineers (Ele.), KPTCL.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.
- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- The Superintending Engineer, (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer, (Ele.), (Computers) KPTCL, Cauvery Bhavar Bangalore.
- All Superintending Engineers (Ele.), O&M Circles, KPTCL.
- All Controllers, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.
- All Accounts Officers (Revenue Monitoring) O&M Divisions, KPTCL.
- All Accounts Officers O&M Divisions, KPTCL.
- All Officers of Corporate Office.
- PS to CMD/Director (Distribution)/Director (Transmission)/Director (Finance)/ Director (Personnel & Information Technology)/ Secretary/ Additional Secretary.
- SA II (Records) Corporate Office.

Copy for information to:

- Shri. T. Hanumanthappa, Director, KPTCL, Bangalore.

0284



Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No.KPTCL/B11/1444/99-2000

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : ..28/11/2000

CIRCULAR

Sub : Regarding opening of terminal cover seals provided to power meters. (other than plastic seals)

In the interaction meeting with the Members of Industrial Association, it was pointed out by the Association Members, that whenever terminal cover seal of the meter is removed by KPTCL's staff for attending the complaints, no record of it is being maintained, there by leading the vigilance / other inspecting authorities to book cases against them.

Hence, corporation issues following instructions for the guidance of field staff.

- a) The Linemen who attends the power supply failure complaint should not break open the seal of terminal cover of 3phase power installation meter. If he suspects any loose contact / problem in terminal block the same has to be recorded in the fuse off call register.
- b) The O&M Unit AE/JE after inspection, shall inform regarding the nature of complaint, RR No., Nature of Industry, etc., in writing to Assistant Executive Engineer (Ele.) of Sub-Division.
- c) The O&M unit AE/JE shall give a letter in duplicate to the linemen concerned authorising him to open the terminal cover seal and one such copy shall be given to the consumer for his records. Another copy may be filed in the O&M section & shall be produced to the inspecting authority.
- d) It is the responsibility of the AE/JE to obtain the acknowledgement in the sealing register after attending the trouble & to re-seal the terminal cover with O&M seal & to mention in the remarks column of sealing register when the original terminal cover seal was removed, reason for removal, date etc.
- e) Please note that under any circumstances the plastic seals provided to the terminal cover shall not be opened by O&M staff.

The above instructions shall be followed with immediate effect & any deviation will be viewed seriously.

2850

0285

*[Signature]* 28/11/2000  
ADDITIONAL SECRETARY

P.T.O.

To

- All Executive Engineers (Ele), O&M Divisions, KPTCL.
- All Asst. Executive Engineers (Ele), O&M Sub-divisions, KPTCL.

Copy to.

- The Chief Engineer Electy., (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- All Zonal Chief Engineers Electy., KPTCL, for information & needful.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.
- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- The Superintending Engineer, (Ele.) (Reforms), Board Secretariat, KPTCL, Cauvery Bhavan, Bangalore.
- The Superintending Engineer, (Elecl.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer, (Elecl.), (Computers) KPTCL., Cauvery Bhavar Bangalore.
- All Superintending Engineers (Ele), O&M Circles, KPTCL.
- The Superintendent of Police (Vigilance), KPTCL, Hubli/Bangalore.
- All Controllers, KPTCL
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.
- The Public Relation Officer, KPTCL, Bangalore.
- The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan Bangalore.
- All Accounts Officers (Internal Audit), KPTCL.
- All Accounts Officers (Revenue Monitoring) O&M Divisions, KPTCL.
- All Accounts Officers O&M Divisions, KPTCL.
- All Officers of Board Secretariat.
- PS to C.M.D, Director (Finance), Director (Distribution), Director (Transmission), Director (Personnel & Information Technology) / Secretary/ Additional Secretary.
- SA II (Records) Corporate Office.

Copy for information to:

- Shri. T. Hanumanthappa, Director, KPTCL, Bangalore.

0286

2859



KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

NO.KPTCL/B11/2644/97-98.

Corporate Office,  
Cauvery Bhavan,  
Bangalore-560 009  
Dated : ..8/2/2000

**CIRCULAR**

Sub: Revised application Registration fee for -  
Regulation No. 7.01(i) & 8.01 - LT-5 & HT  
installations.

Ref.: 1) KPTCL IMC (T) Resolution No. 127/492/  
99-2000 dated 24/12/99.

2) Board Notification No. B11/B10/6948/90-91  
dated 10/12/98.

The Board in its Notification dated 10/12/98 under reference, had amended the Regulation Clause 7.01 (i) & 8.01 stating that the application Registration fee be notified by the Board from time to time. The said amendment has also been published in the official Gazette on 10/12/98 itself.

In accordance with this amendment and as approved by the Corporation in its IMC (T) Meeting held on 24/12/99, the Registration charges are revised as follows. However, the Revised Registration charges shall be collected from the day Corporation supplies the New Application format to the prospective consumer.

Sl. No.	REGLN. No.	PARTICULARS	NEW RATES
1.		<b><u>Application Registration fee:</u></b>	
	7.01(1)	I) Applicable to LT power installations other than those covered under Regulations - 5,6,9,10 & 11	Rs. 100/- Per application
	8.01	II) Applicable to H.T. installations	Rs. 250/- Per application

*[Signature]* 7/2/2000  
ADDITIONAL SECRETARY

Copy to.

- The Chief Engineer Electy., (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- All Zonal Chief Engineers Electy., KPTCL.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.

0287

- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- All Superintending Engineers (Ele), O&M Circles, KPTCL.
- The Superintending Engineer, (Ele.) (Reforms), Corporate Office, KPTCL, Cauvery Bhavan, Bangalore.
- The Superintending Engineer, (Elecl.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer, (Elecl.) (Computers), KPTCL, Cauvery Bhavan, Bangalore.
- The Superintendent of Police (Vigilance), KPTCL, Hubli/Bangalore.
- All Controllers, KPTCL
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring), O&M Circles, KPTCL.
- All Executive Engineers (Ele), O&M Divisions, KPTCL.
- The Public Relation Officer, KPTCL, Bangalore.
- The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan, Bangalore.
- All Asst. Executive Engineers (Ele), O&M Sub-divisions, KPTCL.
- All Accounts Officers (Internal Audit), KPTCL.
- All Accounts Officers (Revenue Monitoring) O&M Divisions, KPTCL.
- All Accounts Officers O&M Divisions, KPTCL.
- All Officers of Corporate Office.
- PS to C.M.D / Director (Finance) / Director (Distribution) / Director (Transmission) / Director (Personnel & Information Technology) / Secretary / Additional Secretary.
- SA II (Records) Corporate Office.

Copy for information to:

- Shri. T. Hanumanthappa, Director, KPTCL, Bangalore.

0288

7855



# KARNATAKA POWER TRANSMISSION CORPORATION LTD.,

No.KPTCL/B19/7737/84-85



Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009,  
☎: 080 - 2210685,  
Dated: 09-02-2000.

## CIRCULAR

### **Sub: Working of capacitor banks in the Station.**

Severe low voltages are being experienced in several parts of the State due to onset of summer and consequent increase in consumption mainly due to agriculture load. The voltages can be improved not only by shedding rural loads but also by keeping the capacitor banks installed in Stations in good working condition up to its rated capacity by replacing the faulty units, if any. The breaker provided to the capacitor banks must also be kept in good working condition.

The Zonal Chief Engineers, Electy., are already authorised to procure proprietary spares of capacitors banks and therefore no time should be lost for putting back the capacitor banks upto its rated capacity wherever they are working below their capacity.

If any low voltage complaint is received from any part of the State the Corporate office will verify whether the capacitor banks in the Station feeding that area are kept in working condition upto its rated capacity. If it is found that the capacitor bank in that Station is not working or not working upto its rated capacity, then action will be initiated on the erring officials of the Station maintenance Division. The TA & QC Staff is also being directed to verify by surprise inspection about the working of capacitor bank and report directly to Corporate office for taking necessary action.

It is therefore imperative that all the SEE, TL & SS of the Zones and the Executive Engineers, Elecl., of Station Maintenance Division, must bestow their personal attention and see that the capacitor banks are put in to service upto its full rated capacity. The Zonal Chief Engineers, Electy., are hereby instructed to send the status of working of capacitor banks in each of the Station under their control to the Corporate office in the standard format already circulated previously.

*[Signature]* 9/2/2000

**ADDITIONAL SECRETARY**


**TO:**

- ALL Zonal Chief Engineers, Electy., KPTCL.**
- All Superintending Engineers, Elecl., TL & SS, KPTCL.**
- All Superintending Engineers, Elecl., O & M Circles, KPTCL.**
- All Executive Engineers, Elecl., O & M Division, KPTCL.**
- All Executive Engineers, Elecl., Station Maintenance Division, KPTCL.**

**Copy to:**

- The Chief Engineer, Electy., TA & QC, KPTCL, Bangalore.**
- The Superintending Engineer, Elecl., TA & QC, KPTCL, Bangalore/Hubli.**
- PS to CMD / Director (Finance) / Director (Distribution) / Director (Transmission).**

0289



# KARNATAKA POWER TRANSMISSION CORPORATION LTD.

Ref : KPTC/KEB/ B20/ 1611 /97-98

CORPORATE OFFICE,  
CAUVERY BHAVAN,  
BANGALORE - 560 009  
Date : 14<sup>th</sup> Feb '2000

## CIRCULAR

**Sub : Placing of Cheque Collection Box in easily accessible place and to extend the same facility in all other cities – reg.**

A copy of the circular issued vide even No. dated 1-07-1998 regarding placing of Cheque Collection Box to enable the customers to drop the Cheques for payment of Electricity bills is enclosed, which is self-explanatory.

Inspite of this, the response for payment by Cheques by the customers has been lukewarm. The customers confidence in making payment of electricity bills through Cheques is low because we are not prompt in sending the receipts for their having paid the electricity bills through Cheques.

In order to encourage consumers and to instill confidence in them to make payment of electricity bills through Cheques, it has been decided to send the receipt for having received the electricity bill amount within 3 days from the day the customers have dropped the Cheques. The receipts have to be drawn on the same day the Cheque is received and the receipt sent to the customers by post. An appeal may be notified on the notice board at each of the Sub-Divisions and the other cash collection Centres by the Assistant Executive Engineer Electy., O&M Sub-Divisions requesting the customers to pay the electricity bills through Cheques duly indicating the name, RR No.

0290

1050



and Address on the back of the Cheque. This will enable the customers to make payment of electricity bills easily without waiting in the long Queues. The Cheque box duly locked may be kept at a location easily accessible to all customers.

The Assistant Accounts Officers / Senior Assistants of the Sub-Divisions/ Accounting units shall be responsible for implementing the above procedure failing which disciplinary action would be initiated against them. The Sub-Divisional Officers and other inspecting officers shall ensure adoption of the above procedure with immediate effect.

*Signature* 14/2/2000.

**ADDITIONAL SECRETARY**

**Copy to**

Chief Engineer Electy., (General), KPTCL, B'lore.  
Chief Financial Advisor, KPTCL, B'lore.  
All Chief Engineers Electy., KPTCL.  
All Chief Controllers of Accounts, KPTCL.  
Deputy Inspector General of Police, KPTCL.  
All Superintending Engineers Electy., O&M Circles, KPTCL.  
All Controllers, KPTCL,  
Public Relations Officers, KPTCL, B'lore.  
All Executive Engineers Elecl., O&M Divisions, KPTCL.  
All Assistant Executive Engineers Elecl., O&M Sub-Division, KPTCL.  
All Officers, Corporate Office, KPTCL, B'lore.  
PS to CMD/ Dir. (Fin)/ Dir. (P&IT)/ Dir. (Dist.)/ Dir. (Trans)/ Secy./ Addl. Secy.

# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No. KPTCL/B-19/3272/99-2000

Corporate Office,  
Cauvery Bhavan,  
Bangalore, 560009  
Dated 15-02-2000

## CIRCULAR

Sub: Providing Electronic Trivector Meters to 220KV/  
110KV/66KV/33KV stations in KPTCL.

Ref: 1) P.O. No. 11465 dated 3-2-2000 of CEE/MM&P on  
M/s. L&T Bangalore for providing Electronic Trivector  
Meter in stations.

2) Board letter No.B8/435/99-2000 dated 4-02-2000

A purchase order has been placed by CEE, MM & P on M/s. L & T Bangalore for supply and erection of 2660 nos. of CT operated HT electronic trivector meter of accuracy class 1.0 to be fixed to the Banks and feeders in the stations throughout the State. These meters are being provided to have accurate energy auditing and the L & T will have to complete the work before 31-3-2000. In the scope of purchase order some support service will have to be provided by M/s. L & T as follows:

- 1) Taking monthly readings jointly with station staff for a period of one year in all the stations
- 2) Assist the station official in down loading the readings by DCDs / MRIs to the computer provided in the divisional office.
- 3) Based on the data retrieved, generate analysis reports to Board to reflect the load profiles with TOD information in different tariff zones and tamper analysis data.
- 4) They shall also impart practical training to the staff at the place of installation.

In this connection the following action may be taken by all the concerned officials.

- 1) The HT trivector meter is to be provided to all the 11kV Banks in stations at the first instance.

0292



- 2) Meter should be provided zonewise in the following order i.e. Mangalore zone, Hubli Zone, Gulbarga Zone and Bangalore Rural Area Zone.
- 3) In respect of Bangalore Metropolitan Area Zone electronic trivector meters have already been provided to all the banks and some of the feeders. Action should be taken to provide meters to such of the banks where meters are not yet provided due to any reason by releasing the meters provided to the nearby feeders.
- 4) The zonal Chief Engineers are authorised to procure the failed CTs and PTs and other materials required for metering on 11kV banks and feeders and install the same before M/s. L & T supply and install trivector meters. They shall ensure that by 1.4.2000 all the 11 KV banks are provided with the H.T trivector meters and the 1<sup>st</sup> reading of these meters is taken.
- 5) Necessary cooperation shall be extended to L & T staff for fixing meters. The Daily and Weekly readings shall be taken as already directed.

*R. Srinivas* 15/2/2000.  
Additional Secretary.

To

All Zonal Chief Engineers  
CEE/MM&P to instruct M/s. L & T as directed above. Also circulate the detailed scope of work awarded to M/s L&T among all the concerned.  
All SEEs O & M Circles  
All SEEs T & S of zones  
All EEs O & M Divisions.  
All EEs Station Maintenance Division.

Copy to PS to CMD/D (T)/D (D)/D (F)

0293

SPSB



## KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Read : B. O. No. KPTCL/ B26/ 4867/99-2000 dated 27-12-1999.

Orders were issued vide No. KPTCL/ B26/4867/99-2000 dated 27-12-1999 for adoption of Customer Charter, Internal Standard for Customer Charter and four other manuals.

The Customer Charter is open for sale to the Customers/ Public at a subsidised price. The Customer Charter will be made available for sale at O&M Sub-Division/ Division/ Circle/ Zonal Offices. Apart from these offices it will be available for sale at Corporate Office, Office of Chief Engineer Electl., General, Chief Financial Advisor and Chief Engineer Electy., MM&P.

Order No. KPTCL/ B26/4867/99-2000

Date : 28<sup>th</sup> February 2000.

Approval is accorded for the following :-

1. To fix a subsidised price of Rs. 20/- (Rupees Twenty Only) for sale of Customer Charter to the Customers/ Public.
2. To allot Customer Charter for internal use and sale at Offices of each O&M Sub-Division/ Division/ Circle/ Zone and others as per Annexure "A" to "I".

Allotted quantities will be sent during 2<sup>nd</sup> week of March 2000 from the Corporate Office to all the offices by Courier Services. All the Executive Engineers Electl., O&M Divisions shall send a report to the respective zonal Chief Engineers Electy., confirming that Customer Charter has been brought into effect and also it is made available for sale in all the O&M Sub-Divisions and Division Office. The zonal Chief Engineers Electy., shall send a consolidated report to the Corporate Office on or before 25<sup>th</sup> March 2000.

BY ORDER

*R. Srinivas* 28/2/2000

ADDITIONAL SECRETARY


Copy to :

Sri. T. Hanumanthappa, Director, KPTCL, B'lore.  
Chief Engineer Electy. (General), KPTCL, B'lore.  
Chief Financial Advisor, KPTCL, B'lore.  
Inspector General of Police (Vigilance), KPTCL, B'lore.  
Director (Research), KPTCL, B'lore.  
All Chief Engineer Electy., KPTCL.  
All Chief Controllers, KPTCL.  
All Superintending Engineer Electl., KPTCL.  
Public Relations Officer, KPTCL, B'lore.  
All Controllers, KPTCL.  
All Executive Engineer Electl., KPTCL.  
All Assistant Executive Engineer Electl., O&M Sub-Divisions, KPTCL.  
All Officers, Corporate Office, KPTCL, B'lore.  
Head Clerk, Corporate Office, KPTCL, B'lore.  
PS to CMD/ Dir. (Finance)/ Dir. (P&IT)/ Dir. (Transmission)/ Dir. (Distribution)/ Secy./ ADS.

Copy for information to :

The General Secretary, KEBEU (Reg-659) / KEBEA / KEB AO's Asso. /  
KEB SC/ST Welfare Asso./





# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'A'


## Allotment of copies of customer charter.

### A. Bangalore Metropolitan Area Zone :

Sl. No	Office of Zone/ Circle/ Division	No. of Sub-Divns.	No. of Sections	No. of Copies		
				Internal use	For Sale	Total
1.	BMAZ	-	-	10	50	60
	a) B'lore South Circle	-	-	10	30	40
	b) B'lore North Circle	-	-	10	30	40
	i) South Divn.	5	12	42	280	322
	ii) Addl. South Divn.	4	9	35	230	265
	iii) East Divn.	4	11	37	230	267
	iv) Addl. East Div.	4	10	36	230	266
	v) North Divn.	5	10	40	280	320
	vi) Works Divn., Peenya	2	8	26	130	156
	vii) West Divn.	3	10	32	180	212
	viii) Addl. West Divn.	4	11	37	230	267
	ix) Central Divn.	4	11	37	230	267
	x) Addl. Central Divn.	3	7	29	180	209
	<b>TOTAL</b>			<b>381</b>	<b>2310</b>	<b>2691</b>

  
ADDITIONAL SECRETARY

0295



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'B'

## Allotment of copies of customer charter.

### B. Bangalore Rural Area Zone :

Sl. No	Office of Zone/ Circle/ Division	No. of Sub-Divns.	No. of Sections	No. of Copies		
				Internal use	For Sale	Total
2.	BRAZ	-	-	10	30	40
	a) Tumkur Circle	-	-	10	30	40
	i) Rural South Divn.	6	20	54	150	204
	ii) Addl. Rural South	2	5	23	70	93
	iii) Rural North Divn.	3	11	33	90	123
	iv) Addl. Rural North	3	17	39	90	129
	v) Tumkur	4	19	45	230	275
	vi) Tiptur	3	16	38	180	218
	vii) Madhugiri	6	29	63	150	213
	viii) K. G. F.	4	25	51	230	281
	ix) Chickaballapur	7	29	67	170	237
	x) Kolar	5	24	54	280	334
	<b>TOTAL</b>			<b>487</b>	<b>1700</b>	<b>2187</b>

  
ADDITIONAL SECRETARY

0296

1951





# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'C'

## Allotment of copies of customer charter.

### C. Mangalore Zone :

Sl. No	Office of Zone/ Circle/ Division	No. of Sub-Divns.	No. of Sections	No. of Copies		
				Internal use	For Sale	Total
3.	Mangalore Zone	-	-	10	50	60
	a) Mysore Circle	-	-	10	30	40
	b) Mangalore Circle	-	-	10	30	40
	c) Shimoga Circle	-	-	10	30	40
	i) Mysore	6	28	62	330	392
	ii) Chamarajanagar	5	19	49	130	179
	iii) Hunsur	4	15	41	110	151
	iv) Hassan	6	18	52	330	382
	v) Mandya	5	23	53	280	333
	vi) Pandavapura	4	15	41	110	151
	vii) Madikeri	3	12	34	90	124
	viii) Channarayapatna	3	15	37	90	127
	ix) Shimoga	4	17	43	230	273
	x) Sagar	5	16	46	130	176
	xi) Chikkamagalur	8	29	71	430	501
	xii) Mangalore	4	16	42	230	272
	xiii) Puttur	4	15	31	230	261
	xvi) Udupi	6	30	64	330	394
	<b>TOTAL</b>			<b>706</b>	<b>3190</b>	<b>3896</b>

0950

0297

  
ADDITIONAL SECRETARY



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'D'

## Allotment of copies of customer charter.

### D. Hubli Zone :

Sl. No	Office of Zone/ Circle/ Division	No. of Sub-Divns.	No. of Sections	No. of Copies		
				Internal use	For Sale	Total
4.	Hubli Zone	-	-	10	50	60
	a) Hubli Circle	-	-	10	30	40
	b) Belgaum Circle	-	-	10	30	40
	i) Hubli	4	12	38	230	268
	ii) Dharwad	4	13	39	230	269
	iii) Gadag	6	19	53	150	203
	iv) Haveri	6	26	60	150	210
	v) Sirsi	4	13	39	110	149
	vi) Karwar	5	15	45	130	175
	vii) Davangere	8	38	80	430	510
	viii) Chitradurga	6	34	68	150	218
	ix) Belgaum	4	19	53	230	283
	x) Bailhongal	3	15	43	90	133
	xi) Ghataprabha	4	20	46	110	156
	xii) Chikkodi	2	9	31	70	101
	xiii) Bagalkot	3	13	35	90	125
	xiv) Jamkhandi	3	16	38	90	128
	xv) Bijapur	5	25	55	130	185
	<b>TOTAL</b>			<b>753</b>	<b>2500</b>	<b>3253</b>

7530

*[Signature]*  
28/02  
ADDITIONAL SECRETARY






# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'E'

## Allotment of copies of customer charter.

### E. Gulbarga Zone :

Sl. No	Office of Zone/ Circle/ Division	No. of Sub-Divns.	No. of Sections	No. of Copies		
				Internal use	For Sale	Total
5.	Gulbarga Zone	-	-	10	30	40
	a) Gulbarga Circle	-	-	10	30	40
	b) Munirabad Circle	-	-	10	30	40
	i) Gulbarga	9	25	71	480	551
	ii) Yadgir	4	12	38	110	148
	iii) Bidar	7	28	66	380	446
	iv) Bellary	4	12	38	290	328
	v) Hospet	5	18	48	130	178
	vi) Raichur	5	16	46	130	176
	vii) Koppal	4	15	41	130	171
	<b>TOTAL</b>			<b>378</b>	<b>1740</b>	<b>2118</b>

  
28/02  
ADDITIONAL SECRETARY

0299

6751



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'F'

## Allotment of copies of customer charter.

### F. Other Offices :

Sl. No	Name of the Office	No. of Copies		
		Internal use	For Sale	Total
1.	Chief Engineer Electy, (General), B'lore.	100	50	150
2.	Chief Financial Advisor, B'lore.	50	50	100
3.	Chief Engineer Electy, (MM&P), B'lore.	25	50	75
4.	Chief Engineer Electy, (RC&RD), B'lore.	10	--	10
5.	Deputy Inspector General of Police (Vigilance), B'lore.	05	--	05
6.	Corporate Office, B'lore.	100	50	150
7.	Chief Engineer Electy, (HT), B'lore.	02	--	02
8.	Chief Engineer Electy, Major Works (North), Davangere	05	--	05
9.	Chief Engineer Electy, Major Works (South), B'lore.	05	--	05
10	Chief Engineer Electy, (PFC/ ADB), B'lore.	05	--	05
11	Chief Engineer Electy, (LDC), B'lore.	05	--	05
	<b>TOTAL</b>	<b>312</b>	<b>200</b>	<b>512</b>

108

*[Signature]*  
ADDITIONAL SECRETARY

0300





# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'G'

## Allotment of copies of customer charter.


### G. Abstract :

Sl. No.	ANNEXURE	No. of Copies		
		Internal use	For Sale	Total
1.	A	381	2310	2691
2.	B	487	1700	2187
3.	C	706	3190	3896
4.	D	753	2500	3253
5.	E	378	1740	2118
6.	F	312	200	512
7.	Release function	---	---	150
8.	In stock at Corporate Office	---	---	193
	<b>Grand Total</b>	---	---	<b>15000</b>

*[Signature]*  
28/02  
ADDITIONAL SECRETARY

0301

0080




# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

## Annexure 'H'

### H. Basis of Allotment for Internal use :

Sl. No.	Office	Custodian
1.	Zonal Office Each – 10 Nos.	Chief Engineer Electy - 1 Controller - 1 Superintending Engineer Electy, (TL & SS) - 1 Technical Section - 1 Accounts Section - 1 Master Copy - 1 Spare Copy - 4 <b>Total - 10</b>
2.	Circle Office Each – 10 Nos.	Superintending Engineer Electy - 1 Deputy Controller of Accounts - 1 Executive Engineer Electy (Office) - 1 Technical Section - 1 Accounts Section - 1 Master Copy - 1 Spare Copy - 4 <b>Total - 10</b>
3.	Division Office Each – 10 Nos.	Executive Engineer Electy - 1 Asst. Executive Engineer Electy (Office) - 1 Accounts Officer - 1 Technical Section - 1 Accounts Section - 1 Master Copy - 1 Spare Copy - 4 <b>Total - 10</b>
4.	Sub – Division Office Each – 4 Nos.	Asst. Executive Engineer Electy - 1 Asst. Engineer Electy (Tech) - 1 AAO / Senior Assistant - 1 Master Copy - 1 <b>Total - 4</b>
5.	Section Office Each – 1 No.	Asst. Engineer/ - 1 Junior Engineer, O & M - 1 <b>Total - 1</b>

  
ADDITIONAL SECRETARY

0302





# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Annexure 'I'

## I. Basis of Allotment for Sale :

Sl. No.	Office	Allotment
1.	Zonal Offices	BMAZ - 50 Nos. M'lore Zone - 50 Nos. Other Zones - 30 Nos. Each
2.	Circle Offices	30 Copies each
3.	Division Offices	30 Copies each
4.	Sub- Division Offices	
	a) All Sub-Divisions in BMAZ	50 Copies each
	b) All the Sub-Divisions in the following O&M Divisions	50 Copies each
	Tumkur Shimoga Hubli Tiptur Chikkamagalur Dharwad KGF Mangalore Davangere Kolar Puttur Belgaum Mysore Udupi Gulbarga Hassan Bidar Mandya Bellary	
	c) All Sub-Divisions other than in the above O&M Divisions	30 Copies each

  
ADDITIONAL SECRETARY

0303

0303

# CORPORATION LIMITED

Ref : KPTC/KEB/B26/4867/99-2000  
Encls: ONE.



CORPORATE OFFICE,  
CAUVERY BHAVAN,  
BANGALORE 560 009  
Date : 8<sup>th</sup> March 2000

## CIRCULAR

**Sub : Providing suggestion box at all Sub-division/ Division/  
Circle/ Zonal Offices.**

Providing suggestion box at all the Sub-divisional offices is a part of customer charter declared by the Corporation. To fulfill the commitment, it has been decided to provide a suggestion box at all Sub-division/ Division/ Circle/ Zonal Offices into which complaints about the existing system of working or valuable suggestions to improve the system could be dropped by the customers.

The Zonal Chief Engineers Electl., are authorised to arrange to get fabricated steel suggestion boxes of sufficient quantity as per the specification enclosed. The head of the offices shall open the suggestion box on Mondays and ensure registering the suggestions/ complaints received in a separate register duly numbering them serially. They shall take necessary action to redress/ consider the complaints/ suggestions so received duly acknowledging the same. If Monday happens to be a holiday, it shall be opened on the next working day.

This shall come into force with effect from 1<sup>st</sup> April 2000. The Zonal Chief Engineers Electl., will send a compliance report to the Corporate Office on or before 15<sup>th</sup> April 2000 confirming, providing the suggestion boxes in their zones.


*P. Srinivasan* 8/3/2000.  
**ADDITIONAL SECRETARY**

To  
The Chief Engineer Electl., (General), KPTCL, B'lore.  
The Chief Financial Advisor, KPTCL, B'lore.  
All Zonal Chief Engineers Electl., KPTCL.  
All Chief Controllers of Accounts, KPTCL.  
The Deputy Inspector General of Police (Vigilance), KPTCL, B'lore.  
All Superintending Engineer Electy., O&M Circles, KPTCL.  
The Public Relations Officer, KPTCL, B'lore.  
All Executive Engineers Electl., O&M Division, KPTCL.  
All Assistant Executive Engineers Electl., Sub-Division, KPTCL.  
All Officers of Corporate Office, KPTCL, B'lore.  
P.S. to CMD, Dir. (Fin. & Acc.), Dir. (Gen. Inv. & Estt.), Dir. (Gen. Insp.), Dir. (Gen. M&O).

0304



# Design for KPTCL Suggestion Box



Made of steel sheet of 18 SWG  
Navy Blue painted with white lettering box

0305

# Karnataka Power Transmission Corporation Limited

## PREAMBLE:-

A spurt in the purchase activity is envisaged consequent to many a new projects coming up soon. Many of the costly and critical materials require thorough inspection before despatch. A well inspected consignment would ensure supply of quality material and better service and longer life.

After a careful and thorough study of the note dated 28-9-99 of SEE (PMG), the Corporation is pleased to accord approval for the following.

Board Order NO.KPTCL/B35/5929/99-2000

Dated 18.3.2000

## APPROVAL IS ACCORDED FOR THE FOLLOWING.

1. For listing the materials that require stringent inspection norms called critical items. These materials are listed below.
  - a. Power Transformers.
  - b. Control & Relay panels.
  - c. 220/250 Volts, 400/600 AH Battery chargers.
  - d. EHT breakers.
2. To authorise CEE (MM & P) to appoint outside Inspecting Agency services called **THIRD PARTY INSPECTION** services by inviting tenders for inspection of critical items listed in paragraph(1). Bids may be called from among the following agencies.
  - a. RITES.
  - b. Mecon.
  - c. Engineers India Ltd.,
  - d. NPC.
  - e. Projects India.
  - f. Lloyds, BVIS services.
  - g. S.G.S.
  - h. Crown agency.
  - i. Iteng Engineering Private.Ltd.,
3. To authorise CEE (MM&P) to arrange for stage inspection wherever required from these agencies.
4. To authorise CEE (MM & P) to arrange for Inspection of about 25% of the items to be procured listed in paragraph(1).
5. To authorise the CEE (MM & P) to work out the modalities of engaging the services of these agencies for inspection of various items.
6. To get the inspections done as per the Board's quality assurance plan or as mutually agreed to between the Board and the agency.



7. The authorisation to engage the services of outside agencies for inspection will be for a period of one year.

8. To authorise CEE (MM&P) to enter into agreement with the identified Agency/ Agencies that have expertise in Inspection of any or all of the items listed in paragraph(1) for Inspection.

The CEE (MM& P) will seek fresh approval for appointing outside agencies for inspection after one year.

BY ORDER

*R. Hanumanthappa* - 18/3/2000

**ADDITIONAL SECRETARY**

**Copy to:**

1. The Chief Engineer, Electy.(Gl.) KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Chief Engineers, Electy. KPTCL.
4. The Chief Law Officer, KPTCL, Bangalore.
5. The Chief Indl. Relations Officer, KPTCL, Bangalore.
6. The Inspector General of Police (Vig.) KPTCL, Bangalore.
7. All Chief Controllers, KPTCL, Bangalore.
8. All Superintending Engineers, Ele., KPTCL.
9. The Suptdg. Engr. Ele.(Computer) KPTCL, Bangalore.
10. All Controllers of Accounts, KPTCL.
11. All Executive Engineers, Ele. KPTCL.
12. All Dy. Controllers of Accounts, KPTCL.
13. All Accounts Officers (Internal Audit), KPTCL.
14. All Officers of Board Secretariat. / The R.A.O. Cauvery Bhavan, B'lore.
15. PS to CMD/Director (Finance)/ Director (P&IT)/ Director (Transmission)/  
Director (Distribution)/ Additional Secretary / Secretary.
16. Head Clerk, Corporate Office, KPTCL; B'lore.


Copy for information to:

1. Sri. T. Hanumanthappa, Member, KPTCL, Bangalore
2. The General Secretary KEB Employees Union/  
Engineers Association/Accounts Officers Assn./  
SC & ST Welfare Association, Bangalore.

0307

4

KARNATAKA POWER TRANSMISSION CORPORATION LTD.,



Office of the  
Chief Engineer Eledty. (Gl),  
Cauvery Bhavan,  
BANGALORE - 560 009.

Dt: 4-4-2000

CIRCULAR

Sub: Public grievances regarding power supply problems, wrong billing etc., and redressal of such grievances.  
\* \* \*

Of late, this office has been receiving many representations from the consumer public complaining about low voltage/interruptions in power supply, wrong billing, delay in executing the works, non-attending to the consumers' complaints in time especially those which need immediate attention, etc. Further, it is observed that the agitations and creating all sorts of problems by the consumer public in many occasions are due to any one (or) other of the above reasons. It is regretted to note that inspite of instructions issued from this office in such cases time and again, many instances of negligence on the part of the officials have come to the notice of the undersigned. Hence, all the controlling officers of the Corporation are hereby directed to issue suitable instructions to all their subordinate staff based on the following guidelines to discharge their official duties promptly to improve the Corporation's image in the eyes of the consumer public.

The areas from which frequent low voltage/power failure complaints are received should be inspected to find out the exact reasons for such problems. In some occasions, the low voltage prevalence/power shut downs may be due to low voltage incoming in the Sub-Station and imposing of load shedding, respectively, consequent to overloading on the system. But, apart from the above fact, improper maintenance of the lines/transformer centres, non-providing of transformers in load centres with required capacity, non-checking of tap position of transformers, circuitous length of distribution lines, using improper size of conductors, imbalance of loads, non-providing of more circuits in different directions from the transformer centre, non-conversion of sph. System into 3 phase system taking into view the increased load, improper joints at the junction points, loose spans, non-providing of correct grade fuses and protection kit at the transformer centres, etc., may also

0308



cause low voltage/interruptions in power supply. The instances of frequent failure of distribution transformers, snapping of conductors etc., have also come to the notice of the undersigned. The probable reason for high rate of failure of these transformers, snapping of conductors etc., is improper supervision and lack of periodical maintenance. Hence, the periodical maintenance on the distribution system has utmost importance at the moment to improve the power supply and also to avoid electrical accidents.

This office has also been receiving numerous complaints from the consumers regarding wrong billing, non-issue of bill etc.,. Some remedial measures must be taken at the Sub-Division level to avoid such complaints. Action should be taken in issuing fresh bills as early as possible after servicing of the installations to avoid accumulation of arrears. Applicability of tariff and correct billing must be ensured to avoid audit short claims in future. Wrong entries should be discouraged. Whenever arrears are included in un-avoidable circumstances, clarifications should be issued to the consumers intimating the reasons for accumulation of such arrears. Whenever spot bill is received with nil./low/ abnormal consumptions, such installations should be inspected to find out the exact causes. If there is any defect in the meter, immediate action should be taken to replace the same.

Further, in many occasions, non-attending to the consumers' complaints, especially those which need immediate attention attracts public criticism. Hence, all the controlling officers of the Corporation are hereby directed to issue suitable instructions to their subordinate staff to give immediate attention to the consumers' grievances and redress the same, to avoid bad impression among the public in the Corporation's administration.

*S. S. S. 31/3/2000*  
Chief Engineer Electy. (Genl).

To:

All the Exe. Engineers, Ele.,  
&M Divisions, KPTCL.,

All the Asst. Exe. Engineers, Ele.,  
&M Sub-Divisions, KPTCL.,

Copy to:- 1. All the Zonal Chief Engineers, Electy., KPTCL.,  
2. All the Supdg. Engineers, El., &M Circles, KPTCL.,

0309

**KARNATAKA POWER TRANSMISSION CORPORATION LTD.,**

No.KPTCL/B25/2939/99-2000



Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009,  
☎: 080 - 2210685,  
Dated: 10-04-2000.

All Zonal Chief Engineers, Electy.,  
All Superintending Engineers, Elecl.,  
O & M Circles, KPTCL.

Sir,

**Sub: Keeping Buffer stock of 12 items under imprest in  
Sub-Divisions/Sections and Display of the same.**

**Ref: (1) This office letter of even No. dated:23-03-2000.**

**(2) This office letter of even No. dated:24-01-2000.**

During the weekly RBC review meeting held on 29-03-2000 at Corporate office CMD expressed regret over the progress achieved in keeping the 12 items under imprest in Sub-Divisions/Sections and displaying the imprest materials on a black board in Sub-Divisions.

Therefore it is once again requested to take action to maintain buffer stock of all the 12 items in all Sub-Divisions/Sections and to display the status of stock position on a black board in front of Sub-Divisions and confirm the status circle-wise immediately.

Yours faithfully,

*P. Srinivas* 10/4/2000

**ADDITIONAL SECRETARY**

To:

All Executive Engineers, Elecl., O & M Divisions, KPTCL.  
All Assistant Executive Engineers, Elecl., O & M Sub-Divisions, KPTCL.  
The Chief Controller of Accounts (O&D), KPTCL, Bangalore.  
PS to CMD/Director (Finance)/Director (P&IT)/Director (Distribution)/  
Director (Transmission)/Additional Secretary.

0310



## ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ನಂ./ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ./ಬಿ19/7555/ಬಿ/86-87

ನಿಗಮ ಕಾರ್ಯಾಲಯ  
ಕವೇರಿ ಭವನ  
ಬೆಂಗಳೂರು-560009  
ದಿನಾಂಕ. 20-4-2000

### ಸುತ್ತೋಲೆ

ವಿಷಯ:-ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸುವ ಬಗ್ಗೆ.  
ಉಲ್ಲೇಖ:- ನಿಗಮದ ಸಮಸಂಖ್ಯೆ ಸುತ್ತೋಲೆ ದಿನಾಂಕ 10-1-2000.

ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರು ದಿನಾಂಕ 31-3-2000 ದೊಳಗೆ ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸಿಕೊಂಡು, ಸಂಬಂಧಿಸಿದ ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ಎ)/ ಕಿರಿಯ ಇಂಜಿನಿಯರ್ (ಎ) ರವರಿಂದ ದೃಢೀಕರಣ ಪಡಿಸಿದರೆ ಅಂತಹ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ವಿಧಿಸಿರುವ ಪವರ್ ಪ್ಯಾಕ್ಟರ್ ಪೆನಾಲ್ಟಿ ಯನ್ನು ಮನ್ನಾ ಮಾಡಲಾಗುವುದು ಎಂಬುದಾಗಿ ನಿಗಮದ ಸುತ್ತೋಲೆ ದಿನಾಂಕ 10-1-2000 ರಲ್ಲಿ ಸೂಚಿಸಲಾಗಿದೆ.

ಈ ವಿಷಯವು ಸರ್ಕಾರದ ಮಟ್ಟದಲ್ಲಿ ಚರ್ಚೆಯಾಗಿ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.ವು ಕೆಪಾಸಿಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸಿಕೊಳ್ಳುವ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರಿಗೆ ವಿಧಿಸಲಾಗುವ ಪವರ್ ಪ್ಯಾಕ್ಟರ್ ಪೆನಾಲ್ಟಿಯನ್ನು ಹಿಂತೆಗೆದುಕೊಳ್ಳುವ ವಿಷಯವು ದಿನಪತ್ರಿಕೆಗಳಲ್ಲಿ ಪ್ರಕಟಣೆ ಗೊಂಡಿದ್ದರೂ ಸಹ, ಬಹುತೇಕ ರೈತರು ಇದನ್ನು ಗಮನಿಸಿರುವುದಿಲ್ಲ ಎಂಬುದಾಗಿ ಅಭಿಪ್ರಾಯ ಪಡಲಾಗಿದೆ. ಆದ್ದರಿಂದ ಈ ವಿಷಯವನ್ನು ನಿಗಮದ ಮಟ್ಟದಲ್ಲಿ ಚರ್ಚಿಸಿ, ಮತ್ತೆ 3 ತಿಂಗಳ ಕಾಲಾವಧಿಯನ್ನು ಹೆಚ್ಚಿಸಲು ತೀರ್ಮಾನಿಸಿ ಈ ಕೆಳಕಂಡಂತೆ ಆದೇಶಿಸಲಾಗಿದೆ.

(ಅ) ದಿನಾಂಕ 10-1-2000 ದ ನಿಗಮದ ಸುತ್ತೋಲೆ ಯಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್ ಗಳನ್ನು ಅಳವಡಿಸಿ ಕೊಳ್ಳುವ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ವಿಧಿಸಲಾಗಿದ್ದ ಪವರ್ ಪ್ಯಾಕ್ಟರ್ ಪೆನಾಲ್ಟಿಯನ್ನು ಮನ್ನಾ ಮಾಡಲು ನೀಡಲಾಗಿದ್ದ ಕಡೆಯ ದಿನಾಂಕವನ್ನು 31-3-2000 ದಿಂದ 30-6-2000 ದ ವರೆಗೆ ಹೆಚ್ಚಿಸಲಾಗಿದೆ.

(ಆ) ಈ ವಿಷಯವನ್ನು ಹಸ್ತಪ್ರತಿಗಳು, ಗ್ರಾಮ ಪಂಚಾಯತಿ ಮತ್ತು ಸಹಕಾರ ಸಂಘಗಳ ಮುಖಾಂತರ ವ್ಯಾಪಕ ಪ್ರಚಾರ ಮಾಡಲು ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ಎ.), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ ರವರಿಗೆ ಅಧಿಕಾರ ನೀಡಲಾಗಿದೆ.

ದಿನಾಂಕ 10-1-2000 ದ ಸುತ್ತೋಲೆಯಲ್ಲಿ ವಿವರಿಸಿರುವ ಇತರ ಸೂಚನೆಗಳಲ್ಲಿ ಯಾವುದೇ ಬದಲಾವಣೆ ಇರುವುದಿಲ್ಲ.

0310

20.04.2000 ರಲ್ಲಿ 20/04  
ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ

ಇವರಿಗೆ :

- ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ಎ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ವಿಭಾಗ ಗಳು ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ಎ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ, ಉಪ ವಿಭಾಗಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

0311

ಪು.ತಿ.ನೋ.

ಪ್ರತಿಗಳು:

- ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುಚ್ಛಕ್ತಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಆರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಮೈಸೂರು ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಇನ್ಸ್‌ಪೆಕ್ಟರ್ ಜನರಲ್ ಆಫ್ ಪೋಲೀಸ್ (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ (ವಿ.)ಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಮತ್ತು ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಮುಖ್ಯ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಮುಖ್ಯ ಕಾನೂನು ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಔದ್ಯಮಿಕ ಬಾಂಧವ್ಯ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.) (ರಿಫಾರ್ಮ್ಸ್), ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.), ಎ.ಆರ್.ಎಂ. ಘಟಕ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬಿ.ಪಿ.ಎಲ್. ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.), (ಕಂಪ್ಯೂಟರ್), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಹುಬ್ಬಳ್ಳಿ / ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ಆಂತರಿಕ ಪರಿಶೋಧನೆ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ನಿಗಮ ಕಾರ್ಯಾಲಯದ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.
- ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು (ಹಣಕಾಸು), ನಿರ್ದೇಶಕರು (ವಿತರಣೆ), ನಿರ್ದೇಶಕರು (ಪ್ರಸರಣ) / ಕಾರ್ಯದರ್ಶಿ / ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿಯವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿ.
- ಹಿ.ಸ.-೨ (ದಾಖಲೆ ವಿಭಾಗ), ನಿಗಮ ಕಾರ್ಯಾಲಯ.

ಪ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:

- ಶ್ರೀ.ಟಿ.ಹನುಮಂತಪ್ಪ ನಿರ್ದೇಶಕರು, ( ಕಾರ್ಮಿಕ ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ. ಬೆಂಗಳೂರು.

0312

1160



KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

READ:

U.O. Note No. 465 dt. 22/02/2000 & No. 18 dt. 07/04/2000 of the CC(IA), KPTCL, B'lore, addressed to the Member (Finance) through CFA - KPTCL, B'lore.

PREAMBLE:

The CC (IA) in his note read above, has brought to the notice of the Corporation that six-monthly Audit of Power Installations (LT5 & LT7) for the period Jan-June 2000 is scheduled to be completed by December 2000 by deputation of AAO/ Sr. Assistant across the State. But still there are cases where audit is pending even for the year 1994-95. In the year 2000 it is planned to audit commercial lighting installations (LT3) upto December 1999 i.e. for (2 years), LT1 & LT2 upto December 1998 while that of power installation upto June 2000 and HT upto December 2000.

As the task seems to onerous due to there being 48% shortage of staff against sanctioned posts, non-filling up of vacant AAO posts and the installations having increased substantially. Added to this, many posts of Sr. Asst. too are vacant.

In view of speeding up of/up date the audit work by December 2000, this order is being issued.

ORDER No. KPTCL/B10/4209/83-84

BANGALORE DATED. 09/05/2000

1. Audit of I.P installations be restricted to the verification of ledger accounts of newly serviced installations with regard to the levy of correct H.P. Minimum and other requisites. Thereafter randomly 10% of I.P installations in service would be subjected to audit annually along with that of power installations
2. Detailed Cash Audit of Receipts be taken up by the AAO/Senior Assistants for one month in a year under the direct supervision of the Accounts Officer (IA). The latter to verify other cash transactions of all the months like receipt/remittance and Bank Reconciliation.

1101

0313

3. Engaging of retired Assistant Accounts Officers or Senior Assistants on a Rate Contract to clear the backlog in audit at selected sub-divisions. Monthly remuneration of Rs. 3000/- for 2000 accounts is fixed for Arrears Clearance work. This would be reduced proportionately if the number accounts is not achieved. The Chief Controller (Internal Audit) be vested with powers to appoint these retired officials.
4. In the event of there being no sufficient retired employees for the proposal under item 3 above, engaging of Chartered Accountants be considered to clear the arrears of audit work, so as to complete the audit of lighting installations upto December 1999 by December 2000. The remuneration to Chartered Accountants is to be Rs. 1.50 per account per year.
5. CC (IA) is authorised to take necessary action in this regard.

By Order,

*B. T. Jnaneshwar*, 9/5/2000

**(B.T. JNANESHWAR)**  
**ADDITIONAL SECRETARY, KPTCL.**

Copy To: -

- The Chief Engineer (Electy.) (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, Bangalore.
- The Inspector General of Police (Vigilance), KPTCL Bangalore.
- All Zonal Chief Engineers (Electy.), KPTCL.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.
- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- The Superintendent of Police (Vigilance), KPTCL, Hubli Bangalore.
- All Controllers, KPTCL.
- All Superintending Engineers (Ele), O&M Circle, KPTCL.
- The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer (Computers), & EA to CMD, KPTCL.
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.
- All Executive Engineers (Ele), O&M Divisions, KPTCL.

0314



The Public Relation Officer, KPTCL, Bangalore.  
The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan, Bangalore.  
All Accounts Officers (Internal Audit), KPTCL.  
All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.  
All Accounts Officers, O&M Divisions, KPTCL.  
All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL.  
All Officers of Corporate Office.  
PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/  
Director (Personnel & Information Technology) / Secretary  
Additional Secretary.  
SA II (Records) Corporate Office.

Copy for information to:

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0315

No. KEB/B8/402/1999-2000, Dated: 11 MAY 2000.

**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

**Sub: Delegation of Powers to SEE MRT Zones - regarding repairs to Power Transformers.**

**PREAMBLE:**

During the weekly RBC review meeting it was noted that the power transformer repair bays are not being used to their full capacity for repair of power transformer properly, resulting in delay in repair of power transformers. It was decided to take immediate action to repair the power transformers at KPTCL repair bays by equipping them with necessary T & P materials.

In one of the RBC Meeting, Board has taken decision to enhance the procurement powers of SEE, MRT for carrying out repair of transformers and to accord approval to exercise certain financial powers to procure materials to repair the power transformers. Hence this order.

**BOARD ORDER NO. KEB/B8/402/99-2000**

**BANGALORE DATED: 11 MAY 2000**

- 1) To authorise the Superintending Engineers (Elec.) MRT Zones, to hire a truck and trailer of capacity of 20/40 ton to transport power transformers as per rate contract to be approved by the Corporate Office. This has to be operated only during non-availability of truck and trailer of KPTCL
- 2) To authorise Superintending Engineers (Elec.) MRT Zones, to place order on the required quantity of new transformer oil as per the Rate Contract or at the purchase rate of Chief Engineer (Electy) MM&P, when the oil is not in stock at CSD, Bangalore.
- 3) To authorise a sub-committee in each Zone consisting of following officers to approve the proposal regarding repair to power transformers which are beyond the power of Zonal Chief Engineers & Superintending Engineer (Elec.) MRT Circle, upto Rs.30.00 lakhs
  - i) The Chief Engineer (Electy), O & M of the Zone.
  - ii) The Superintending Engineer (Elec.), MRT of the Zone.
  - iii) The Controller of Accounts of the Zone.

The committee shall operate within the frame work of rules and budgetary provisions.

By Order,

0316

*Atmanna*

DP



Copy to:

All Zonal Chief Engineers (Electy), KPTCL.,  
All Superintending Engineers (Elec.), MRT, KPTCL.,  
All Executive Engineers (Elec.) MRT & KPTCL.  
All Superintending Engineers (Elec.), O & M Circles, KPTCL.  
The Chief Financial Adviser, KPTCL, Gauvery Bhavan, Bangalore.  
The Chief Controller of Accounts (I/A), Gauvery Bhavan, KPTCL, Bangalore.  
PS to CMD / D(T) / D(D) / D(F) / D(P & IT).  
PS to ADS.

0317

②P

## ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ಸಂಖ್ಯೆ: ಕವಿಪ್ರನಿ/ಬಿ10/4214/2000-01

ನಿಗಮದ ಕಾರ್ಯಾಲಯ,

ನೀರಾವರಿ ಭವನ,

ಬೆಂಗಳೂರು-560009

ದಿನಾಂಕ: 24/5/2000

### ಸುತ್ತೋಲೆ

ವಿಷಯ : ನೀರಾವರಿ ಪಂಪ್‌ಹೌಸ್ ಸಂಪರ್ಕ ಹೊಂದಿರುವ ಗ್ರಾಹಕರು ಘೋಷಣಾ ಪತ್ರವನ್ನು ಸಲ್ಲಿಸಲು ಅವಧಿ ವಿಸ್ತರಣೆ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ: ನಿಗಮದ ಆದೇಶ ಸಂಖ್ಯೆ: ಕವಿಪ್ರನಿ/ಬಿ10/4214/2000-01  
ಬೆಂಗಳೂರು ದಿನಾಂಕ 1.3.2001.

ನಿಗಮ ತನ್ನ ಆದೇಶ ದಿನಾಂಕ 1.3.2001ರಲ್ಲಿ, ನಮೂನೆ(ಬಿ)ಯಲ್ಲಿ ಘೋಷಣಾ ಪತ್ರ ಸಲ್ಲಿಸಲು ಎಲ್ಲಾ ನೀರಾವರಿ ಪಂಪ್‌ಹೌಸ್ ಬಳಕೆದಾರರಿಗೆ ತಿಳುವಳಿಕೆ ನೀಡಿದ ದಿನದಿಂದ 15 ದಿನದವರೆಗೆ ಅಂದರೆ 30.3.2001 ರವರೆಗೆ ಕಾಲಾವಕಾಶ ನೀಡಬೇಕು ಎಂದು ಸೂಚಿಸಲಾಗಿತ್ತು.

ಈಗ ಎಲ್ಲಾ ನೀರಾವರಿ ಪಂಪ್‌ಹೌಸ್ ಬಳಕೆದಾರರು ಘೋಷಣಾ ಪತ್ರ ನಮೂನೆ-ಬಿ ಯಲ್ಲಿ ಭರ್ತಿ ಮಾಡಿ ನಿಗಮದ ಸಂಬಂಧಿತ ಕಛೇರಿಯಲ್ಲಿ ನೋಂದಾಯಿಸಲು ಕೊನೆಯ ದಿನಾಂಕವನ್ನು 31.5.2001ರವರೆಗೆ ವಿಸ್ತರಿಸಲಾಗಿದೆ ಮತ್ತು ಇದನ್ನು ಅಂತಿಮ ಸೂಚನೆ ಅವಧಿಯೆಂದು ಗ್ರಾಹಕರಿಗೆ ತಿಳಿಯಪಡಿಸುವುದು. ಕ್ಷೇತ್ರಾಧಿಕಾರಿಗಳು ನೀರಾವರಿ ಪಂಪ್‌ಹೌಸ್‌ಗಳ ಎಲ್.ಟಿ.-4(ಬಿ) ವರ್ಗಗಳನ್ನು ಗುರುತಿಸಬೇಕು.

ಅಂತಿಮ ಸೂಚನೆ ಅವಧಿಯೊಳಗೆ ಈ ಘೋಷಣೆಯನ್ನು ನೀಡದ ನೀರಾವರಿ ಪಂಪ್‌ ಹೌಸ್ ಬಳಕೆದಾರರಿಗೆ ವಿದ್ಯುತ್ ದರ 2000 ಅನ್ವಯವಾಗುವ ದಿನಾಂಕದಿಂದ ಎಲ್.ಟಿ.-4(ಬಿ) ಪ್ರವರ್ಗದ ದರಗಳಲ್ಲಿ ಎರಡು ಪಟ್ಟು ದರಗಳನ್ನು ಬ್ಯಾಕ್ ಬಿಲ್ಲಿಂಗ್ ಮಾಡಿ ಬಿಲ್ಲನ್ನು ನೀಡುವುದು. ಈ ಅಂತಿಮ ಸೂಚನೆ ಪತ್ರವನ್ನು ಅಂಚೆ ಮುಖಾಂತರ ನೀರಾವರಿ ಪಂಪ್‌ಹೌಸ್ ಗ್ರಾಹಕರಿಗೆ ಕಳುಹಿಸುವುದು ಮತ್ತು ಅಂತಿಮ ಸೂಚನಾ ಪತ್ರಗಳನ್ನು ಅಂಚೆ ಮುಖಾಂತರ ಗ್ರಾಹಕರಿಗೆ ಕಳುಹಿಸಿರುವ ವಿವರಗಳನ್ನು ಒಂದು ಪ್ರತ್ಯೇಕ ರಿಜಿಸ್ಟ್ರಾರ್‌ನಲ್ಲಿ ನಮೂದಿಸುವುದು ಎಂದು ಈ ಮೂಲಕ ಕ್ಷೇತ್ರಾಧಿಕಾರಿಗಳಿಗೆ ಸೂಚಿಸಲಾಗಿದೆ.

ಮೇಲಿನ ನಿಗಮದ ಆದೇಶದಲ್ಲಿ ತಿಳಿಸಿರುವ ಉಳಿದ ಷರತ್ತುಗಳಲ್ಲಿ ಯಾವ ಬದಲಾವಣೆ ಇರುವುದಿಲ್ಲ.

9180

ಬಿ.ಶಿವಶಂಕರ್ 23/5/2000  
V ಪ್ರಧಾನ ವ್ಯವಸ್ಥಾಪಕರು (ತಾಂತ್ರಿಕ)

### ಪ್ರತಿಗಳು:

- ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುಚ್ಛಕ್ತಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಆರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಉಪ ಪ್ರೊಲೀನ್ ಮಹಾನಿರ್ದೇಶಕರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ (ಎ)ಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ.
- ಮುಖ್ಯ ಇಂಜಿನಿಯರ್(ವಿ), ರೆಗ್ಯುಲೇಟರಿ ವ್ಯವಹಾರಗಳು, ಕವಿಪ್ರನಿ, ಕೆ.ಆರ್.ವೃತ್ತ, ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಇಂಜಿನಿಯರ್(ವಿ), ಟೆಂಡರಿಂಗ್ ಮತ್ತು ಪ್ರೊಕ್ಯೂರ್ಮೆಂಟ್, ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

0318



- ಮುಖ್ಯ ಇಂಜಿನಿಯರ್(ಎ), ಟಿಎ ಮತ್ತು ಕ್ಯೂಸಿ, ಕವಿಪ್ರನಿವಿ, ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಕಾನೂನು ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ದೌಡ್ಯಮಿಕ ಬಾಂಧವ್ಯ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ)(ರಿಫಾರ್ಮ್ಸ್), ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ,ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ), ಎ.ಆರ್.ಎಂ.ಫಟಕ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬಿಸಿಎಲ್ ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ)(ಕಂಪ್ಯೂಟರ್ಸ್), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ,ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಮತ್ತು ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಅಧೀಕ್ಷಕ ಅರಣ್ಯರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಹುಬ್ಬಳ್ಳಿ/ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ..
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ..
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ..
- ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ಎ), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ವಿಭಾಗಗಳು, ಕವಿಪ್ರನಿವಿ.
- ನಿವಾಸಿ ಲೆಕ್ಕ ಪರಿಶೋಧಕರು (ಪರಿಶೋಧನಾ ದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ,ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳು (ಆಂತರಿಕ ಪರಿಶೋಧನೆ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ಎ), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ಉಪ ವಿಭಾಗಗಳು, ಕವಿಪ್ರನಿವಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ..
- ಎಲ್ಲಾ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳು (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕವಿಪ್ರನಿವಿ.
- ನಿಗಮ ಕಾರ್ಯಾಲಯದ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.
- ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ನಿರ್ದೇಶಕರು (ಆರ್ಥಿಕ/ವಿತರಣೆ/ಪ್ರಸಾರಣೆ/ನಿಬ್ಬಂದಿ ಮತ್ತು ಮಾಹಿತಿ ತಂತ್ರಜ್ಞಾನ)/ವಿಶೇಷ ಅಧಿಕಾರಿ/ಪ್ರಧಾನ ವ್ಯವಸ್ಥಾಪಕರು (ಅಡ್ಮಿನಿಸ್ಟ್ರೇಷನ್ ಮತ್ತು ಹೆಚ್.ಆರ್.ಡಿ.)/ಕಂಪನಿ ಕಾರ್ಯದರ್ಶಿ/ಪ್ರಧಾನ ವ್ಯವಸ್ಥಾಪಕರು (ತಾಂತ್ರಿಕ) ಇವರುಗಳ ಅಪ್ಪ ಕಾರ್ಯದರ್ಶಿಗಳಿಗೆ.
- ಹಿ.ಸ.-2 (ದಾಖಲೆ ವಿಭಾಗ), ನಿಗಮ ಕಾರ್ಯಾಲಯ.

ಪ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:

- ಶ್ರೀ ಟಿ. ಹನುಮಂತಪ್ಪ ನಿರ್ದೇಶಕರು, (ಕಾರ್ಮಿಕ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.

0319

Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No.KPTCL/B20/4016/2000-01.

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 29-5-2000.

**CIRCULAR**

Sub : Detection of unauthorised load, theft & pilferage -  
Regarding.

It has come to the knowledge of Corporate office that the Corporation is losing heavy revenue due to reported existence of unauthorised load, theft, pilferage etc., existing in the system. The specialised agencies viz., Vigilance, Revenue Monitoring Wing, TAC etc., are working in the direction of preventing the same. But due to relatively vastness & geographical distribution of system, these agencies can hardly have an effective checking to prevent them.

The unauthorised load, theft & pilferage of energy can be checked & occurrence of such misuse be avoided if the field officers bestow their personal attention while they are on rounds in their area of operation.

In order to plug this seepage of revenue, the corporation desires that each Section Officer of concerned O&M units should book at least total 5 (five) cases per month of above nature, in an endeavor to put an end for misuse of energy & to boost the revenue of KPTCL.

It is expected that the Section Officers will raise to the occasion & will bestow their personal attention to book the cases of misuse/malpractices in the interest of KPTCL revenue.

5/6  
6 addresses  
M 10.6.2000

R. T. ... 27/5/2000  
ADDITIONAL SECRETARY

Copy to: -

The Chief Engineer (Electy.) (General), KPTCL, Cauvery Bhavan, Bangalore.

The Chief Financial Adviser, KPTCL, Cauvery Bhavan, Bangalore.

The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, Bangalore.

The Inspector General of Police (Vigilance), KPTCL, Cauvery Bhavan, Bangalore.

All Chief Engineers (Electy.), KPTCL.

All Chief Controllers of Accounts, KPTCL.

The Chief Law Officer, KPTCL, Cauvery Bhavan, Bangalore.

The Chief Industrial Relation Officer, KPTCL, Bangalore.

0320



All Superintending Engineers (Ele), O&M Circles, KPTCL.  
The Superintending Engineer (Ele), ARM Cell, KPTCL, BPL 'building, K.R.  
Circle, Bangalore.  
The Superintending Engineer (Ele), (Computers), KPTCL, Cauvery Bhavan,  
Bangalore.  
The Superintending Engineer (Ele.) (Reforms), KPTCL, Cauvery Bhavan,  
Bangalore.  
The Superintendent of Police (Vigilance), KPTCL.  
All Controllers, KPTCL.  
All Deputy Controllers of Accounts, O&M Circles, KPTCL.  
The Deputy Controller of Accounts (Revenue Monitoring), KPTCL.  
All Executive Engineers (Ele), O&M Divisions, KPTCL.  
The Public Relation Officer, KPTCL, Cauvery Bhavan, Bangalore.  
The Resident Audit Officer (Audit Wing) KPTCL, Bangalore.  
All Accounts Officers (Internal Audit), KPTCL.  
All Accounts Officers (Revenue Monitoring), KPTCL.  
All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL,  
All Officers of Corporate Office.  
PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/  
Director (Personnel & Information Technology)/Secretary/Additional Secretary.  
SA II (Records) Corporate Office.

Copy for information to:

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0321

0886

# **KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

Sub :- Holding Vidyuth Adalaths for redressal of the grievances of the Electrical Consumers in the State – Regarding.

## **PREAMBLE :**

Government Order No. DE 29 PSR 2000 Bangalore dated 19/04/2000.

In the earlier Corporate Order issued, Corporate order No. KPTCL / B30/ 4205 / 99-2000 dtd. 28.4.2000 there is no time frame fixed to resolve the grievances / complaints of Electricity Consumers. Hence it is proposed to fix a time frame for approaching the adalath in case the grievances are not solved within the specified time frame. Hence this order.

Corporate Order No. KPTCL / B30/ 4205 / 1999-2000 Dated **30 MAY 2000**

Approval is accorded for the following time frame to be fixed for approaching the adalath to resolve the grievances / complaints of Electricity consumers if not addressed by the local officers of KPTCL.

Sl. No.	Type of Grievances / Complaints	Time to approach the adalath
1.	Erroneous Billing	To approach the adalath if not solved within 15 days.
2.	Non- Receipt of Bills	To approach the adalath if not solved within 15 days.
3.	Meter Problems – (a) Meter Burnt and power supply affected. (b) Meter not recording	To approach the adalath if not solved within 15 days
4.	Replacement of defective meters	To approach the adalath if not solved within 30 days
5.	Excessive Billing	To approach the adalath if not solved within 15 days
6.	Arrangement of collection of bills	To approach the adalath if not solved within 30 days
7.	Delay in providing Electricity connection (a) Without line extension (b) With line extension	(a) To approach the adalath if not solved within 15 days. (b) To approach the adalath if not solved within 30 days.



Sl. No.	Type of Grievances / Complaints	Time to approach the adalath
8.	Power Supply interruptions (a) Fuse failure in meter board. (b) Faulty connections in the mains. (c) Major breakdowns	Shall approach the adalath if there is frequent failure of power supply if not solved within 30 days.
9.	Low Voltage compliants (General problems like area compliants)	To approach the adalath if not solved within 30 days
10.	Replacements of faulty transformers	To approach the adalath if not solved within 30 days

*Hanumanth 30/5*  
**ADDITIONAL SECRETARY** *JK*

**Copy to :-**

1. The Chief Engineer (Electy.), General, KPTCL, Cauvery Bhavan, Bangalore.
2. The Chief Financial Advisor, KPTCL, Cauvery Bhavan Bangalore.
3. All Chief Engineers (Electy.), KPTCL.
4. All Chief Controllers, KPTCL.
5. The Director ITC, KPTCL, Bangalore.
6. The Director Research, KPTCL, Bangalore.
7. The Deputy Inspector General of Police (Vigilance), KPTCL, Bangalore.
8. All Superintending Engineers (El.), KPTCL.
9. All the Controllers, KPTCL.
10. All the Executive Engineers (El.), KPTCL.
11. All the Deputy Controller of Accounts, KPTCL.
12. All Assistant Executive Engineers (El.) O&M Sub-division, KPTCL.
13. All the Accounts Officers (including Internal Audit), KPTCL.
14. All the Officers of Board Secretariat, KPTCL.
15. P.S. to C.M / D(F) / D(D) / D(T) / D(P&I.T) / Secretary / Additional Secretary, KPTCL, Bangalore.
16. The Resident Audit Officer, KPTCL, Cauvery Bhavan, Bangalore.

**Copy for Information to :**

1. Sri. T.Hanumanthappa, Director, KPTCL, Bangalore.
2. The General Secretary, KPTCL Employees Union Bangalore / Engineers Association / Accounts Officers Association / SC & ST Welfare Association, Bangalore.

0323

Grams :KELBOARD

Fax : 080-2218930

Office : 2210685

Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED  
No.KPTCL/B11/1401/99-2000

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 1-6-2000.

### CIRCULAR

Sub : Payment of Electricity bills pertaining to Urban Local Bodies like TMC's/CMC's/TP's & Corporations & Karnataka Urban Water Supply & Sewerage Board Installations.

Ref.: G.O. No. FD/538/EXP-3/99 dated 08/07/99 of Under Secretary to Government, EXP.II/Finance Department, Government of Karnataka, Bangalore.

The issue of collection of monthly Electricity demand in respect of Urban Local Bodies like TMC's/CMC's/TP's & Corporations & Karnataka Urban Water Supply & Sewerage Board has been discussed with the finance department, Government of Karnataka & finally it has been decided that:

- 12/6
- (i) KPTCL (KEB) will have to prepare monthly Electricity bills from April '99 & onwards for each Urban Local Bodies and send the claim to the Urban Development Department by 15<sup>th</sup> of the subsequent month.
  - (ii) Regarding the KUWS&DB, KPTCL (KEB) will have to send the bills to Urban Development Department indicating the name of the concerned Urban Local Body by the 15<sup>th</sup> of every month.
  - (iii) The UDD will settle these bills within 45 days from the receipt of the bill. During these 45 days no interest will be charged by KPTCL (KEB).
  - (iv) This system will continue till a satisfactory mechanism is evolved whereby all the Urban Local Bodies could settle KEB bills promptly and without any default
  - (v) Based on this, a Government Order will be framed and circulated to UDD and Energy Department for concurrence. The GO will become the guidelines for settlement of the dues as well as future mechanism of bill settlement.

0324



- (vi) The Board now has to Regulate the payments of Electricity bills of Urban Local Bodies/Karnataka Urban Water Supply Sewerage and Drainage Board installations from April'99 onwards as per the decision taken by the Government. As a result of this decision, no interest can be levied by KEB now for the first 60 days instead of 15 days at present.

Under the circumstances, I am directed to convey approval for the following.

For payment of Electricity bills pertaining to Urban Local Bodies like TMCs/CMCs/TPs and Corporations and Karnataka Urban Water Supply and Sewerage Board, the claims will be sent by **Chief Financial Adviser** to UDD by 15<sup>th</sup> of every month and the UDD will settle these bills within 45 days thereafter. However, during this period of 60 days no interest will be charged.



ADDITIONAL SECRETARY

**To.**

All Executive Engineers (Ele), O&M Divisions, KPTCL, for information and needful.  
All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL for information and needful.

**Copy to.**

- The Chief Engineer (Electy.) (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- The Inspector General of Police (Vigilance), KPTCL, Bangalore.
- All Zonal Chief Engineers (Electy.), KPTCL, for information & needful.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.
- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- All Superintending Engineers (Ele), O&M Circles, KPTCL, for information & needful.
- The Superintending Engineer, (Ele.) (Reforms), Board Secretariat, KPTCL, Cauvery Bhavan, Bangalore.
- The Superintending Engineer, (Elect.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer (Ele.) (Computers), KPTCL, Cauvery Bhavan, Bangalore.
- The Superintendent of Police (Vigilance), KPTCL.
- All Controllers, KPTCL.
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring), O&M Circles, KPTCL.
- The Public Relation Officer, KPTCL, Bangalore.
- The Resident Audit Officer (Audit Wing), KPTCL, Cauvery Bhavan, Bangalore.
- All Accounts Officers (Internal Audit), KPTCL.
- All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.
- All Accounts Officers, O&M Divisions, KPTCL.
- All Officers of Corporate Office.
- PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/ Director(Personnel & Information Technology)/Secretary/Additional Secretary.
- SA II (Records) Corporate Office.

**Copy for information to:**

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0325



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Sub: Scheme for Voluntary Disclosure of unauthorised load in respect of LT1 – (b) (domestic lighting) LT-2 (a) (domestic combined lighting & heating & motive power category of consumers).

## READ:

1. U.O. Note No. CFA/CC(RM)/DCA/PS-71 dated 03/01/2000 of Chief Financial Adviser.
2. KPTCL Resolution No. KPTCL/BM-4/46/1999-2000 dated 28/02/2000.

## PREAMBLE:

The procedure for backbilling of an installation "when connected load of an installation is unauthorisedly increased in excess of sanctioned load is dealt in ESR clause 44.01 a (i). However, several consumers over the years bonafide & innocently would have installed additional points leading to excess load. Hence, a proposal for a scheme called Voluntary Disclosure Scheme (VDS) has been made in order to enable the consumers of LT-1 (b) & LT-2 (a) installations who have not installed current limiters to voluntarily disclose their correct connected load which may be in excess of contracted load & to pay difference of fixed charges & avoid any penal action.

After detailed discussions it was resolved vide Corporation RESOLUTION NO. KPTCL/BM-4/46/1999-2000 dated 28/02/2000 to issue a circular guidelines for fixing of MCBs for installations serviced prior to 1984 or where the MCBs are not existing by giving ample time for consumers to regularise the connected load in respect of LT-1 (b) & LT-2 (a) installations only by introducing a voluntary disclosure scheme.

## ORDER No. KPTCL/B11/1435/99-2000 BANGALORE dated 1-6-2000

Corporation is pleased to introduce the Voluntary Disclosure Scheme (VDS - 2000) with effect from 01/06/2000 to 30/11/2000 i.e., for a period of 6 (six) months. Consumers who have got their connected load more than the sanctioned load in respect of LT-1 (b) & LT-2 (a) may avail this one time opportunity & get their unauthorised load regularised. The details of the scheme may be referred to in the booklet annexed to this order.

The above scheme shall not be applicable for the installations serviced under Regulation No. 9.00 (M.S.Building) & 10.00 (layouts).

A detailed procedure to be followed by the sub-divisional officer while extending the benefits as per this scheme is herewith enclosed at Annexure 'A'.

The booklet to be issued to the above category of consumers for their enlightenment regarding the scheme is herewith enclosed at Annexure 'B'.



The O&M Executive Engineers (Ele.) are empowered to get the booklets printed (Annexure 'B') & arrange to supply to the consumers if requested.

By Order

*B.T. Jnaneshwar* 1/6/2020

(B.T. JNANESHWAR)

ADDITIONAL SECRETARY, KPTCL

Copy To: -

The Chief Engineer Electy., (General), KPTCL, Bangalore.

The Chief Financial Adviser, KPTCL, Bangalore.

The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, B'lore.

The Inspector General of Police (Vigilance), KPTCL Bangalore.

All Chief Engineers Electy., KPTCL

All Chief Controllers of Accounts, KPTCL.

The Chief Law Officer, KPTCL, Bangalore.

The Chief Industrial Relation Officer, KPTCL, Bangalore.

The Superintendent of Police (Vigilance), KPTCL, Hubli/Bangalore.

All Controllers, KPTCL.

All Superintending Engineers (Ele), O&M Circle, KPTCL.

The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.

The Superintending Engineer (Computers), & EA to CMD, KPTCL.

All Deputy Controllers of Accounts, O&M Circles, KPTCL.

All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.

All Executive Engineers (Ele), O&M Divisions, KPTCL.

The Public Relation Officer, KPTCL, Bangalore.

The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan, Bangalore.

All Accounts Officers (Internal Audit), KPTCL.

All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.

All Accounts Officers, O&M Divisions, KPTCL.

All Asst. Executive Engineers (Ele), O&M Sub-divisions, KPTCL

All Officers of Corporate Office.

PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/

Director(Personnel & Information Technology)/Secretary/Additional Secretary.

SA II (Records) Corporate Office.

Copy for information to:

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0327

0327

Detailed procedure to be followed by the AEE of the Sub-Division while extending the benefit as per VDS scheme.

1. This scheme is applicable only for LT-1 (b) category of installations serviced prior to 08/12/88 & LT-2 (a) category of installations which are serviced prior to 24/05/85. This scheme is not applicable for installations coming under ESR 9 & 10.
2. This scheme is valid from 01/06/2000 to 30/11/2000 (6 months).
3. The AAO of the sub-division shall open a separate register for this scheme. Regular follow up of the scheme shall be done. The sub-divisional officer shall send a report every month to the Zonal Chief Engineer (Ele.) through the Executive Engineer (Ele.) indicating the name of the consumer, RR No., existing load, regularised load under the VDS scheme and total load.
4. If the declared lighting load is more than 1KW in LT-1 (b) the same may be regularised as a special case under LT-2 (a) category without any penal action.
5. While Regularising the unauthorised load, completion report, wiring diagram & fresh agreement need not be insisted, as the consumer himself has declared the load in the option form. However a letter to the effect that the contracted load stands increased to the extent of additional regularised load may be obtained and pasted in original agreement.
6. An O.M. regarding regularisation of excess load shall be issued. This OM shall be filed in the RR docket.
7. Single Phase supply is permitted upto & inclusive of 5KW's only. If the consumer declares more than 5KW's, he shall be required to alter the service main, meter Board to three-phase at his cost. Difference of M.S.D shall be collected. An estimate for 3phase meter under service connection shall be prepared & got sanctioned & 3phase line estimates may be prepared wherever necessary & got sanctioned under E & I. Failure to do as required shall attract penalty. In case of Departmental Buildings/Installations the similar formalities have to be fulfilled by the Jurisdictional EE(Civil)/EE(Ele.) concerned at Corporate Cost.
8. For any excess load declared, development charges as per ESR need not be collected from the consumer.



9. The consumers who have opted for VDS shall not be required to pay supervision charges, service charges & Registration fees etc.

10. MCB of suitable capacity matching to the declared load shall be installed by the consumer at his cost. In case of Departmental Buildings/Installations, MCB of suitable capacity shall be installed by the corporation by EE(Civil) or EE(Ele.) at the cost of the corporation.

11. In implementation of the scheme under Reforms/consumer charter EE's of O&M Divisions shall ensure that there shall not be any un-necessary harassment caused to consumers.

*P. Srinivasan* 1/6/2000.  
ADDITIONAL SECRETARY

0329

8580

**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

SCHEME FOR VOLUNTARY DISCLOSURE OF  
UNAUTHORISED LOAD IN RESPECT OF LT1 (b)  
(DOMESTIC LIGHTING) LT2- (a) DOMESTIC  
COMBINED LIGHTING & HEATING & MOTIVE  
POWER CATEGORY OF CONSUMERS

0330

1880



I. KPTCL has evolved a scheme known as "Voluntary Disclosure Scheme" in which consumers have an opportunity to Regularise their existing unauthorised load without paying any penalty. Consumers are required to pay only difference in Fixed Charges prospectively for the "Additional Load" already existing & no other penalty is charged for such Unauthorised Loads.

II. The scheme for voluntary disclosure of unauthorised load is open to all domestic consumers covered under tariff schedules

**LT-1(b)/Serviced prior to 08/12/88 & LT-2 (a) serviced prior to 24/05/85.**

This Scheme does not apply to the installations serviced under Regulation 9.00 & 10.00 of ESR-1988 i.e., Layouts, Residential/Commercial Complexes, M.S. Buildings & Apartments.

The consumers opting for VDS have to either:

- (a) Declare that an MCB of approved capacity has been fixed to the installation & the same is in working condition; OR
- (b) Declare that the Connected Load is more than the Sanctioned Load & there is no MCB/ & even if it is there, the same is not working necessitating sanction of Additional Load.

III. This scheme is open from 01/06/2000 to 30/11/2000 (6months only).

**IV. THE REGULATIONS OF KEB FOR MISUSE OF ENERGY AT PRESENT ARE AS UNDER:**

Regulation 44.01 a (i) of ESR-1988 refers to prejudicial use of energy.

As per Regulation 44.01 a (i) of Electricity Supply Regulations -1988, if at any time the connected load of an installation is un-authorisedly increased in excess of the sanctioned load indicated in the Power Supply agreement, then without prejudice to any Criminal Prosecution or other legal action which the Board may take against the consumer, the consumer shall on demand, pay to the Board for such connected load exceeding the load indicated in the agreement and for the proportional energy consumed by such excess load, at thrice the normal

rates applicable for such period as may be deemed justified in the circumstances of any given case subject to a maximum period of six months.

To get rid of the above penalties & prosecutions, consumers can avail this Voluntary Disclosure Scheme & Regularise their existing unauthorised load. This is a one time golden opportunity given to the consumers.

V. The consumers covered under Voluntary Disclosure Scheme – 2000 are exempted from:

1. (a) Payment of Back Billing Charges as per Regulation 44.01 (as above) of Electricity Supply Regulations-1988.  
(b) Disconnection of their installation due to excess load.  
(c) Inspections by KPTCL officials.
2. Proceedings for Criminal Prosecution.
3. Payment of Additional 3 MMD on the unauthorised load.
4. Observation of Procedural formalities to get additional power supply.

They have to pay only the difference in Fixed Charges prospectively i.e., from the date of regularisation of unauthorised load.

VI. HOW TO KNOW THE Un-authorised Load ? (a) If the sum total of connected load like light, fans, Refrigerator, stoves, boilers, water pumps, any other electrical appliances which are connected to the installation in the premises is more than the sanctioned load, the excess over & above the sanctioned load is known as unauthorised load which requires regularisation.

The appropriate load for the various Electrical gadgets / appliances used in household / commercial establishment is indicated below: -

- |   |                            |
|---|----------------------------|
| 1. Bulb                                       | : 25Watts to 60 Watts      |
| 2. Tube light                                 | : 40 Watts                 |
| 3. Fan  | : 60 Watts                 |
| 4. Television (21")                           | : 80 watts                 |
| 5. Refrigerator (165 lts)                     | : 185 Watts                |
| (Depending upon the capacity of Refrigerator) |                            |
| 6. Stove/Boilers                              | : 1250 Watts to 2000Watts. |
| 7. Water pumps [as per name plate]            |                            |

EEEN

0332



8. Wall Plugs used sparingly : 40 Watts each.

9. Any other equipment as per the name plate details.

**(b) Approved capacity of MCB's already fixed / to be fixed to the installations:**

[a] LT-1: Domestic Lighting installations-upto 1KW...6 Amps MCB

[b] LT-2: Domestic Lighting & Heating (AEH) installations-

(i) Upto 3 KW's-16 Amps MCB.

(ii) Upto 5 KW's-25 Amps MCB.

**NOTE:**

[a] In case of load exceeding 5 KW's or more 3phase-power supply has to be availed & 3 phase MCB of approved capacity has to be fixed.

**Example:**

**(i) For cases where MCB is not fixed or not in working condition:**

The Sanctioned Load of an AEH installation is 3kw. The Connected Load as per the inventory is:

1. Bulbs/Plug points 18nos *40W	= 720W
2. Refrigerator 165litres 1no.	= 185W
3. Television 1 no.	= 80W
4. Water Pump 1/2HP 1 no.	= 375W
5. Boiler/Geyser (2kw) 1 no.	= 2000W
6. Electric Stove (2kw) 1 no.	= 2000W
<b>TOTAL Connected Load</b>	<b>= 5360W</b>

(i.e. 5.36 kilo watts)

The excess load as per the inventory is 2.36kw (i.e. 5.36 - 3.00 kilo -watts).

Additional Fixed Charges payable for 2.36kw is only Rs. 39/- per month (at the rate of Rs. 13/-Per KW. per month).

**In such cases, the following declaration to be given:**

I, the undersigned consumer (owner / lessee / occupant) of the premises bearing R.R.No.

Do hereby declare that the connected Load of my installation is-----KW's & no MCB has been fixed / fixed but not in working condition.

**NOTE:** The consumer has to submit the Prescribed application form annexed to the booklet duly filled in, to the jurisdictional AEE (E) of O & M Sub-Dvn.

**(ii) For cases where MCB is fixed & in working condition:**

The excess load as per the inventory worked out in the example at (I) above is 2.36 KW's. The consumer need not pay any additional fixed charges. Since he has

7  
already installed an MCB of appropriate capacity & the same is in working condition.

In such cases, the consumers have to give the following declaration:

I the undersigned owner / leasee/ occupant hereby declare that the information furnished in respect of RR.No....., is correct to the best of my knowledge & total connected load in the installation is.....,Kilo Watts. MCB of----- capacity is fixed to my installation & is in working condition.

(signature)

Place: ..... Name .....

Date:.....(Owner/Tenant/Lessee)

**NOTE:** For more details on Voluntary Disclosure Scheme & regularisation of Unauthorised load please contact the Jurisdictional A.E.E (Elec) of the concerned O&M Sub-division, KPTCL.

---

0334

3980



10

**Application form for Regularization of Un-authorized Load as per Voluntary Disclosure Scheme when approved capacity of MCB is not fixed / fixed but not in working condition.**

From:

To:

The Asst. Exe. Engineer,(Ele),  
O&M Sub division,  
KPTCL, .....

Sir,

**Sub:** Request for Regularisation of unauthorised load under Voluntary Disclosure Scheme in respect of RR No. ....

**Ref:** Board Order No. KPTCL/B11/1435/99-2000 dated.....

I, the undersigned consumer (owner / lessee / occupant) of the premises bearing R.R.No.

Do hereby declare that the connected Load of my installation is-----KW's & no MCB has been fixed / fixed but not in working condition (strikeout whichever is not applicable).<sup>4</sup>

3887

I therefore request you to sanction me an additional load of ....., KWs in respect of RR No....., the details are as follows :

1. RR No./Ledger/Folio: .....

2. Name & address :

3. Nature of Installation :

4. Sanctioned load if known :

5. Connected load in the Installation :

(details to be given as noted below along with wiring diagram. )

0335

Description of Electrical gadget	No. of Points	Total Watts.
Bulb 25W to 60W		
Tube light 40W		
Fan 60W		
Television 80W		
Refrigerator 185W or as per name plate.		
Stove/Boiler/Geyser 1250W to 2000W each or as per name plate.		
Any other equipment as per the name plate		
<b>Total load in Watts</b>		

**ABSTRACT**

A} Total load As per inventory:

B} Less Total Sanctioned Load: C} Additional load required :

.....  
(signature)

Place: ..... Name .....

Date: ..... (Owner/Tenant/Lessee)

(O&M Report)

**FOR OFFICE USE**

1. RR.No. /Ledger/Folio :

2. Name of the consumer :

(as per ledger entry records)

7880

3. Tariff being applied :

4. Sanctioned load :

5. F.C. Claimed for :

0336



6. Connected load of the consumer

7. Addl., load to be sanctioned:

8. Total load of the installations  
after sanction :

9. Remarks if any :

Sr. Assistant

**AAO**

Submitted for kind needful to AEE (Elec), O&M sub division,  
KPTCL .....

**AAO**

Additional load of .....K.W. is sanctioned to the above R.R.

No.....

**AEE**

0337

0337

# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

AEE/O&M No./..... Dated:  
Engineer (Ele.),

Office of the Asst. Exe.

O & M Sub-Division.  
-----,

## OFFICIAL MEMORADUM

Sub: Regularisation of Additional load in respect of RR  
No.....

Ref: 1. VDS Board Order No. KPTCL/B11/1435/99-2000 dated

.....  
2. Consumer declaration dated .....

Additional load of ..... KW in addition to existing load of  
..... KW in respect of RR No..... with effect from  
..... is sanctioned & regularised under VOLUNTARY  
DISCLOSURE SCHEME 2000. The consumer is directed to install an MCB of  
..... Amps before the next meter reading date failing which the installation  
is liable to be disconnected besides taking action as per ESR-1998.

Assistant Executive Engineer (Ele.),  
O&M Sub-Division,  
KPTCL.

1. Copy to Party
2. Copy to AE(E)---of O&M for information & to ensure through the meter reader that the MCB is installed by next meter reading date.
3. Copy to Junior Assistant, Revenue Section for making necessary changes of sanctioned load in the ledger & for filing in the RR Docket.



Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

No.KPTCL/B20/6891/91-92

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 12-6-2000

**CIRCULAR**

Sub : Effective disconnection of installation for recovery of revenue arrears - Regarding.

Attention is drawn to the letter No. T/Com-1/E60/CYS-584 dated 26/03/98, wherein the CEE (G) has highlighted the procedure to be followed to overcome the shortfall in the prevailing system of preparation of common disconnection list & has proposed a new system to be implemented with immediate effect, as follows:

- 1) A new format of disconnection memo as detailed below with different colours given below shall be introduced.
- a) "Red" colour for arrears of above Rs. 5,000/-.
- b) "Yellow" colour for arrears of above Rs. 1,000/- but below Rs. 5,000/-.
- c) "Blue" colour for arrears of above Rs. 500/- but below Rs. 1000/-.
- d) "White" colour for arrears of below Rs. 500/- (The present system).
- 2) Priority in effecting disconnection is to be made in the order of HT, LT-5, LT-3, LT-2 & other category of installation as well as in the order of amount outstanding.
- 3) To effect special disconnection at the pole wherever necessary.
- 4) The O&M AE/JE shall ensure disconnection in respect of all Red & Yellow disconnection Memos & are particularly responsible for the same. The AE/JE shall check at random 10% of the disconnected installations.

The Sub-Divisional Officer shall check for effective disconnection at Random 2% of the Red coloured disconnection memos.

- 5) Responsibility shall be fixed on the erring officials if the arrears accumulated against any installation is more than the 3MMD.

But, it has come to the knowledge of the corporation that the above system is seldom implemented/followed in the field offices for effective disconnection & thereby non-realisation of corporation dues in time.

0480

0339

P.T.O.



The non-implementation of the directions & orders issued by the corporate office & other controlling officers is an act of indiscipline which will be viewed seriously & disciplinary proceedings has to be initiated on the erring officials.


Hence it is reiterated that the directions already issued by CEE (G) vide his letter referred to above be followed scrupulously without any deviations & in true spirit in the interest of Corporations Revenue.

As already indicated in the CEE circular referred to herein, the jurisdictional EE (Ele.), O&M Division are to ensure supply of colour coded new disconnection formats.

The EEE's during inspections to Revenue Sections & O&M units should see that the instructions already issued are being implemented. Any lapses if noticed, be brought to the notice of Corporate Office/CEE (G) for further action.

Other inspecting officers also to verify during the course of their inspection, whether the instructions issued are followed or not and report deviations/non-compliance to higher-ups.

Yours faithfully,

 9/6

ADDITIONAL SECRETARY

To

- All Executive Engineers (Ele), O&M Divisions, KPTCL, for information.
- All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL, for information.

Copy to: -

- The Chief Engineer Electy., (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- The Chief Law Officer, KPTCL, Bangalore.
- All Zonal Chief Engineers Electy., KPTCL, for information & needful.
- All Chief Controllers of Accounts, KPTCL.
- All Superintending Engineers (Ele), O&M Circles, KPTCL, for information & needful.
- The Superintending Engineer (Ele.) (Reforms), Corporate Office, KPTCL, Cauvery Bhavan, Bangalore.
- The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer (Elect.) (Computers), KPTCL, Cauvery Bhavan, Bangalore.
- The Superintendent of Police (Vigilance), KPTCL.
- All Controllers, KPTCL.
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.

0340



- All Deputy Controllers of Accounts (Revenue Monitoring), O&M Circles, KPTCL.
- The Public Relation Officer, KPTCL, Bangalore.
- The Resident Audit Officer (Audit Wing), KPTCL, Cauvery Bhavan, Bangalore.
- All Accounts Officers (Internal Audit), KPTCL.
- All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.
- All Accounts Officers, O&M Divisions, KPTCL.
- All Officers of Corporate Office.
- PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/Director (Personnel & Information Technology)/Secretary/Additional Secretary.
- SA II (Records) Corporate Office.

Copy for information to: -

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0341

Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No. KPTCL/B20/4023/2000-01  
Corporate Office, Cauvery Bhavan,  
Bangalore - 560 009.

Dated : 19-6-2000

The Assistant Executive Engineers (Ele.),  
O&M Sub-Division,

CEE (H2) **FILE**

SE (T&S)

CA

EE (O)

EE (C)

EE (SIC)

AO

SPA

R&R

Respective places

*[Handwritten signature]*

Sub: Non-receipt of Electricity bills for the water supply schemes under the World Bank Assisted IRWS & S Project - Regarding.

The D.O. letter No. RDP 26 PPM 2000 dated 18/05/2000 received from the

Director, Rural Development & Panchayat Raj Department, Government of Karnataka is reproduced herein.

"Under the World Bank Assisted Integrated Rural Water Supply & Environmental Sanitation Project the water supply schemes have to be maintained & managed by the Village Water Supply & Sanitation Committees. The VWSCs have been directed to levy water tariff to cover the cost of electricity bills & salaries to staff.

In many of the project villages it has been observed that the KPTCL is not giving the monthly electricity bills. In some villages meters have also not been installed. Because of this non receipt bills the VWSCs are not collecting the required amount of tariff. This will affect the sustainability of the schemes as & when electricity bills are received.

I request you to ensure that the monthly electricity bills are given to the respective VWSCs regularly".

0342

P.T.O.



It is regretted to note that the Rural Development Department is bringing to the knowledge of Corporate Office that monthly electricity bills are not being issued & meters have also not been installed. When the corporation is reeling under financial crunch, the reason for the above lapses is not understood.

Under the above circumstances, it is hereby instructed to all sub-divisional officers to ensure fixation of a good working meter invariably to such installations while servicing of the installation & issuance of bills within 30 days of service of such installations to the Village Water Supply & Sanitation Committees for arranging payments.

Action be taken to fix meters to already serviced installations, if not provided/malfunctioning & bills be issued regularly in time without fail.

Yours faithfully,

*[Signature]* 16/6

ADDITIONAL SECRETARY

Copy to: -

1. The Chief Engineer (Ele.) (General), KPTCL, Cauvery Bhavan, Bangalore, for information.
2. All the Zonal Chief Engineers (Ele.), KPTCL, for information.
3. All the Superintending Engineers (Ele.), O&M Circle, KPTCL, for information.
4. All the Executive Engineers (Ele.), O&M Division, KPTCL, for information.

0343

0343

ಫೋನ್ : 0845-2435

ಕಛೇರಿ : 2210685

ಫ್ಯಾಕ್ಸ್ : 080-2218930

## ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ಶಂ./ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ./೨೧೧/1426/99-2000.

ನಿಗಮ ಕಾರ್ಯಾಲಯ

ಕುವೆರಿ ಭವನ

ಬೆಂಗಳೂರು-560009

ದಿನಾಂಕ. 21-06-2000

### ಸುತ್ತೋಲೆ

ವಿಷಯ:- ಕೃಷಿ ಬಳಕೆದಾರರಿಂದ ಬಾಕಿ ವಸೂಲಾತಿಯ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ:- ಸುತ್ತೋಲೆ ಸಂಖ್ಯೆ ಕವಿಪ್ರನಿನಿ: ೧೧೧/1426/99-2000, ದಿನಾಂಕ 03-01-2000.

ನಿಗಮವು ತನ್ನ ಸಮಸಂಖ್ಯೆಯ ಸುತ್ತೋಲೆ, ದಿನಾಂಕ 03-01-2000ದ ಪ್ರಕಾರ, ನೀರಾವರಿ ಪಂಪುಸೆಟ್ಟು ಸ್ಥಾಪನೆಯನ್ನು ಹೊಂದಿರುವ ಕೃಷಿ ಬಳಕೆದಾರರು ಪಾವತಿಸಬೇಕಾದ ವಿದ್ಯುಚ್ಛಕ್ತಿ ಬಾಕಿ ಶುಲ್ಕವನ್ನು, ನಿಯಮಾನುಸಾರ ಬಡ್ಡಿಯನ್ನೂ ಬಳಗೊಂಡಂತೆ, ಸಮಾನ ಮೊತ್ತದ ನಾಲ್ಕು ಕಂತುಗಳಲ್ಲಿ ಪಾವತಿ ಮಾಡಲು ಅವಕಾಶ ಕಲ್ಪಿಸಿತು. ಮೊದಲ ಕಂತನ್ನು ದಿನಾಂಕ 15-01-2000 ಬಳಗೆ ಪಾವತಿ ಮಾಡಲು ನೀರಾವರಿ ಪಂಪುಸೆಟ್ಟು ಬಳಕೆದಾರರ ಸ್ಥಾಪನೆಗಳಿಗೆ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಡಿತಗೊಳಿಸದೆ, ಈ ಫೌಲಭ್ಯವನ್ನು ವಿಸ್ತರಿಸುವಂತೆ ಹಾಗೂ ಬಳಕೆದಾರರು ನಂತರದ ಕಂತುಗಳನ್ನು ಪಾವತಿ ಮಾಡುವ ಬಗ್ಗೆ ಖಚಿತಪಡಿಸಿಕೊಳ್ಳಬೇಕೆಂದು ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ಉಪವಿಭಾಗದ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರುಗಳಿಗೆ ಅಧಿಕಾರ ನೀಡಲಾಯಿತು.

ಆದರೆ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ಟು ಬಳಕೆದಾರರು ಈ ಅವಕಾಶವನ್ನು ಸದುಪಯೋಗಪಡಿಸಿಕೊಂಡಿಲ್ಲವೆಂದೂ, ಮತ್ತು ಕೆಲವು ಬಳಕೆದಾರರು ಮೊದಲ ಕಂತನ್ನು ಪಾವತಿ ಮಾಡಿದ ನಂತರ, ಮುಂದಿನ ಕಂತುಗಳನ್ನು ಕಟ್ಟುವಲ್ಲಿ ವಿಫಲರಾಗಿರುವುದು ನಿಗಮದ ಗಮನಕ್ಕೆ ಬಂದಿದೆ.

ನಿಗಮವು ಪ್ರಸ್ತುತ ಗಂಭೀರ ಆರ್ಥಿಕ ದುಸ್ಥಿತಿಯನ್ನು ಅನುಭವಿಸುತ್ತಿದ್ದು, ನೀರಾವರಿ ಪಂಪುಸೆಟ್ಟು ಬಳಕೆದಾರರಿಗೆ ನೀಡಿರುವ ಫೌಲಭ್ಯವು ಪ್ರಯೋಜನಕಾರಿಯಾಗದ ಕಾರಣದಿಂದ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಡಿತವನ್ನು ಅನುಸರಿಸದೆ ಬೇರೆ ಯಾವುದೇ ಮಾರ್ಗವಿಲ್ಲ.

ಈ ಪರಿಸ್ಥಿತಿಯಿಂದ ಬಾಕಿಯ ಮೊತ್ತವು ಪ್ರತೀ ತಿಂಗಳೂ ಅಧಿಕಗೊಳ್ಳುತ್ತಿರುವುದರಿಂದ, ಬಾಕಿ ಮೊತ್ತವನ್ನು ಪಾವತಿ ಮಾಡದ, ನೀರಾವರಿ ಪಂಪುಸೆಟ್ಟು ಗ್ರಾಹಕರ ಸ್ಥಾಪನೆಗಳಿಗೆ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಡಿತಗೊಳಿಸಬೇಕೆಂದು ಉಪವಿಭಾಗಾಧಿಕಾರಿಗಳಿಗೆ ಸೂಚಿಸಲಾಗಿದೆ.

ಬಿ. ಅ. ರಾಜೇಶ್ವರ 21/6/2000

ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ

ಇವರಿಗೆ :

- ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ವಿ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ವಿಭಾಗಗಳು ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ವಿ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ, ಉಪ ವಿಭಾಗಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

0344

ಪು.ತಿ.ನೋ.

12/7  
ಹತ್ತಿರಿಸಿ  
13/7



ಭ್ರತಿಗಳು:


- ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುಚ್ಛಕ್ತಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಆರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಮೈಸೂರು ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಇನ್ಸ್‌ಪೆಕ್ಟರ್ ಜನರಲ್ ಆಫ್ ಪೋಲೀಸ್ (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ (ವಿ.)ಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಮತ್ತು ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಮುಖ್ಯ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಮುಖ್ಯ ಕಾನೂನು ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಔದ್ಯಮಿಕ ಬಾಂಧವ್ಯ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.) (ರಿಫಾರ್ಮ್ಸ್), ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.), ಎ.ಆರ್.ಎಂ. ಘಟಕ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬಿ.ಪಿ.ಎಲ್. ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ವಿ.), (ಕಂಪ್ಯೂಟರ್ಸ್), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಹುಬ್ಬಳ್ಳಿ / ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಷಾ ನಿವಾಸಿ ಲೆಕ್ಕ ಪರಿಶೋಧಕರು (ಪರಿಶೋಧನಾ ದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ಆಂತರಿಕ ಪರಿಶೋಧನೆ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ನಿಗಮ ಕಾರ್ಯಾಲಯದ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.
- ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ ನಿರ್ದೇಶಕರು (ಆರ್ಥಿಕ)/ ನಿರ್ದೇಶಕರು (ವಿತರಣೆ)/ ನಿರ್ದೇಶಕರು (ಪ್ರಸಾರಣೆ) / ನಿರ್ದೇಶಕರು (ಸಿಬ್ಬಂದಿ ಮತ್ತು ಮಾಹಿತಿ ತಂತ್ರಜ್ಞಾನ)/ಕಾರ್ಯದರ್ಶಿ / ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಇವರುಗಳ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಗಳಿಗೆ.
- ಹಿ.ಸ.-೨ (ದಾಖಲೆ ವಿಭಾಗ), ನಿಗಮ ಕಾರ್ಯಾಲಯ.

ಭ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:

- ಶ್ರೀ.ಟಿ.ಹನುಮಂತಪ್ಪ ನಿರ್ದೇಶಕರು, ( ಕಾರ್ಮಿಕ ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ. ಬೆಂಗಳೂರು.

0345

400



**KARNATAKA POWER TRANSMISSION CORPORATION LTD.,**

**PREAMBLE:**

The present practice in KPTCL for construction of distribution system in Rural Areas and also in certain pockets of Urban Area is by using No.4 ACSR / Squirrel conductor which is the minimum size of the conductor procured. However it has been seen that this type of conductor have certain limitations and disadvantages. The current carrying capacity of the conductor is quite less and the loss of energy is more. This type of conductor is also susceptible for damages even for minor faults and for falling of any external material/object. Therefore in the 129<sup>th</sup> IMC (T) meeting it has been decided that in future the minimum size of conductor to be used for construction of distribution system should be only No.2 ACSR/Weasel conductor.

Hence the Order,

**ORDER NO.B19/6723/95-96, BANGALORE**

**DATED: 21-06-2000**


- 1) In future the minimum size of conductor to be used for construction of distribution system in the State (both HT & LT lines) should be with No.2 ACSR/Weasel conductor including neutral of the LT distribution system. All the estimates in future must be prepared with No.2 ACSR (weasel) conductor in lieu of No.4 ACSR/Squirrel conductor.
- 2) Procurement of No.4 ACSR/Squirrel conductor shall be stopped forthwith.
- 3) However, in order to utilise the available stock of No.4 ACSR/Squirrel conductor the same shall be drawn against the sanctioned estimate till the stocks in the Stores are exhausted
- 4) In the sanctioned estimate wherever No.4 ACSR (squirrel) conductor is provided but the stocks of which are exhausted, the same length of No.2 ACSR/Weasel conductor shall be drawn. Any extra cost due to the above may be explained in the completion report. However, drawal of excess length of No.2 ACSR/Weasel conductor over and above the sanctioned quantity in the estimate is not permitted. The excess cost booked owing to drawal of No.2 ACSR conductor instead of No.4 ACSR conductor shall be considered as included in the original estimate and completion report accepted without insisting on sanction of any authority afresh. This order itself serves as authority in such cases only.

0346



- 5) While preparing the Schedule of Rates no **Cost Data** sheet for distribution line construction shall be prepared with provision for No.4 ACSR/Squirrel conductor.
- 6) For already sanctioned works to be taken up under 'Self Financing Scheme' especially for servicing IP sets if provision is made for No.4 ACSR conductor in the sanctioned estimate, the field staff is authorised to draw No.2 ACSR in lieu of No.4 ACSR. However difference in cost from the applicant/consumer need not be collected. In respect of other deposit contribution works the difference in cost shall be collected from applicant/consumer.
- 7) If there are any major sanctioned estimates under system improvement scheme with provisions for No.4 ACSR conductor and are not operated then such estimates shall be revised by providing No.2 ACSR conductor.
- 8) All estimates prepared in future from the date of issue of this Board Order under "self financing scheme" or under DCW shall be got prepared either by No.2 ACSR or by Rabbit conductor only.
- 9) If there are sanctioned estimates for replacing No.4 ACSR conductor by either No.2 ACSR or Rabbit conductor then such estimates may be operated immediately and the released good No.4 ACSR conductor should be used against other sanctioned estimates.

**By Order,**

 21/6/2000

**ADDITIONAL SECRETARY**

Copy to:

1. The Chief Engineer Electy.,(General), KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Chief Engineers, Electy., KPTCL.
4. The Director, ITC, KPTCL, Bangalore.
5. All the Chief Controllers, KPTCL.
6. All the Superintending Engineers, Elecl., KPTCL.
7. All the Controllers, KPTCL.
8. All the Executive Engineers, Elecl., KPTCL.
9. All the Assistant Executive Engineers, Elecl., O & M Sub-Divisions, KPTCL.
10. All the Deputy Controller of Accounts, KPTCL.
11. All the Accounts Officers, KPTCL.
12. All officers of Corporate Office, KPTCL.
13. PS to CMD/Director (P&IT)/Director (Finance)/Director (Distribution)/Director (Transmission)/Secretary/Additional Secretary.
14. SA-II - Records.

0347

0480

Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No. KPTCL/B20/4019/2000-01

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 29.6.2000

CIRCULAR

It has come to the knowledge of the corporate office that in many of the KPTCL quarters meters have not either been fixed or the existing meter are faulty. This has led to improper assessment of energy consumed by the KPTCL employees attracting adverse comments. Though time and again, instructions have been issued to ensure fixing of meters to all the quarters, yet a few instances of non fixing of meters to KPTCL quarters have been brought to the notice of the corporation.

Under the circumstances, the corporation desires that every quarter be provided with a meter in good working condition Hence the following instructions are issued for strict compliance by the field staff.

In case of Department Quarters any deteriorated wiring or leakages shall have to be rectified by providing new wiring & tested & all L11 installations which were serviced long back be converted to AEH by providing separate lighting & heating circuits at the cost of the corporation. MCB's/ELCB's & high precision meters be provided, to avoid loss of revenue to the corporation. The terminal cover of the energy meter should be sealed & acknowledgment obtained in the sealing resister. RR Nos. of the installations be painted invariably in all such installations.

- (1) The Executive Engineers (Ele.), O&M Divisions, should take action and arrange to fix a good working meter to all the quarters where meters are not provided and provide with seals for terminal cover with in 30 days from the date of issue of this circular. If necessary estimates shall be prepared sub-divisions wise & may seek purchase grants if required for providing MCB's, MB's & wiring etc.
- (2) The Executive Engineer (Ele.), M.R.T, should arrange for Testing of Meters of all the installations of KPTCL quarters with in next 30 days to ensure proper recording of meters in all the installations.
- (3) The compliance report after completion of 30 days of this circular be furnished to the Zonal CEE's giving details of numbers of quarters for which meters have been fixed.
- (4) A compliance report after completion of 60 days of this circular, regarding the Meter Testing of all the installations of employees quarters be sent to Zonal Chief Engineer (Ele.) by Executive Engineer (Ele.), of the division.
- (5) Action shall be taken to achieve 100% coverage of all the employees

127  
20/06/2000

PAEC  
0348



quarters of KPTCL in providing good meters to the quarters within total period of 60 days.

- (6) Wherever KEB officers/personnel are occupying Government/Private/Own house may also be rated as above & reports sent as indicated above.
- (7) Zonal CEE's shall ensure the successful implementation of the instruction issued & to send the consolidation reports of the respective zones to the Corporate office within 90 days.

Any deviation will be viewed very seriously and action will be initiated on erring staff and personal responsibility will be fixed on the divisional officer for non-compliance of instructions.

*Atmaram* 28/6  
ADDITIONAL SECRETARY

**Copy to: -**

The Chief Engineer (Electy.) (General), KPTCL, Cauvery Bhavan, Bangalore.  
The Chief Financial Adviser, KPTCL, Cauvery Bhavan, Bangalore.  
The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, Bangalore.  
The Inspector General of Police (Vigilance), KPTCL, Bangalore.  
All Chief Engineers Electy., KPTCL.  
All Chief Controllers of Accounts, KPTCL.  
The Chief Law Officer, KPTCL, Cauvery Bhavan, Bangalore.  
The Chief Industrial Relation Officer, KPTCL, Bangalore.  
The Superintendent of Police (Vigilance), KPTCL.  
All Controllers, KPTCL.  
All Superintending Engineers (Ele), O&M Circle, KPTCL.  
The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.  
The Superintending Engineer (Computers) & EA to CMD, KPTCL.  
All Deputy Controllers of Accounts, O&M Circles, KPTCL.  
All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.  
All Executive Engineers (Ele), O&M Divisions, KPTCL.  
The Public Relation Officer, KPTCL, Bangalore.  
The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan, Bangalore.  
All Accounts Officers (Internal Audit), KPTCL.  
All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.  
All Accounts Officers, O&M Divisions, KPTCL.  
All Asst. Executive Engineers (Ele), O&M Sub-divisions, KPTCL  
All Officers of Corporate Office.  
PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/  
Director (Personnel & Information Technology)/Secretary/Additional Secretary.  
SA II (Records) Corporate Office.

**Copy for information to:**

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0349



Grams : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No. KPTCL/B20/3351(221)/99-2000

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 29-6-2000

CIRCULAR

Sub : Theft of Energy by staff of KPTCL - Regarding.

The C.E.I. to Government of Karnataka in his letter No. CF. YG/D3/T3/19086-89 dated 13/01/2000 to the Principal Secretary to Government, Department of Energy, Government of Karnataka, has reported that on inspection of one of the sub-division of KPTCL it has been observed that either the Energy Meters were not provided to the installations belonging to staff quarters, or if provided the said meters were either partially or completely bypassed thereby rendering the energy meter not to record any energy or to partially record. It is further stated that in few of the installations, the meters have been deliberately bypassed by the KPTCL officials, which acts amounts to theft of energy as defined under section 39 of I.E. act 1910. It is also reported that the above act has resulted in loss of revenue to the State Government by way of Electricity Tax & loss of revenue to KPTCL by way of revenue.

127  
The Secretary to Government of Karnataka in a letter to CMD, KPTCL, among other things mentioned that it is a straight case of unauthorised use & theft of energy & such blatant misuse of energy cannot go on. Government cannot be a mere spectator even after receiving such serious report & directed to suspend the concerned & initiate disciplinary action against the erring officials.

It is regret to note that the staff of KPTCL who have been provided with subsidised lighting tariff with nominal rates are indulging in such an act bringing discredit to the organisation.

Under the above circumstances, the following Circular instruction have been issued to strict compliance.

1) The jurisdictional AEE(Ele.) should ensure fixing of meters to all staff quarters & proper sealing arrangement as per Regulations.

1280  
2) The jurisdictional AEE(Ele.)/AE(Ele.)/JE's should conduct frequent surprise inspections of all official quarters & residences in their jurisdiction & monitor the installations of these category specifically.

0350







# ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತ

ಹಿಡಿದ:-

- ವಿಷಯ: ಅನಧಿಕೃತವಾಗಿರುವ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವ ಬಗ್ಗೆ  
 ಉಲ್ಲೇಖ: 1] ಮಂಡಳಿಯ ಸುತ್ತೋಲೆ ಆದೇಶ ಸಂಖ್ಯೆ: ಬಿ19/6723/95-96  
 ದಿನಾಂಕ: 02.01.1997, 04.03.1997, 29.07.1997,  
 19.12.1997, ಮತ್ತು 30.12.1998.  
 2] ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ: ಡಿ.ಇ. 84 ಇ.ಇ.ಬಿ. 99 ಬೆಂಗಳೂರು  
 ದಿನಾಂಕ: 21.06.2000

ರಾಜ್ಯ ಸರ್ಕಾರದ ಆದೇಶದಂತೆ ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತವು ದಿನಾಂಕ: 01.01.1997 ರಿಂದ 28.02.1999 ರವರೆಗೆ ಚಾಲ್ತಿಯಲ್ಲಿದ್ದ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳನ್ನು ಕಾಲಕಾಲಕ್ಕೆ ಅವಧಿ ವಿಸ್ತರಣೆ ಮಾಡಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಿರುತ್ತದೆ. ದಿನಾಂಕ: 28.02.1999 ರ ನಂತರ ನಿಗಮವು ಯಾವುದೇ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವುದಿಲ್ಲವೆಂದು ಹಾಗೂ ನಂತರ ಚಾಲ್ತಿಯಲ್ಲಿರುವ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳ ಸಂಪರ್ಕವನ್ನು ಕಡಿದುಹಾಕಿ ಕಾನೂನು ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದಾಗಿ ನಿಗಮದ ಸಮಸಂಖ್ಯೆ ಸುತ್ತೋಲೆ ದಿನಾಂಕ: 31.12.1998 ರ ಮುಖಾಂತರ ಆದೇಶಿಸಿತ್ತು. ಆದಾಗ್ಯೂ ಇನ್ನೂ ಉಳಿದಿರುವ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವ ಸದುದ್ದೇಶದಿಂದ ಮತ್ತು ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತದ ಹಣಕಾಸಿನ ಪರಿಸ್ಥಿತಿಯನ್ನು ಉತ್ತಮಪಡಿಸುವ ನಿಟ್ಟಿನಲ್ಲಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಸರ್ಕಾರವು ಪ್ರಸ್ತಾವನೆಯನ್ನು ಪರಿಶೀಲಿಸಿ ಆಗತ್ಯವಾಗಿ ವಿತರಣೆ ನಷ್ಟವನ್ನು ತಗ್ಗಿಸಲು ಮತ್ತು ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳ ಬೆಳವಣಿಗೆಯನ್ನು ತಡೆಯಲು ಕಠಿಣ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವಂತೆ ಸೂಚಿಸಿ ಆದೇಶಿಸಿರುವ ಆಜ್ಞೆಯ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಈ ಆದೇಶ ನೀಡಲಾಗಿದೆ

ನಿಗಮದ ಆದೇಶ ಸಂಖ್ಯೆ: ಬಿ19/6723/95-96, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 30 JUN 2000

ರಾಜ್ಯದ ಎಲ್ಲಾ ತಾಲ್ಲೂಕುಗಳಲ್ಲಿ ಚಾಲ್ತಿಯಲ್ಲಿರುವ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಕೆಳಕಂಡಂತೆ ನಿಗದಿಪಡಿಸಿರುವ ಮೊಬಲಗನ್ನು ನಿಗಮಕ್ಕೆ ಪಾವತಿಸಿ ಸಕ್ರಮಗೊಳಿಸಿಕೊಳ್ಳಲು ಅಂತಿಮವಾಗಿ ದಿನಾಂಕ: 15.08.2000 ರವರೆಗೆ ಅವಧಿಯನ್ನು ವಿಸ್ತರಿಸಿ ಆದೇಶ ನೀಡಲಾಗಿದೆ.

ಈ ಯೋಜನೆಯಡಿ ಸೌಕರ್ಯವನ್ನು ಪಡೆಯಲು ಇಚ್ಛಿಸುವ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳ ಬಳಕೆದಾರರು ದಿನಾಂಕ: 15.08.2000 ಮೊಳಗೆ ಸಂಬಂಧಿಸಿದ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ), ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತ ರವರಿಗೆ ಲಿಖಿತ ಮೂಲಕ ಮನವಿ ಹಾಗೂ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಅರ್ಜಿಯನ್ನು ಸಲ್ಲಿಸಿ ತಮ್ಮ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಿಕೊಳ್ಳಲು ಮನವಿ ಸಲ್ಲಿಸತಕ್ಕದ್ದು. ಅರ್ಜಿ / ಮನವಿ ಸಲ್ಲಿಸಿದ ಕೂಡಲೆ ಸಂಬಂಧಿಸಿದ ಶಾಖಾಧಿಕಾರಿ ಸ್ಥಳ ಪರಿಶೀಲನೆ ನಡೆಸಿ ಅನಧಿಕೃತವಾಗಿ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಚಾಲನೆಯಾಗುತ್ತಿರುವ ಬಗ್ಗೆ ಪರಿಶೀಲಿಸಿ ಅಂದಾಜುಪಟ್ಟಿ ತಯಾರಿಸಿ ಅದರಲ್ಲಿ ಸ್ಥಳ ಪರಿಶೀಲನೆ ನಡೆಸಿ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಇರುವ ಬಗ್ಗೆ ದೃಢೀಕರಣ ನೀಡತಕ್ಕದ್ದು.

ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಿಕೊಳ್ಳಲು ಈ ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತಕ್ಕೆ ಪಾವತಿಸತಕ್ಕದ್ದು.

- 1] ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ನಿರ್ಮಿಸುವ ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಣೆಯ ವೆಚ್ಚ ಅಥವಾ ರೂ.10,000/- ಇವೆರಡರಲ್ಲಿ ಯಾವುದು ಹೆಚ್ಚೋ ಅದು ಮತ್ತು ಅರ್ಜಿದಾರರು ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ ಎಲ್.ಟಿ. ಮಾರ್ಗವಿಸ್ತರಣೆಯ ವೆಚ್ಚ ಅಥವಾ ರೂ.5,000/- ಇವೆರಡರಲ್ಲಿ ಯಾವುದು ಹೆಚ್ಚೋ ಅದು ಮತ್ತು

೬೭೬@352



- 2] ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ.450/- .
- 3] ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಜಿಟ್ ರೂ.960.00 ಮತ್ತು
- 4] ನಿಯಮಾನುಸಾರ ಕನಿಷ್ಠ ವಾರ್ಷಿಕ ಲೇವಣಿ.

ಹಣ ಪಾವತಿಸಿದ ನಂತರ ಇತರೆ ನಿಗಮದ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸತಕ್ಕದ್ದು.

ದಿನಾಂಕ: 15.08.2000 ದೊಳಗೆ ತಮ್ಮ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವಂತೆ ಕೋರಿ ಚಾಲ್ತಿಯಲ್ಲಿಯಿರುವ ಅಥವಾ ಹೊಸ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್ ಬಳಕೆದಾರರು ಸಂಬಂಧಿಸಿದ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ), ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತ,ರವರಿಗೆ ಲಿಖಿತ ಮೂಲಕ ಅರ್ಜಿ ಸಲ್ಲಿಸದೆ, ಹಣ ಪಾವತಿಸದೆ ಮತ್ತು ನಿಗಮದ ನಿಯಮವನ್ನು ಪಾಲಿಸದೆ ಇದ್ದರೆ ಅಂತಹ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್‌ಗಳನ್ನು ದಿನಾಂಕ: 16.08.2000 ರ ನಂತರ ಅವುಗಳ ಸಂಪರ್ಕವನ್ನು ಕಡಿದುಹಾಕಲು ಕಠಿಣ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳತಕ್ಕದ್ದು. ಇಂತಹ ಬಳಕೆದಾರರ ವಿರುದ್ಧ ನಿಯಮಾನುಸಾರ ಕಾನೂನು ಕ್ರಮ ಕೈಗೊಂಡು ದಂಡ ವಿಧಿಸತಕ್ಕದ್ದು.

ದಿನಾಂಕ: 15.08.2000 ದ ನಂತರವೂ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್‌ಗಳು ಚಾಲ್ತಿಯಲ್ಲಿದ್ದರೆ ಇವುಗಳಿಂದ ಉಂಟಾಗುವ ನಷ್ಟಕ್ಕೆ ಆಯಾ ಉಪ ವಿಭಾಗದ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ), ಮತ್ತು ಇತರೆ ಸಹಾಯಕ ಸಿಬ್ಬಂದಿ ಸಂಪೂರ್ಣವಾಗಿ ಹೊಣೆಗಾರರಾಗುತ್ತಾರೆ ಹಾಗೂ ಇವರ ವಿರುದ್ಧ ನಿಯಮಾನುಸಾರ ಕಠಿಣ ಕ್ರಮ ಜರುಗಿಸಲಾಗುವುದು.

ಅಪ್ಪಣೆಯ ಮೇರೆಗೆ,  
 20-8-2000 ರ 30/6  
 ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ  
 ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

ಗೆ:

1. ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್(ವಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
2. ಮುಖ್ಯ ಅಧಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
3. ಎಲ್ಲಾ ವಲಯ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ ಗಳ(ವಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
4. ಮುಖ್ಯ ಲೆಕ್ಕ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು,(ಆಂತರಿಕ ಪರಿಶೋಧನೆ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
5. ಉಪ ಆರಕ್ಷಕ ಮಹಾ ನಿರೀಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು.
6. ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ ಗಳ(ವಿ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
7. ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತ ದಳ), ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು/ಹುಬ್ಬಳ್ಳಿ
8. ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
9. ಎಲ್ಲಾ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ ಗಳ(ವಿ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
10. ಎಲ್ಲಾ ಉಪ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕವಿಪ್ರನಿನಿ,
11. ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕವಿಪ್ರನಿನಿ, ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
12. ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳ(ವಿ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ಉಪ ವಿಭಾಗ, ಕವಿಪ್ರನಿನಿ,
13. ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು, ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
14. ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ನಿರ್ದೇಶಕರು(ಹಣಕಾಸು)/ನಿರ್ದೇಶಕರು(ಪ್ರಸರಣ)/ನಿರ್ದೇಶಕರು (ವಿತರಣೆ)/ ಕಾರ್ಯದರ್ಶಿ/ ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಯವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
15. ಮಹಾ ಕಡತ

ಪ್ರತಿ ಈ ಕೆಳಕಂಡವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ :

1. ಶ್ರೀ ಟಿ.ಹನುಮಂತಪ್ಪ, ನಿರ್ದೇಶಕರು, ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು
2. ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿ, ಕವಿಮಂ ನೌಕರರ ಸಂಘ (ರಿ.ನಂ.659)/ಇಂಜಿನಿಯರುಗಳ ಸಂಘ/ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳ ಸಂಘ/ಪರಿಶಿಷ್ಟ ಜಾತಿ ಪರಿಶಿಷ್ಟ ಪಂಗಡಗಳ ಕಲ್ಯಾಣ ಸಂಸ್ಥೆ/ಕವಿಮಂ ವಿಂಚಣಿದಾರರ ಸಂಘ



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

B9/3324/2000-2001

Corporate Office  
Cauvery Bhavan  
Bangalore - 560 009

Date : .....

## CIRCULAR


04 JUL 2000

Sub:- Payment of property tax in respect of KPTCL buildings to respective City Corporation and Municipalities  
Ref:- Circular No UDD 154 MNY 2000 Dt 10.4.2000 from Karnataka Government Secretariat .

\*\*\*\*\*

As per the provisions of section, 110 (J) of the Karnataka Municipal Corporation Act - 1974 and section 94 (1) of Karnataka Municipalities Act - 1964, property tax is payable only on residential and commercial buildings belonging to Government and its agencies including statutory boards, authorities etc. Therefore buildings used for office purposes are exempt from property tax. In this regard the Circular dated 10.4.2000 issued by Chief Secretary Karnataka Government Secretariat is enclosed herewith for reference.

In light of the above, it is hereby directed to take necessary action accordingly regarding payment of property tax.

  
SECRETARY  
KPTCL

Copy to:-

1. The Chief Engineer Electy (General), KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Zonal CEE's, KPTCL
4. All Chief Controllers, KPTCL
5. All SEE's of O & M Circles, KPTCL
6. The Superintending Engineer (Civil), O/o CEE(G), KPTCL
7. All Controllers of Accounts, KPTCL

0354



8. All EEE's of O & M Division, KPTCL
9. All Executive Engineer (Civil)/O/o CEE/O & M Zones, KPTCL
10. All Deputy Controllers of Accounts of O & M Circles, KPTCL
11. All Assistant Executive Engineer (Civil), O/o SEE/ O & M Circles, KPTCL
12. All Accounts Officer's O & M Divisions, KPTCL

0355

1059

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಸಂಖ್ಯೆ.ನಅಇ 154 ಎಂಎನ್‌ವೈ 2000

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸಚಿವಾಲಯ,  
ಬಹು ಮಹಡಿಗಳ ಕಟ್ಟಡ  
ಬೆಂಗಳೂರು, ದಿನಾಂಕ 10ನೇ ಮಾರ್ಚ್ 2000.

ಸುತ್ತೋಲೆ

ರಾಜ್ಯ ಸರ್ಕಾರದ ಹಾಗೂ ಅಗಲ ಸ್ವಾಯತ್ತ ಸಂಸ್ಥೆಗಳ ಹೊಂದಿರುವ ಕಟ್ಟಡಗಳಿಗೆ ಅಸ್ತಿ ತೆರಿಗೆಯನ್ನು ಕಾಲಕ್ಕೆ ಸರಿತಾಗಿ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಗೆ ಪಾವತಿ ಮಾಡದೇ ಇರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆ.

2. ಕರ್ನಾಟಕ ಮುನಿಸಿಪಲ್ ಕಾರ್ಪೊರೇಷನ್ ಕಾಯ್ದೆ 1976ರ ಸೆಕ್ಷನ್ -

110(ಜಿ) ಹಾಗೂ ಕರ್ನಾಟಕ ಮುನಿಸಿಪಲ್ ಕಾಯ್ದೆ 1964ರ ಸೆಕ್ಷನ್ 94(1)ರ

ಪ್ರಕಾರ, ರಾಜ್ಯ ಸರ್ಕಾರದ ಹಾಗೂ ಅದರ ಅಧೀನದಲ್ಲಿರುವ ಸ್ವಾಯತ್ತ ಸಂಸ್ಥೆಗಳ ಹಾಗೂ ಇತರ ಸಂಸ್ಥೆಗಳ ವಸತಿ ಹಾಗೂ ವಾಣಿಜ್ಯ ಉದ್ದೇಶಕ್ಕಾಗಿ

ಬಳಸಲ್ಪಡುವ ಕಟ್ಟಡಗಳಿಗೆ ಅಸ್ತಿ ತೆರಿಗೆಯನ್ನು ನೀಡಬೇಕಾಗಿರುತ್ತದೆ. ಆದರೆ,

ಕಛೇರಿ ಉದ್ದೇಶಕ್ಕಾಗಿ ಬಳಸಲ್ಪಡುವ ಕಟ್ಟಡಗಳಿಗೆ ಈ ಅಸ್ತಿ ತೆರಿಗೆಯಿಂದ ವಿನಾಯಿತಿ ನೀಡಲಾಗಿದೆ.

3. ಸರ್ಕಾರಿ ಕಟ್ಟಡಗಳಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಅಸ್ತಿ ತೆರಿಗೆಯನ್ನು ವ್ಯವಸ್ಥಿತ ರೀತಿಯಲ್ಲಿ ಪಾವತಿ ಮಾಡಲು ಈ ಕೆಳಕಂಡ ಸೂಚನೆಗಳನ್ನು ನೀಡಲಾಗಿದೆ :

(ಅ) ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಯ ಹಾಗೂ ರಾಜ್ಯದ ಇತರ ಮಹಾನಗರ ಪಾಲಿಕೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಬರುವ ಎಲ್ಲಾ ಇಲಾಖೆಗಳ ವಾಸಂತೋಗ್ಯ ಕಟ್ಟಡಗಳ ಹಾಗೂ ವಾಣಿಜ್ಯ ಉದ್ದೇಶಕ್ಕಾಗಿ ಬಳಸಲ್ಪಡುವ ಕಟ್ಟಡಗಳ ಮೇಲಿನ ಅಸ್ತಿ ತೆರಿಗೆಯನ್ನು ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಗೆ ರಾಜ್ಯದ ಇತರ ಮಹಾನಗರ ಪಾಲಿಕೆಗಳ ಹಾಗೂ ಮುನಿಸಿಪಲ್ ಕಾರ್ಪೊರೇಷನ್ ಗಳಿಗೆ 30ನೇ ಜೂನ್ 2000 ರೊಳಗೆ ಪಾವತಿ ಮಾಡುವ ಬಗ್ಗೆ ಖಚಿತಪಡಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

(ಆ) ಸಂಬಂಧಪಟ್ಟ ಇಲಾಖಾ ಕಾರ್ಯದರ್ಶಿಗಳ ಲೆಕ್ಕಾಕೆಲಸ ವಂತೋಗಿ ಇಲಾಖೆಯಿಂದ ಅಸ್ತಿ ತೆರಿಗೆಯ ವಿವರಗಳನ್ನು ಪಡೆದು, ಇಲಾಖೆಗಳಿಗೆ ಹಣವನ್ನು ಬಿಡುಗಡೆ ಮಾಡಿ, ಅಸ್ತಿ ತೆರಿಗೆಯ ಬಾಕಿಯನ್ನು ಜೂನ್ 30, 2000ರೊಳಗೆ ಪಾವತಿ ಮಾಡಲು ಅನುಷ್ಠಾನ ಮಾಡಿಕೊಡುವುದು.



- (ಇ) ಈ ಬಗೆಗೆ ಯಾವುದೇ ವಿವಾದಗಳು ಇದ್ದಲ್ಲಿ, ಸಂಬಂಧಪಟ್ಟ ಇಲಾಖಾ ಕಾರ್ಯದರ್ಶಿಗಳು ನಗರಾಭಿವೃದ್ಧಿ ಇಲಾಖೆಯನ್ನು ಸಂಪರ್ಕಿಸಿ, ಹೊಂದಾಣಿಕೆ ಮಾಡಿಕೊಂಡು, ಜುಲೈ 30, 2000 ರೊಳಗೆ ಆಸ್ತಿ ತೆರಿಗೆಯನ್ನು ಪಾವತಿ ಮಾಡತಕ್ಕದ್ದು.
- (ಈ) ಪ್ರಸ್ತುತ ಆರ್ಥಿಕ ಸಾಲಿನ ಆಸ್ತಿ ತೆರಿಗೆಯನ್ನು ದಿನಾಂಕ : 30-9-2000 ರೊಳಗೆ ಪಾವತಿ ಮಾಡತಕ್ಕದ್ದು.
- (ಉ) ಅಗತ್ಯ ಬಿದ್ದಲ್ಲಿ, ಸಂಬಂಧಪಟ್ಟ ಇಲಾಖಾ ಕಾರ್ಯದರ್ಶಿಗಳು, ಆರ್ಥಿಕ ಇಲಾಖೆಯನ್ನು ಸಂಪರ್ಕಿಸಿ, ಈ ಸಾಲಿನಲ್ಲಿ ಹೆಚ್ಚಿನ ಮೊತ್ತವನ್ನು ಪೂರಕ ಅಂದಾಜು ಮೂಲಕ ಪಡೆದುಕೊಳ್ಳುವುದು.
- (ಊ) ಬರುವ ಸಾಲಿನಿಂದ, ಸಂಬಂಧಪಟ್ಟ ಇಲಾಖಾ ಕಾರ್ಯದರ್ಶಿಗಳು ಆಸ್ತಿ ತೆರಿಗೆಗೆ ತಗಲುವ ವೆಚ್ಚವನ್ನು ಮುಂಚಿತವಾಗಿಯೇ ಅನುಮೋದಿಸಿ, ನಿಗದಿಪಡಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

*(ಬಿ.ಕೆ.ಭಟ್ಟಾಚಾರ್ಯ)*

(ಬಿ.ಕೆ.ಭಟ್ಟಾಚಾರ್ಯ)

ಸರ್ಕಾರದ ಮುಖ್ಯ ಕಾರ್ಯದರ್ಶಿ.

ಇವರಿಗೆ:

ಸರ್ಕಾರದ ಎಲ್ಲಾ ಅಪರ ಮುಖ್ಯ ಕಾರ್ಯದರ್ಶಿಗಳು  
ಸರ್ಕಾರದ ಎಲ್ಲಾ ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿಗಳು : ಕಾರ್ಯದರ್ಶಿಗಳು.  
ಮಹಾನಗರ ಪಾಲಿಕೆಗಳ : ಪುನರ್ವಿಭಾಗ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.  
ಪಟ್ಟಣ ಪುನರ್ವಿಭಾಗ ಎಲ್ಲಾ ಮುಖ್ಯ ಅಧಿಕಾರಿಗಳು.  
ನಿರ್ದೇಶಕರು, ಪಾರಾಡಳಿತ ನಿರ್ದೇಶನಾಲಯ, ಬೆಂಗಳೂರು.  
ಅಡ್ವಾಕೇಟ್ ಜನರಲ್, ಕರ್ನಾಟಕ ರಾಜ್ಯ - ನ್ಯಾಯಾಲಯ, ಬೆಂಗಳೂರು.  
ಹೆಚ್ಚಿನ ಪ್ರತಿಗಳು :

0357

C I R C U L A R

1) It has been brought to the notice of the Government that property tax in respect of buildings belonging to the Government of Karnataka and its agencies are not being paid regularly to the Bangalore City Corporation.

2) As per the provisions of Section 110(J) of the Karnataka Municipal Corporations Act, 1974 and Section 94(1) of Karnataka Municipalities Act, 1964, property tax is payable on residential and commercial buildings belonging to Government and its agencies including statutory boards, authorities, etc. Buildings used for office purposes are exempt from property tax.

3) The following instructions are issued with a view to streamline the payment of property taxes in respect of Government buildings:


a) All Departments of Government should ensure that property tax payable to Bangalore City Corporation in respect of residential/commercial properties located in Bangalore and to the other City Corporations/Municipalities in respect of properties located in their jurisdiction is paid before 30th June 2000.

b) Secretaries to Government should obtain the details of the property taxes due from the Public Works Department and release funds to the concerned officers to settle the property tax arrears before 30th June 2000.

c) In case of any disputes, the Secretaries to Government should take up the matter with the Urban Development Department, get the amounts due reconciled and clear the property tax arrears by 30th June 2000.

d) The property tax due for the current financial year should be paid by 30th September 2000.

....2/-



0358

Handwritten notes and signatures on the left margin, including 'J.V.N.L. & K.A.P.L.', '12/4/00', '158', and '17/4/2000'.



e) Where necessary, Secretaries to Government should approach the Finance Department for additional budget allocation to be covered in the supplementary estimates during the course of the year.

f) From the next year, Secretaries to Government should ensure that full provision is made in the budget estimates of their respective departments for meeting the payment of property taxes.

*[Handwritten signature]*  
(B.K. BHATTACHARYA)  
Chief Secretary to Government.

To

- All Additional Chief Secretaries to Government.
- All Principal Secretaries/Secretaries to Government.
- All Commissioners of Corporations/Municipalities
- All Chief Officers of Town Municipal Councils.
- Director of Municipal Administration, Bangalore.
- Advocate General, Karnataka, Bangalore.

0359

# ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ನಂ./ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ./ಅ20/4026/2000-01.

ನಿಗಮ ಕಾರ್ಯಾಲಯ  
ಕುವೆಂಪು ಭವನ  
ಬೆಂಗಳೂರು-560009  
ದಿನಾಂಕ. 5-7-2000

## ಸುತ್ತೋಲೆ

ವಿಷಯ:- ಗೃಹಬಳಕೆ ದೀಪ ಮತ್ತು ಐ.ಪಿ. ಸ್ಥಾವರಗಳ ಬಳಕೆದಾರರಿಂದ ವಿದ್ಯುತ್ ಬಾಕಿ ವಸೂಲಾತಿಯ ವಿಚಾರವಾಗಿ.

- ಉಲ್ಲೇಖ:- (1) ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ ಡಿಇ 84 ಇಇಬಿ. 99 ದಿನಾಂಕ 21-6-2000.
- (2) ನಿಗಮದ ಸುತ್ತೋಲೆ ಸಂಖ್ಯೆ: ಬಿ11/1426/99-2000, ದಿನಾಂಕ 21-06-2000.

ನಿಗಮವನ್ನು ಅಧಿಕವಾಗಿ ಸಬಲಗೊಳಿಸುವ ಕ್ರಮಗಳ ಬಗ್ಗೆ ದೀರ್ಘವಾಗಿ ಚರ್ಚೆ ನಡೆಸಿದ ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಈ ವಿಷಯದಲ್ಲಿ ತೆಗೆದುಕೊಳ್ಳಬೇಕಾದ ಕ್ರಮಗಳನ್ನು ಉಲ್ಲೇಖ (1) ರಲ್ಲಿ ಕಾಣಿಸಿದ ತನ್ನ ಆಜ್ಞೆಯಲ್ಲಿ ವಿಶದಪಡಿಸಿದೆ. ಅಂತಹ ಕ್ರಮಗಳಲ್ಲಿ ಒಂದು, ತೀವ್ರ ಕ್ರಮಗಳನ್ನು ಕೈಗೊಂಡು, ವಿದ್ಯುತ್ ಬಾಕಿಯನ್ನು ವಸೂಲು ಮಾಡುವುದು.

ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.ಯ ಅಧಿಕ ಪರಿಸ್ಥಿತಿ ಬರುಬರುತ್ತಾ ದುರ್ಬಲಗೊಳ್ಳುತ್ತಿರುವುದು ತಿಳಿದ ವಿಷಯ. ಇದಕ್ಕೆ ಕಾರಣ ವಿದ್ಯುತ್ ಬಿಲ್ ಬಾಕಿ ವಸೂಲಾತಿ ಬಗ್ಗೆ ತೀವ್ರ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳದೇ ಇರುವುದು. ಅದರಲ್ಲಿಯೂ, ಗೃಹ ಬಳಕೆ ಹಾಗೂ ಐ.ಪಿ.ಸ್ಥಾವರಗಳ ಬಾಕಿಯ ಮೊತ್ತ ಏರುತ್ತಿರುವುದು ವಿಶಾದನೀಯವಾಗಿದೆ.

ಬಾಕಿ ಹೆಚ್ಚಾಗುವಿಕೆಯನ್ನು ತಡೆಯುವ ಪ್ರಥಮ ಮಾರ್ಗವೆಂದರೆ, ಬಾಕಿ ಉಳಿಸಿಕೊಂಡಿರುವ ಸ್ಥಾವರಗಳಿಗೆ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಡಿತಗೊಳಿಸುವುದು. ನಂತರ ಜಾಲ್ತಿಯಲ್ಲಿರುವ ನಿಯಮದಂತೆ ಸೂಕ್ತಕ್ರಮ ಕೈಗೊಳ್ಳುವುದು. ಉಲ್ಲೇಖ (2) ರ ನಿಗಮದ ಸುತ್ತೋಲೆಯಲ್ಲಿ ಬಾಕಿಯನ್ನು ಪಾವತಿಸಿದ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್ ಗ್ರಾಹಕರ ಸ್ಥಾವರಗಳಿಗೆ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಡಿತಗೊಳಿಸಲು ಈಗಾಗಲೇ ಸೂಚಿಸಲಾಗಿದೆ. ಆದಾಗ್ಯೂ ಮೇಲಿನ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಬಾಕಿ ಉಳಿಸಿಕೊಂಡಿರುವ ಗೃಹಬಳಕೆ ಹಾಗೂ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್ ಸ್ಥಾವರಗಳಿಗೆ ನಿದಾಕ್ಷಿಣ್ಯವಾಗಿ ಭೇದ-ಭಾವ ಎಣಿಸದೇ ಕಡ್ಡಾಯವಾಗಿ ವಿದ್ಯುತ್ ಸ್ಥಗಿತಗೊಳಿಸಬೇಕೆಂದು ಈ ಮೂಲಕ ಇನ್ನೊಮ್ಮೆ ಸೂಚಿಸಿದೆ. ನಿಗಮಕ್ಕೆ ಏರಬೇಕಾದ ಬಾಕಿ ವಸೂಲಾತಿಯ ಹಿತ ದೃಷ್ಟಿಯಿಂದ, ಇಂತಹ ಕಠಿಣಕ್ರಮ ಅವಶ್ಯಕ ಹಾಗೂ ಅನಿವಾರ್ಯವಾಗಿರುತ್ತದೆ.

ಮೇಲ್ವಿಚಾರಣಾ ಅಧಿಕಾರಿಗಳೂ ಕೂಡ ಮೇಲಿನ ಕಾರ್ಯದಲ್ಲಿ ಶ್ರದ್ಧೆ ವಹಿಸಿ, ಬಾಕಿಯಿರುವ ಗೃಹ ಬಳಕೆ ಹಾಗೂ ಐ.ಪಿ.ಸೆಟ್ ಸ್ಥಾವರಗಳಿಗೆ ಕಡ್ಡಾಯವಾಗಿ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಡಿತಗೊಳಿಸುವ ನಿಯಮವನ್ನು ತಮ್ಮ ಕೆಳಗಿನ ಅಧಿಕಾರಿಗಳು ತಪ್ಪದೇ ಪಾಲಿಸುತ್ತಿರುವರೆಂಬುದನ್ನು ಖಾತ್ರಿ ಮಾಡಿಕೊಳ್ಳುವುದರ ಮೂಲಕ ಏರುತ್ತಿರುವ ಬಾಕಿಯನ್ನು ತಡೆಗಟ್ಟುವುದರಲ್ಲಿ ಮತ್ತು ಇರುವ ಬಾಕಿಯನ್ನು ವಸೂಲಿ ಮಾಡುವುದರಲ್ಲಿ ನಿಯಮದಂತೆ ತೀವ್ರ ಹಾಗೂ ಸೂಕ್ತಕ್ರಮ ತೆಗೆದು ಕೊಳ್ಳಲು ಈ ಮೂಲಕ ಸೂಚಿಸಿರುತ್ತೆ.

ಈ ವಿಷಯದಲ್ಲಿ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.ಯ ಯಾವುದೇ ನೋಡರ/ಅಧಿಕಾರಿ ತನ್ನ ಕರ್ತವ್ಯ ಪಾಲಿಸದಿದ್ದಲ್ಲಿ, ನಿಗಮದ ನಿಯಮದಂತೆ ಶಿಸ್ತುಕ್ರಮಕ್ಕೆ ಬಾಧ್ಯರಾಗುತ್ತಾರೆ.

4/7

ಬಿ.ಆ. ಜ್ಞಾನೇಶ್ವರ 5/7  
ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ

ಇವರಿಗೆ :

- ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ವಿ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ವಿಭಾಗಗಳು ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ವಿ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ, ಬುಪ ವಿಭಾಗಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.



ಪ್ರತಿಗಳು:

- ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ (ಬಿಡುಬಿಡು), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಅಧಿಕಾರಿ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಮೈಸೂರು ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಇನ್‌ಫೋರ್ಮೇಷನ್ ತೆಕ್ನಾಲಜಿ ಆಫ್ ಪೋಲೀಸ್ (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ (ಪಿ.)ಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಮತ್ತು ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಮುಖ್ಯ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಮುಖ್ಯ ಕಾನೂನು ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಔದ್ಯಮಿಕ ಬಾಂಧವ್ಯ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಪಿ.), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಪಿ.) (ರಿಪಾರ್‌ಮ್ಯಾನ್) ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಪಿ.), ಎ.ಆರ್.ಎಂ. ಘಟಕ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬಿ.ಪಿ.ಎಲ್. ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಪಿ.) (ಕಂಪ್ಯೂಟರ್), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಹುಬ್ಬಳ್ಳಿ / ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ನಿವಾಸಿ ಲೆಕ್ಕ ಪರಿಶೋಧಕರು (ಪರಿಶೋಧನಾ ವಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ಆಂತರಿಕ ಪರಿಶೋಧನೆ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ನಿಗಮ ಕಾರ್ಯಾಲಯದ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.
- ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ ನಿರ್ದೇಶಕರು (ಆರ್ಥಿಕ)/ ನಿರ್ದೇಶಕರು (ವಿತರಣೆ)/ ನಿರ್ದೇಶಕರು (ಪ್ರಸಾರಣೆ) / ನಿರ್ದೇಶಕರು (ಸಿಬ್ಬಂದಿ ಮತ್ತು ಮಾಹಿತಿ ತಂತ್ರಜ್ಞಾನ)/ಕಾರ್ಯದರ್ಶಿ / ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಇವರುಗಳ ಆಸ್ತು ಕಾರ್ಯದರ್ಶಿಗಳಿಗೆ.
- ಹಿ.ಸ.-೨ (ದಾಖಲೆ ವಿಭಾಗ), ನಿಗಮ ಕಾರ್ಯಾಲಯ.

ಪ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:

- ಶ್ರೀ.ಟಿ.ಹನುಮಂತಪ್ಪ ನಿರ್ದೇಶಕರು, ( ಕಾರ್ಮಿಕ ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.

0361

೧೧೧೧

**KARNATAKA POWER TRANSMISSION CORPORATION LTD.,**

No.KPTCL/B 25/B8 /2952/88-89



Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.

Dated:

**7 JUL 2000**

**Sub:** Handing over of KPTCL repair shed,  
Mathikere to Superintending Engineer (Elec.,)  
Rural Circle.

**PREAMBLE:**

1. Board order no. KEB/B8/2952/88-89 Bangalore 14.12.98 to speed up the repairs to Distribution Transformers, approval was accorded to establish repair bay at Bangalore Mathikere in Bangalore circle.
2. Mathikere Transformer repair bay, on bifurcation of Bangalore Circle came under the control of Superintending Engineer (Elec.,) Bangalore South Circle.
3. On re-organisation of the Bangalore Rural are zone, Bangalore rural circle came into being.
4. In the 25<sup>th</sup> RBC meeting held on 21.06.2000 it was decided to handover the Mathikere Transformer repair bay to Superintending Engineer (Elec.,) Bangalore Rural circle.

**BOARD ORDER NO. KPTCL/KEB/B8/2952/88-89 BANGLAORE, Dt. 5.7.2000**

Corporate Office is pleased to approve to transfer the Mathikere Transformer repair bay which was under the control of Superintending Engineer (Elec.,) Bangalore circle South to Superintending Engineer (Elec.,) Bangalore Rural Circle with immediate effect.

0080

*P. Srinivas* 7/7/2000

ADDITIONAL SECRETARY

0362



**BOARD ORDER NO. KPTCL/KEB/B8/2952/88-89 BANGLAORE, Dt. 5.7.2000**

**Copy to:**

1. The Chief Engineer Electy (General), KPTCL, Bangalore.
2. The Chief Financial Adviser , KPTCL , Bangalore.
3. All Chief Engineers (Electy), Major Works, KPTCL .,
4. All Chief Engineers (Electy) , PFC/ADB, JVC, LDC, HT Industries , RE Zone , KPTCL.,
5. All Zonal Chief Engineers (Electy) , KPTCL.,
6. All Chief Controllers , KPTCL.,
7. The Director , ITC , KPTCL , Bangalore.
8. The Director , Research, KPTCL ., Bangalore.
9. The Inspector General of Police , (Vigilance) , KPTCL , Bangalore.
10. All Superintending Engineers (Electy) , KPTCL.,
11. All Controllers , KPTCL.,
12. The Principal, Training Institute (M) , KPTCL, Bangalore.
13. All the Executive Engineers (Elec.) , KPTCL , Bangalore.
14. All the Deputy Controller of Accounts , KPTCL.,
15. All the Deputy Controller of Accounts , KPTCL.,
16. All the officers of Board Secretariat , KPTCL.,
17. PS to CMD D(D)/ D(T) / D(F) / D(P&IT) / Secretary / ADS , KPTCL.,
18. Resident Audit Officer , KPTCL., KPTCL., Cauvery Bhavan , Bangalore .
19. SA-II , Records , Board Secretariat.

**Copy for information to:**

1. Sri. T. Hanumanthappa , Member (Labour) , KPTCL., Bangalore.
2. The General Secretary , KPTCL., Employees Union , Reg. No. 659, Bangalore.
3. The General Secretary , KPTCL., Engineers Association , Bangalore.
4. The General Secretary , KPTCL., Accounts Officers Association , Bangalore.
5. The General Secretary , KPTCL., SC/ST Welfare Association , Bangalore.

0363

GRAMS : KELBOARD  
Fax : 080-2218930

Office : 2210685  
Telex : 845-2435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

NO. KPTCL/B20/662/93-94

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated: 7-7-2000

CIRCULAR

Sub: Withdrawal of lcdger demand & refund, consequent to orders of appellate authority - Regarding.

It has come to the knowledge of the corporation, that much harassment is being felt by the consumers for the reason that even after passing of final orders by the Appellate Authorities, the refund of the amount due to them is not being returned by the KPTCI, and the consumers have to run from pillar to post to get their settled amount refunded, which may run into a whole year or more.

The above issue has been viewed very seriously by the Corporation & it is desired that a time limit be fixed to settle the refund due to the consumer in cases where appellate authorities have passed orders.

It is therefore directed that the cases of withdrawals & refund of demand consequent to the orders of the appellate authority be settled within 90 (ninety) days from the date of issue of order by appellate authority. The EEE, O&M Division/AO, Division/AO, IA shall see that the cases be settled within the above stipulated time, where much delay will occur at revenue sections and in audit, will have to be monitored and the same shall have to be expedited for settlement within the time limit. They will be held personally responsible for any lapse occurred under their control. It is desired the subject be incorporated in the monthly meetings for review, and the no. of appellate orders received during the month and action taken for withdrawal/refund on earlier orders be reviewed so that delays involved be plugged.

*Handwritten signature/initials*

*Handwritten signature* 5/7/2000

ADDITIONAL SECRETARY

0364



Copy to: -

The Chief Engineer (Electy.) (General), KPTCL, Cauvery Bhavan, Bangalore.  
The Chief Financial Adviser, KPTCL, Cauvery Bhavan, Bangalore.  
The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, Bangalore.  
The Inspector General of Police (Vigilance), KPTCL, Bangalore.  
All Chief Engineers Electy., KPTCL.  
All Chief Controllers of Accounts, KPTCL.  
The Chief Law Officer, KPTCL, Cauvery Bhavan, Bangalore.  
The Chief Industrial Relation Officer, KPTCL, Bangalore.  
The Superintendent of Police (Vigilance), KPTCL.  
All Controllers, KPTCL.  
All Superintending Engineers (Ele), O&M Circle, KPTCL.  
The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.  
The Superintending Engineer (Computers) & EA to CMD, KPTCL.  
All Deputy Controllers of Accounts, O&M Circles, KPTCL.  
All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.  
All Executive Engineers (Ele), O&M Divisions, KPTCL.  
The Public Relation Officer, KPTCL, Bangalore.  
The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan, Bangalore.  
All Accounts Officers (Internal Audit), KPTCL.  
All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.  
All Accounts Officers, O&M Divisions, KPTCL.  
All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL.  
All Officers of Corporate Office.  
PS to CMD Director (Finance)/Director (Distribution)/Director (Transmission)  
Director (Personnel & Information Technology)/Secretary/Additional Secretary.  
SA II (Records) Corporate Office.

Copy for information to: -

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0365

**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

Sub :- Holding Vidyuth Adalaths for redressal of the grievances of the Electrical Consumers in the State – Regarding.

**PREAMBLE :**

1. Government Order No. DE 29 PSR 2000 Bangalore dated 19/04/2000.
2. Corporate Order No. KPTCL / B30 / 4205 / 1999 – 2000 dated 28.4.2000.

**Corporate Order No. KPTCL / B30 / 4205 / 1999-2000 Dated**

In the Corporate order dtd. 28.04.2000, The Executive Engineer (El.) of O&M Divisions of the District Head quarters were directed to be the convenors to hold the Zilla Vidyuth Adalaths. However, since there are more than one Executive Engineer (El.) in Bangalore Urban and Rural Districts the following modifications are issued to Corporate order dtd. 28.04.2000.

**I Bangalore Urban District :-**

- (a) Executive Engineer (El.) Office of the Superintending Engineer (El.) Bangalore South Circle, Bangalore Metropolitan Area Zone – will be the Convenor of Adalaths.
- (b) Executive Engineer (El.) of O&M Bangalore Urban Divisions shall be Adalath Members.

**II. Bangalore Rural District :-**

- (a) Executive Engineer (El.) Office of the Superintending Engineer (El.), Bangalore Rural Circle will be the Convenor of Adalaths.
- (b) Executive Engineer (El.) of Bangalore Rural Divisions shall be Adalath Members.

Other paras mentioned in corporate order dtd.28.04.2000 remains unaltered.

*Atmmmm 14/7*

**ADDITIONAL SECRETARY**

**0366**



**Copy to :-**

1. The Chief Engineer (Electy.), General, KPTCL, Cauvery Bhavan, Bangalore.
2. The Chief Financial Advisor, KPTCL, Cauvery Bhavan Bangalore.
3. All Chief Engineers (Electy.), KPTCL.
4. All Chief Controllers, KPTCL.
5. The Superintending Engineer (El.) Bangalore North Circle, KPTCL, Bangalore.
6. The Superintending Engineer (El.) Bangalore South Circle, KPTCL, Bangalore.
7. The Superintending Engineer (El.) Bangalore Rural Circle, KPTCL, Bangalore.
8. All the Controllers, KPTCL.
9. All the Executive Engineers (El.), , O&M Divisions, KPTCL, Bangalore.
10. All the Deputy Controller of Accounts, Bangalore Circle, KPTCL.
11. All the Accounts Officers (including Internal Audit), of O&M Divisions Urban and Rural KPTCL, Bangalore.
12. All the Officers of Board Secretariat, KPTCL.
13. P.S. to C.M / D(F) / D(D) / D(T) / D(P&I.T) / Secretary / Additional Secretary, KPTCL, Bangalore.
14. The Resident Audit Officer, KPTCL, Cauvery Bhavan, Bangalore.

**Copy for Information to :**

1. Sri. T.Hanumanthappa, Director, KPTCL, Bangalore.
2. The General Secretary, KPTCL Employees Union Bangalore / Engineers Association / Accounts Officers Association / SC & ST Welfare Association, Bangalore.

0367

0000

(R)

**KARNATAKA POWER TRANSMISSION CORPORATION LIMITED**

Sub :- Holding Vidyuth Adalaths for redressal of the grievances of the Electricity Consumers in the State - Regarding.

**PREAMBLE :**


Government Order No. DE 29 PSR 2000 Bangalore dated 19/04/2000.

Corporate Order No. KPTCL / B30/ 4205 / 1999-2000 Dated **28 APR 2000**

Approval is accorded for the following :

1. To hold monthly "Zilla Vidyuth Adalath" in each district to resolve the grievances / complaints of the electricity consumers of the District in respect of the following matters :
  - (a) Erroneous Billing.
  - (b) Non-receipt of Bills.
  - (c) Meter reading.
  - (d) Replacement of defective meters.
  - (e) Excessive Billing.
  - (f) Arrangements of collection of Bills.
  - (g) Delay in providing Electricity Connection.
  - (h) Power Supply Interruptions.
  - (i) Low Voltage Complaints
  - (j) Replacement of faulty transformers.
2. Zilla Vidyuth Adalath will consist of the following persons :
  - (a) Deputy Commissioner District : Adalath Chairman.
  - (b) Chief Executive Officer of Zilla Panchayath: Vice Chairman.
  - (c) Executive Engineer, O&M Division, KPTCL at district headquarters: Adalath Convenor and
  - (d) Other Executive Engineers, Stations/ O&M Divisions in the District: Adalath Members.
3. Vidyuth Adalaths constituted above will ensure complete transparency in their proceedings as also impartial resolution of the problems placed before them.
4. To hold the above constituted Monthly Vidyuth Adalaths on 15<sup>th</sup> of every month next or working day in case 15<sup>th</sup> happens to be a holiday at the place/venue notified by the Adalath Convenor with the approval of the Chairman.
5. Vidyuth Adalaths constituted above will be held during May 2000 and onwards.

0368





6. Applications/ representations/ Complaints made on a plain paper be sent to the Adalath Convenor with the following information/ particulars, on or before the last day of the previous month :

- (a) Consumer Name/ R.R.No. :
- (b) Address/ Telephone No. :
- (c) HT/ LT Sanctioned Load :
- (d) Name of the Sub-Division :
- (e) Division/ District :
- (f) Brief Description of the Grievance/ Complaint :

7. To authorise the Adalath Convenor to meet the expenses of the meetings of the monthly Vidyuth Adalaths upto Rs.5000/- (Rupees five thousand only) per annum, and to cause recording of the proceedings and forward the same to the authorities concerned for compliance/ appropriate action.

BY ORDER

*Pravin Kumar*, 28/4/2000.

ADDITIONAL SECRETARY

Copy to :-

1. The Chief Engineer (Electy.), General, KPTCL, Cauvery Bhavan, Bangalore.
2. The Chief Financial Advisor, KPTCL, Cauvery Bhavan Bangalore.
3. All Chief Engineers (Electy.), KPTCL.
4. All Chief Controllers, KPTCL.
5. The Director ITC, KPTCL, Bangalore.
6. The Director Research, KPTCL, Bangalore.
7. The Deputy Inspector General of Police (Vigilance), KPTCL, Bangalore.
8. All Superintending Engineers (EL.), KPTCL.
9. All the Controllers, KPTCL.
10. All the Executive Engineers (EL.), KPTCL.
11. All the Deputy Controller of Accounts, KPTCL.
12. All Assistant Executive Engineers (EL.) O&M Sub-division, KPTCL.
13. All the Accounts Officers (including Internal Audit), KPTCL.
14. All the Officers of Board Secretariat, KPTCL.
15. P.S. to C.M / D(F) / D(D) / D(T) / D(P&LT) / Secretary / Additional Secretary, KPTCL, Bangalore.
16. The Resident Audit Officer, KPTCL, Cauvery Bhavan, Bangalore.

Copy for Information to :

1. Sri. T.Hanumanthappa, Director, KPTCL, Bangalore.
2. The General Secretary, KPTCL Employees Union Bangalore / Engineers Association / Accounts Officers Association / SC & ST Welfare Association, Bangalore.

0369

8280

# ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತ

ಸಂಖ್ಯೆ: ಕವಿಪ್ರನಿ/ಬಿ19/6723/95-96



ನಿಗಮ ಕಾರ್ಯಾಲಯ,  
ಕಾವೇರಿ ಭವನ,  
ಬೆಂಗಳೂರು-560 009

ಲಗತ್ತು:

ದಿನಾಂಕ: 19.07.2000

## ಸುತ್ತೋಲೆ

ವಿಷಯ: ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವ ಬಗ್ಗೆ - ಸ್ಪಷ್ಟೀಕರಣ ಕುರಿತು.

- ಉಲ್ಲೇಖ: 1] ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ) ಬೆಳಗಾವಿ ವೃತ್ತ ರವರ ಪತ್ರ ಸಂಖ್ಯೆ: ಬಿ.ಜಿ.ಎಂ./ಎಸ್.ಇ.ಇ./ಟಿ.4/853-58 ದಿನಾಂಕ: 07.07.2000.  
2] ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ) ಶುಮಕೂರು ವೃತ್ತ ರವರ ಪತ್ರ ಸಂಖ್ಯೆ: ಎಸ್.ಇ.ಇ./ಇ.ಇ.ಬ./876-78 ದಿನಾಂಕ: 12.07.2000.  
3] ನಿಗಮದ ಆದೇಶ ಸಂಖ್ಯೆ: ಬಿ19/6723/95-96 ದಿನಾಂಕ: 30.06.2000.

ಉಲ್ಲೇಖ-3 ರಲ್ಲಿರುವ ನಿಗಮದ ಆದೇಶದಲ್ಲಿ ರಾಜ್ಯದಾದ್ಯಂತ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ದಿನಾಂಕವನ್ನು ಅಂತಿಮವಾಗಿ 15.08.2000 ದವರೆಗೆ ವಿಸ್ತರಿಸಿ ಆದೇಶಿಸಲಾಗಿದೆ. ಇದಲ್ಲದೆ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ಅರ್ಜಿದಾರರು ನಿಗಮಕ್ಕೆ ಪಾವತಿಸಬೇಕಾದ ಮೊಬಲಗು ಹಾಗೂ ಪಾಲಿಸಬೇಕಾದ ನಿಯಮಗಳ ಬಗ್ಗೆ ಸಹಾ ಆದೇಶ ನೀಡಲಾಗಿದೆ. ಆದಾಗ್ಯೂ ಕೆಲವು ಅಂಶಗಳ ಬಗ್ಗೆ ಸ್ಪಷ್ಟೀಕರಣ ಕೇಳಲಾಗಿದ್ದು ಅವುಗಳನ್ನು ಪರಿಶೀಲಿಸಿ ಕೆಳಕಂಡಂತೆ ಸ್ಪಷ್ಟೀಕರಣವನ್ನು ನೀಡಲಾಗಿದೆ.

ಕ್ರ. ಸಂ.	ಸ್ಪಷ್ಟೀಕರಣ ಕೇಳಿರುವ ಅಂಶ	ಸ್ಪಷ್ಟೀಕರಣ
1]	ಕೇವಲ ಸರ್ವಿಸ್ ಮೈನ್ ಮಾತ್ರದಿಂದ ಸಂಪರ್ಕ ನೀಡಲು ಅವಕಾಶವಿರುವಂತಹ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರು ಅನಧಿಕೃತವಾಗಿ ಸಂಪರ್ಕ ಪಡೆದು ಕೊಂಡಿದ್ದರೆ ಇಂತಹ ಬಳಕೆದಾರರಿಂದ ಎಷ್ಟು ಹಣ ತುಂಬಿಸಿ ಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಬಹುದು?	1] ಕೇವಲ ಸರ್ವಿಸ್ ಮೈನ್ ಮಾತ್ರದಿಂದ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಬಹುದಾದ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳ ಅರ್ಜಿದಾರರು ಅನಧಿಕೃತವಾಗಿ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಿಕೊಂಡಿದ್ದರೆ ಅಂತಹ ಅರ್ಜಿದಾರರಿಂದ ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಬಹುದು. [ಅ] ಅರ್ಜಿದಾರರು ಸಾಮಾನ್ಯ ವರ್ಗದವ ರಾಗಿದ್ದರೆ ರೂ.2500/- ಪರಿಶಿಷ್ಟ ಜಾತಿ/ ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾಗಿದ್ದರೆ ರೂ.1250/- [ಆ] ವಿದ್ಯುತ್ ಶುಲ್ಕ ರೂ.450/- ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ. [ಇ] ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- [ಈ] ವಾರ್ಷಿಕ ಠೇವಣಿ [ಉ] ನಿಗಮದ ಇತರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸುವುದು.
2]	ಕೇವಲ ಸರ್ವಿಸ್ ಮೈನ್ ಮಾತ್ರ ದಿಂದ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಲ್ಪಿಸ ಬಹುದಾದಂತ ಹಲವಾರು ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಅರ್ಜಿದಾರರು "ಸ್ವಯಂ ಆರ್ಥಿಕ ನೆರವು ಯೋಜನೆಯಡಿ" ಅರ್ಜಿ ಸಲ್ಲಿಸಿದ್ದು, ಮಂಜೂರಾತಿ ನೀಡಿದ್ದು ಅಂದಾಜು ಪಟ್ಟಿಯಂತೆ ವೆಚ್ಚ ರೂ.2500/-, ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ 1250/-, ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- ನಿಯಮ ದಂತ ವಾರ್ಷಿಕ ಡಿಪಾಸಿಟ್‌ಗಳನ್ನು ನಿಗಮಕ್ಕೆ ಪಾವತಿಸಿಕೊಂಡಿದ್ದು, ಆದರೆ ಗುರಿ ನಿಗದಿಪಡಿಸಿಲ್ಲದ/ ಗುರಿ ಮೀರಿದ್ದ ಕಾರಣ ಕೆಲಸ ಗಳನ್ನು ಕೈಗೊಂಡಿರುವುದಿಲ್ಲ. ಆದರೆ ಇಂತಹ ಅರ್ಜಿದಾರರು ಅನಧಿಕೃತವಾಗಿ ಸಂಪರ್ಕ ಪಡೆದಿದ್ದು, ಇವುಗಳನ್ನು ಯಾವ ರೀತಿ ಸಕ್ರಮ ಗೊಳಿಸಬೇಕು?	2] "ಸ್ವಯಂ ಆರ್ಥಿಕ ನೆರವು ಯೋಜನೆಯಡಿ" ಯಲ್ಲಿ ಮಂಜೂರಾತಿ ಯಾಗಿದ್ದು, ಕೇವಲ ಸರ್ವಿಸ್ ಮೈನ್ ಮಾತ್ರದಿಂದ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಬಹುದಾದ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳ ಅರ್ಜಿದಾರರು ಅಂದಾಜು ವೆಚ್ಚ ರೂ.2500/-, ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ 1250/-, ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960.00 ಮತ್ತು ಕನಿಷ್ಠ ವಾರ್ಷಿಕ ಠೇವಣಿಯನ್ನು ಪಾವತಿಸಿದ್ದು, ನಿಗಮದಿಂದ ಸಂಪರ್ಕ ಕಲ್ಪಿಸುವುದನ್ನು ಕಾಯದೆ ಅನಧಿಕೃತವಾಗಿ ಅವರೇ ಸಂಪರ್ಕ ಪಡೆದುಕೊಂಡಿದ್ದರೆ ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಬಹುದು. 1] ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ.450/- 2] ಇತರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸುವುದು.



<p>3] "ಸ್ವಯಂ ಅರ್ಥಿಕ ನೆರವು ಯೋಜನೆಯಡಿ" ಮಂಜೂ ರಾಗಿದ್ದು ಮತ್ತು ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಣೆಗೆ ಅಗತ್ಯ ವಿರುವ ಅಂದಾಜು ವೆಚ್ಚ ಅಥವಾ ರೂ.10,000/- ಇವೆರಡರಲ್ಲಿ ಯಾವುದು ಹೆಚ್ಚೋ ಅದನ್ನು ನಿಗಮಕ್ಕೆ ಪಾವತಿಸಿಕೊಂಡಿದ್ದು ಮತ್ತು ನಿಯಮದಂತೆ ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್, ವಾರ್ಷಿಕ ಕನಿಷ್ಠ ಠೇವಣಿ ಗಳನ್ನು ಸಹಾ ಕಟ್ಟಿಸಿಕೊಳ್ಳಲಾಗಿದೆ. ಆದರೆ ಸಾಮಗ್ರಿಗಳ ಕೊರತೆ ಹಾಗೂ ನಿಗದಿಪಡಿಸಿದ್ದ ಗುರಿಯನ್ನು ಸಾಧನೆ ಮಾಡಿದ್ದ ರಿಂದ ಈ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಸಂಪರ್ಕ ಕಲ್ಪಿಸ ಲಾಗಿರುವುದಿಲ್ಲ. ಆದರೆ ಈ ಅರ್ಜಿದಾರರು ಅನಧಿಕೃತ ವಾಗಿ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಿಕೊಂಡಿದ್ದು ಇವುಗಳನ್ನು ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪಾವತಿಸಿಕೊಂಡು ಸಂಪರ್ಕ ಕಲ್ಪಿಸಬಹುದೇ?</p>	<p>3] ಅರ್ಜಿದಾರರು ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗೆ "ಸ್ವಯಂ ಅರ್ಥಿಕ ನೆರವು ಯೋಜನೆಯಡಿ" ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆಯಲು ಮಂಜೂರಾತಿ ಪಡೆದಿದ್ದು ಸಾಮಾನ್ಯ ವರ್ಗದ ಅರ್ಜಿದಾರರಾದರೆ ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಣೆಯ ವೆಚ್ಚ ಅಥವಾ ರೂ.10000/- ಇವೆರಡರಲ್ಲಿ ಯಾವುದು ಹೆಚ್ಚೋ ಅದು, ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗ ದವರಾದರೆ ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಣೆಯ ವೆಚ್ಚ ಅಥವಾ ರೂ.5000/- ಇವೆರಡರಲ್ಲಿ ಯಾವುದು ಹೆಚ್ಚೋ ಅದು. ಮತ್ತು ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- ಮತ್ತು ವಾರ್ಷಿಕ ಠೇವಣಿಗಳನ್ನು ನಿಗಮಕ್ಕೆ ಪಾವತಿಸಿದ್ದು ಸಾಮಗ್ರಿಗಳ ಕೊರತೆ/ಗುರಿ ಇಲ್ಲದ ಕಾರಣ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಲು ವಿಳಂಬವಾಗಿದ್ದು ಅರ್ಜಿದಾರರು ಅನಧಿಕೃತ ಸಂಪರ್ಕ ಪಡೆದಿದ್ದರೆ ಅಂತಹ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಗಳನ್ನು ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸ ಬಹುದು.</p> <p>1] ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ.450/- 2] ಇತರೆ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸುವುದು.</p>
<p>4] ನಿಗಮದಿಂದ ಮಂಜೂರಾತಿಯಾಗಿದ್ದು, ಸೀನಿಯಾರಿಟಿ ಪ್ರಕಾರ ಸಾಮಗ್ರಿಗಳ ಕೊರತೆಯಿಂದ ಭಾಗಷಃ ಸಾಮಗ್ರಿಗಳನ್ನು ನೀಡಿದ್ದು, ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಣೆಗೆ ಅಗತ್ಯವಿರುವ ಬಾಕಿ ಸಾಮಗ್ರಿ ನೀಡಿ ಕೆಲಸ ಪೂರ್ಣಗೊಳಿಸಿರುವುದಿಲ್ಲ. ಇಂತಹ ಬಳಕೆದಾರರು ಅನಧಿಕೃತವಾಗಿ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಿಕೊಂಡಿದ್ದರೆ ಬಾಕಿ ಸಾಮಗ್ರಿಗಳ ವೆಚ್ಚ ಅಥವಾ ಪೂರ್ಣ ಅಂದಾಜು ವೆಚ್ಚವನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಬೇಕೆ?</p>	<p>4] ನಿಗಮದಿಂದ ಮಂಜೂರಾತಿಯಾಗಿದ್ದು, ಭಾಗಷಃ ಸಾಮಗ್ರಿಗಳನ್ನು ನೀಡಿದ್ದು, ಸಾಮಗ್ರಿಗಳ ಕೊರತೆಯಿಂದ ಬಾಕಿ ಕೆಲಸ ಪೂರ್ಣಗೊಳಿಸದಿರುವ ಪ್ರಕರಣಗಳಲ್ಲಿ ಅರ್ಜಿದಾರರು ಸಂಪರ್ಕಕ್ಕೆ ಕಾಯದೆ ಅನಧಿಕೃತವಾಗಿ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಿಕೊಂಡಿದ್ದರೆ ಅಂತಹ ಅರ್ಜಿದಾರರಿಂದ ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಬಹುದು.</p> <p>ಅರ್ಜಿದಾರರು ಸಾಮಾನ್ಯ ವರ್ಗದವರಾದರೆ ಇತ್ತೀಚಿನ ದರಪಟ್ಟಿ ಯಂತೆ ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಣೆಗೆ ಬಾಕಿ ಇರುವ ಸಾಮಗ್ರಿಗಳ ವೆಚ್ಚ ಅಥವಾ ರೂ.10,000/- (ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ ಬಾಕಿ ಸಾಮಗ್ರಿಗಳ ವೆಚ್ಚ ಅಥವಾ ರೂ.5000/-) ಇವೆರಡರಲ್ಲಿ ಯಾವುದು ಹೆಚ್ಚೋ ಅದು ಮತ್ತು</p> <p>1] ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ.450/- ಮತ್ತು 2] ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- ಮತ್ತು 3] ಕನಿಷ್ಠ ವಾರ್ಷಿಕ ಠೇವಣಿ ಮತ್ತು 4] ಇತರೆ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಿದ ನಂತರ ಸಕ್ರಮಗೊಳಿಸ ಬಹುದು.</p>
<p>5] ಬಹುತೇಕ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರು ತಮ್ಮ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳಿಗೆ ಅಗತ್ಯ ವಿರುವ ಎಲ್.ಟಿ ಮಾರ್ಗವನ್ನು ತಮ್ಮ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ನಿರ್ಮಿಸಿಕೊಂಡಿದ್ದು ಇಂತಹವುಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ಯಾವ ಕ್ರಮ ಅನುಸರಿಸಬೇಕು ಎಂಬುದಾಗಿ ಅನೇಕ ವಿಭಾಗೀಯ ಅಧಿಕಾರಿಗಳು ದೂರವಾಣಿ ಮುಖಾಂತರ ಸ್ಪಷ್ಟೀಕರಣ ಕೋರಿರುತ್ತಾರೆ.</p>	<p>5] ಯಾವುದೇ ಅರ್ಜಿದಾರರು ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗೆ ಅನಧಿಕೃತ ಸಂಪರ್ಕ ಪಡೆಯಲು ತಮ್ಮ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಿಸಿಕೊಂಡಿದ್ದು ಸದರಿ ಮಾರ್ಗವು <u>ನಿಗಮದ ನಿಯಮದಂತೆ ಕ್ರಮಬದ್ಧವಾಗಿದ್ದರೆ</u>, ಅಂತಹ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರಿಂದ ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮ ಗೊಳಿಸಬಹುದು.</p> <p>ಅ] ಅರ್ಜಿದಾರರು ಸಾಮಾನ್ಯ ವರ್ಗದವ ರಾದರೆ ರೂ.10,000/- ಪರಿಶಿಷ್ಟ ಜಾತಿ/ ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ ರೂ.5000/- ಆ] ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ.450/- ಇ] ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- ಈ] ಕನಿಷ್ಠ ವಾರ್ಷಿಕ ಠೇವಣಿ ಉ] ಇತರೆ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸು ವುದು.</p>

ಸಕ್ರಮಗೊಳಿಸಲಾಗುವ ಪ್ರತಿಯೊಂದು ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗೂ ಸೂಕ್ತ ಸಾಮರ್ಥ್ಯದ ಕೆಪಾಸಿಟರ್ ಬ್ಯಾಂಕನ್ನು ಅಳವಡಿಸಿಕೊಳ್ಳುವಂತೆ ಸೂಚಿಸಿ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದು.

ಮೇಲ್ಕಂಡಂತೆ ವಿವಿಧ ವರ್ಗಗಳ ಅಡಿಯಲ್ಲಿ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಿಕೊಳ್ಳಲು ನೀಡಲಾಗಿರುವ ಈ ಆದೇಶವು ದಿನಾಂಕ: 15.08.2000 ಕ್ಕೆ ಅಂತ್ಯಗೊಳ್ಳುತ್ತದೆ.

ಅಪ್ಪಣೆಯ ಮೇರೆಗೆ,  
ಬಿ.ಉ.ಝ.ನೇ.ಕ್ರ. 19/7/2000.  
ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ  
ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

ಗೆ:

1. ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್(ಎ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
2. ಮುಖ್ಯ ಅಧಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
3. ಎಲ್ಲಾ ವಲಯ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ ಗಳು(ಎ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
4. ಮುಖ್ಯ ಲೆಕ್ಕ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು,(ಆಂತರಿಕ ಪರಿಶೋಧನೆ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
5. ಉಪ ಅರಕ್ಷಕ ಮಹಾ ನಿರೀಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು.
6. ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ ಗಳು(ಎ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವ್ಯಕ್ತ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
7. ಅಧೀಕ್ಷಕ ಅರಕ್ಷಕರು (ಜಾಗೃತ ದಳ), ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು/ಹುಬ್ಬಳ್ಳಿ
8. ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
9. ಎಲ್ಲಾ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ ಗಳು(ಎ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.,
10. ಎಲ್ಲಾ ಉಪ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕವಿಪ್ರನಿ,
11. ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕವಿಪ್ರನಿ, ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
12. ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು(ಎ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ಉಪ ವಿಭಾಗ, ಕವಿಪ್ರನಿ,
13. ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು, ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
14. ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ನಿರ್ದೇಶಕರು(ಹಣಕಾಸು)/ನಿರ್ದೇಶಕರು(ಪ್ರಸರಣ)/ನಿರ್ದೇಶಕರು (ವಿತರಣೆ)/ ಕಾರ್ಯದರ್ಶಿ/ ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಯವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
15. ಮಹಾ ಕಡತ

ಪ್ರತಿ ಈ ಕೆಳಕಂಡವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ :

1. ಶ್ರೀ ಬಿ.ಹನುಮಂತಪ್ಪ, ನಿರ್ದೇಶಕರು, ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು
2. ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿ, ಕವಿಮಂ ನೌಕರರ ಸಂಘ (ರಿ.ನಂ.659)/ಇಂಜಿನಿಯರುಗಳ ಸಂಘ/ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳ ಸಂಘ/ಪರಿಶಿಷ್ಟ ಜಾತಿ- ಪರಿಶಿಷ್ಟ ಪಂಗಡಗಳ ಕಲ್ಯಾಣ ಸಂಸ್ಥೆ/ಕವಿಮಂ ವಿಂಚನದಾರರ ಸಂಘ

0372



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Ref : KPTC/B26/4867/99-2000.



CORPORATE OFFICE,  
CAJIVE JHAVAN,  
BANGALORE - 560 009  
Date : 24<sup>th</sup> July 2000

## CIRCULAR

**Sub : Releasing Customer Charter - Errata.**

**Ref : KPTCL/B26/4867/99-2000 Dt.22-07-2000**

The following corrections are to be read in the released Customer Charter

PAGE NO.	AS EXISTING	TO BE READ AS
5 (line 3)	(water pumps etc)	To be deleted.
6 (line 14)	(clinic in garage)	To be deleted.
8 (line 3)	More than 25 KWs	25 KWs and more.
18 (item 2)	JE (Street lights)	AE / JE O&M
19 (item 4)	When the PF of the load is less than 85%	Whole line is to be deleted.

A copy of this errata is to be inserted in all the "Customer Charter" before distribution either to officials or sold to customers.

  
**ADDITIONAL SECRETARY**

Copy to

Sri. T. Hanumanthappa, Director, KPTCL, B'lore.

Chief Engineer Electy. (General), KPTCL, B'lore.

Chief Financial Advisor, KPTCL, B'lore.

Inspector General of Police (Vigilance), KPTCL, B'lore.

Director (Research), KPTCL, B'lore.

All Chief Engineer Electy., KPTCL.

All Chief Controllers, KPTCL.

All Superintending Engineer Elecl., KPTCL.

Public Relations Officer, KPTCL, B'lore.

All Controllers, KPTCL.

All Executive Engineer Elecl., KPTCL.

All Assistant Executive Engineer Elecl., O&M Sub-Divisions, KPTCL.

All Officers, Corporate Office, KPTCL, B'lore.

Head Clerk, Corporate Office, KPTCL, B'lore.

PS to CMD/ Dir. (Finance)/ Dir. (P&IT)/ Dir. (Transmission)/ Dir. (Distribution)/ Secy. / ADS.

**Copy for information to :**

The General Secretary, KEBEU (Reg. 659) / KEBEA / KEB AO's Asso. /

KEB SC/ST Welfare Asso.

0373



# ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸರಣ ನಿಗಮ ನಿಯಮಿತ

ಸಂಖ್ಯೆ: ಕವಿಮಂ/ಕವಿಪ್ರನಿ/ಬಿ19/6723/95-96.



ನಿಗಮ ಕಾರ್ಯಾಲಯ,  
ಕಾವೇರಿ ಭವನ,  
ಬೆಂಗಳೂರು-560 009

ಲಗತ್ತು:

ದಿನಾಂಕ: 29 JUL 2000

## ಸುತ್ತೋಲೆ

ವಿಷಯ: ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವ ಬಗ್ಗೆ ಮುಂದುವರಿದ ಸ್ಪಷ್ಟೀಕರಣ

- ಉಲ್ಲೇಖ: 1. ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ ವಿ ರವರ ಟಿಪ್ಪಣಿ ಸಂಖ್ಯೆ: ಸಿ ಇಜಿ ಇ ಇಜಿ 105 ದಿನಾಂಕ 26.7.2000  
2. ಅ.ಇಂ.ವಿ ಬಿಜಾಪುರ ಇವರ ಪತ್ರ ಸಂಖ್ಯೆ: 271-72 ದಿನಾಂಕ:13.7.2000  
3. ನಿಗಮದ ಆದೇಶ ಸಂಖ್ಯೆ: ಬಿ19 6723 95-96 ದಿನಾಂಕ:30.6.2000.  
4. ನಿಗಮದ ಸುತ್ತೋಲೆ ಸಂಖ್ಯೆ: ಬಿ19 6723 95-96 ದಿನಾಂಕ 19.7.2000.

-0-

ಉಲ್ಲೇಖ 4 ರ ನಿಗಮದ ಸುತ್ತೋಲೆಯಲ್ಲಿ ನೀಡಿರುವ ಸ್ಪಷ್ಟೀಕರಣವನ್ನು ಮುಂದುವರಿಸಿ, ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪು ಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ಕೆಳಕಂಡ ಪ್ರಕರಣಗಳಲ್ಲಿ ಪಾಲಿಸಬೇಕಾದ ನಿಯಮದ ಬಗ್ಗೆ ಸ್ಪಷ್ಟೀಕರಣ ನೀಡಲಾಗಿದೆ.

ಕ್ರ. ಸಂ.	ಸ್ಪಷ್ಟೀಕರಣ ಕೇಳಿರುವ ಅಂಶ	ಪರಿಷ್ಕೃತ ಸ್ಪಷ್ಟೀಕರಣ
1.	10 ಅಶ್ವಶಕ್ತಿ ಗಿಂತ ಹೆಚ್ಚು ಅಶ್ವಶಕ್ತಿ ಹೊಂದಿದ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳು ಅನಧಿಕೃತವಾಗಿದ್ದರೆ ಅಂತಹವುಗಳನ್ನು ಯಾವ ರೀತಿ ಸಕ್ರಮಗೊಳಿಸ ಬೇಕು?	ದಿನಾಂಕ: 30.6.2000 ದ ನಿಗಮದ ಆದೇಶ ಹಾಗೂ 19.7.2000 ರ ಸುತ್ತೋಲೆ ಆದೇಶದಲ್ಲಿ ನೀಡಿರುವ ಆದೇಶ ಹಾಗೂ ಸ್ಪಷ್ಟೀಕರಣದಲ್ಲಿ ತಿಳಿಸಿರುವ ನಿಯಮಗಳ ಜೊತೆಗೆ ವಿದ್ಯುತ್ ಶುಲ್ಕ ಮಾತ್ರ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ 750/- ಪಾವತಿಸಿಕೊಳ್ಳ ತಕ್ಕದ್ದು.
2.	ಯಾವುದೇ ಅರ್ಜಿದಾರರು ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗೆ ಅನಧಿಕೃತ ಸಂಪರ್ಕ ಪಡೆಯಲು ತಮ್ಮ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಎಲ್.ಟಿ. ಮಾರ್ಗ ವಿಸ್ತರಿಸಿಕೊಂಡಿದ್ದು, ಸದರಿ ಮಾರ್ಗವು ನಿಗಮದ ನಿಯಮದಂತೆ ಕಮಬದವಾಗಿದ್ದರೆ, ಅಂತಹ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಿಕೊಳ್ಳಬಹುದೆಂದು ದಿನಾಂಕ:19.07.2000ದ ಸುತ್ತೋಲೆಯಲ್ಲಿ ಸೂಚಿಸಲಾಗಿತ್ತು. ಅ] ಅರ್ಜಿದಾರರು ಸಾಮಾನ್ಯ ವರ್ಗದವರಾದರೆ ರೂ.10,000/- ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ ರೂ.5000/- ಆ] ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ.450/- ಇ] ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- ಈ] ಕನಿಷ್ಠ ವಾರ್ಷಿಕ ಠೇವಣಿ ಉ] ಇತರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸುವುದು.	ಯಾವುದೇ ಅರ್ಜಿದಾರರು ತಮ್ಮ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಅನಧಿಕೃತ ಸಂಪರ್ಕ ಪಡೆಯಲು ತಮ್ಮ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಎಲ್.ಟಿ.ಮಾರ್ಗ ವಿಸ್ತರಿಸಿ ಕೊಂಡಿದ್ದು ಸದರಿ ಮಾರ್ಗವು ನಿಗಮದ ನಿಯಮದಂತೆ ಕಮಬದವಾಗಿದ್ದರೆ, ಅಂತಹ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್ ಬಳಕೆದಾರರಿಂದ ಕೆಳಕಂಡ ಮೊಬಲಗನ್ನು ಪಾವತಿಸಿಕೊಂಡು ಸಕ್ರಮಗೊಳಿಸಬಹುದೆಂದು ಪರಿಷ್ಕೃತ ಸ್ಪಷ್ಟೀಕರಣ ನೀಡಲಾಗಿದೆ. ಅ. ಅರ್ಜಿದಾರರು ಸಾಮಾನ್ಯ ವರ್ಗದವರಾದರೆ ರೂ.2500/- ಪರಿಶಿಷ್ಟ ಜಾತಿ/ಪರಿಶಿಷ್ಟ ವರ್ಗದವರಾದರೆ ರೂ. 1250/- ಆ. ವಿದ್ಯುತ್ ಶುಲ್ಕ ಪ್ರತಿ ಅಶ್ವಶಕ್ತಿಗೆ ರೂ. 450/- ಇ. ಮೀಟರ್ ಸೆಕ್ಯೂರಿಟಿ ಡಿಪಾಸಿಟ್ ರೂ.960/- ಈ. ಕನಿಷ್ಠ ವಾರ್ಷಿಕ ಠೇವಣಿ ಉ. ಇತರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸುವುದು.

ಅಪ್ಪಣೆಯ ಮೇರೆಗೆ,

ಬಿ. ಉ. ಶರಣೇಂದ್ರ 29/7

ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ

ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

ಗೆ:

1. ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್(ವಿ), ಕ.ವಿ.ಪ್ರನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
2. ಮುಖ್ಯ ಆರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
3. ಎಲ್ಲಾ ವಲಯ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ ಗಳು(ವಿ), ಕ.ವಿ.ಪ್ರನಿ.ನಿ.,



4. ಮುಖ್ಯ ಲೆಕ್ಕ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು,(ಆಂತರಿಕ ಪರಿಶೋಧನೆ) ಕ.ವಿ.ಪ್ರನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
5. ಉಪ ಆರಕ್ಷಕ ಮಹಾ ನಿರೀಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು.
6. ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ ಗಳು(ವಿ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕ.ವಿ.ಪ್ರನಿ.ನಿ.,
7. ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತ ದಳ), ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು/ಹುಬ್ಬಳ್ಳಿ
8. ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರನಿ.ನಿ.,
9. ಎಲ್ಲಾ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ ಗಳು(ವಿ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರನಿ.ನಿ.,
10. ಎಲ್ಲಾ ಉಪ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕವಿಪ್ರನಿ,
11. ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕವಿಪ್ರನಿ, ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
12. ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು(ವಿ),ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ಉಪ ವಿಭಾಗ, ಕವಿಪ್ರನಿ,
13. ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು, ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
14. ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ನಿರ್ದೇಶಕರು(ಹಣಕಾಸು)/ನಿರ್ದೇಶಕರು(ಪ್ರಸರಣ)/ನಿರ್ದೇಶಕರು (ವಿತರಣ)/ ಕಾರ್ಯದರ್ಶಿ/ ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಯವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಗಳು, ಕ.ವಿ.ಪ್ರನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು
15. ಮಹಾ ಕಡತ

ಪ್ರತಿ ಈ ಕೆಳಕಂಡವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ :

5. ಶ್ರೀ ಟಿ.ಹನುಮಂತಪ್ಪ, ನಿರ್ದೇಶಕರು, ಕವಿಪ್ರನಿ, ಬೆಂಗಳೂರು
6. ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿ, ಕವಿಮಂ ನೌಕರರ ಸಂಘ (ರಿ.ನಂ.659)/ಇಂಜಿನಿಯರುಗಳ ಸಂಘ/ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳ ಸಂಘ/ಪರಿಶಿಷ್ಟ ಜಾತಿ- ಪರಿಶಿಷ್ಟ ಪಂಗಡಗಳ ಕಲ್ಯಾಣ ಸಂಸ್ಥೆ/ಕವಿಮಂ ಪಿಂಚಣಿದಾರರ ಸಂಘ

0375

31.00

# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

**Sub: Authorisation of the officers of Regulatory Affairs Unit  
to represent before CERC/KERC.**

**Ref: Resolution No. KPCL/BM-8/82/1999-2000 dt. 24.06.2000**

## PREAMBLE:

Consequent to setting up of CERC/KERC the KPTCL is receiving several notices, regarding proceedings, discussions, hearing of consumer grievances etc., All the notices are being issued by the KERC in the name of CMD and therefore by the time, papers reach the concerned to prepare a reply, considerable time is being consumed and thereby there is a delay in sending reply to the Hon'ble Commissions.

Sri. R.N. Narasimha Murthy, Sr. Advocate has opined that Board being a Corporate entity Chairman & Managing Director cannot be a party to any enquiry or any proceedings instituted under the Act which can only be instituted against the Corporate Body and even in such proceedings KPTCL being the real party can be represented by any officer of the KPTCL or any Legal Practitioner on its behalf.

Sri. A.G. Ramachandran Advocate Delhi, the legal consultant has also expressed the same opinion. Hence this order.

**Board No. KPTCL/B25/2938/99-2000**

**Bangalore, Dated:**

**03 AUG 2000**

Corporate Office is pleased to authorise Chief Engineer (Electy), Regulatory Commission or any other officers authorised by CMD from time to time to receive all notices, sign all the papers and pleadings etc., to be filed before the commission on behalf of KPTCL with immediate effect.

*Atm...* 3/8(2000)  
**ADDITIONAL SECRETARY**

## Copy to B.O:

1. The Chief Engineer Electy (General), KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Chief Engineers (Electy), Major Works, KPTCL.
4. All Chief Engineers (Electy), PFC/REZ/ JVC/LDC/ HT Industries/ T&P, KPTCL.
5. All Zonal Chief Engineers (Electy), KPTCL.
6. The Chief Controller of Accounts (I/A) KPTCL, Bangalore.
7. All the Chief Controllers, KPTCL.
8. The Director, ITC, KEB, Bangalore
9. The Director Research, KPTCL, Bangalore.
10. The Inspector General of Police, (Vigilance), KPTCL, Bangalore
11. All Superintending Engineers (Elec.), KPTCL, Bangalore.
12. The Principal Training Institute (M), KPTCL, Bangalore.
13. All the Executive Engineers (Elec.), KPTCL.
14. All the Deputy Controller of Accounts, KPTCL.
15. All the Accounts Officers (including Internal Audit), KPTCL.
16. All the officers of Board Secretariat, KPTCL.
17. PS to CMD / Director (P&IT) / Director (Finance) / Director (Distribution)/ Director (Transmission) / Secretary/ Additional Secretary.
18. Resident Audit Officer, KPTCL, Cauvery Bhavan, Bangalore.
19. SA-II, Records, Corporate Office, KPTCL.

## Copy to :

1. Sri.T.Hanumanthappa (Director), KPTCL, Bangalore.
2. The General Secretary, KPTCL Employees Union, Reg.No.659, Bangalore.
3. The General Secretary, KPTCL Engineers Association, Bangalore.
4. The General Secretary, KPTCL Accounts officers Association, Bangalore.
5. The General Secretary, KPTCL, SC/ST Welfare Association, Bangalore.

**0376**



Grams : KAPIRANS  
Fax : 080-2218930

Office : 2210685  
Telex : 8452435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No. KPTCL/B20/4022(1)/2000-01.

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated : 6 AUG 2000

CEE (HZ) HUBB  
SE (IS) Vigilance, KPTCL.  
K.R. Circle, Bangalore - 560 001.

CA  
EE (O)  
EE (C)  
SEB (SIC)  
AO  
PS  
R&R

Sub : Clarification regarding the period of back billing  
in case of Regulation No. 44.07.


Ref: Your letter No. SP/VG/IIQ/AO/156-3/2000-01  
dated 23/05/2000.

Please refer to your above letter wherein you have sought clarification  
regarding the period of back billing in case of Regulation 44.07 of ESR.

The issue has been examined. I am directed to clarify that the back billing  
under provisions of Regulation 44.07 of ESR 88 need not be limited to 6 (six)  
months, but can be done for any other period as may be justified in the individual  
case.

This is for your information & needful action.

Yours faithfully

 4/8/2000

ADDITIONAL SECRETARY

Copy to: -

1. The Deputy Inspector General of Police (Vigilance), Corporate Office, KPTCL, Cauvery Bhavan, Bangalore, for kind information.
2. The Chief Engineer (Ele.) (General), Corporate Office, KPTCL, Cauvery Bhavan, Bangalore, for information.
3. The Chief Legal Officer, Corporate Office, KPTCL, Cauvery Bhavan, Bangalore, for information.
4. All the Zonal Chief Engineers (Ele.), KPTCL, for information.

0377

Telex : 845-2435 KEBIN  
Grams : KEL Board



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

CORPORATE OFFICE  
'Cauvery Bhavan'  
Bangalore - 560 009

KPTCL/B-20/3395/99-2000.

Date.. 7-8-2000

CIRCULAR

Sub: Back billing of LT installations having Trivector Meters - reg.

.....oo000oo.....

It has come to the notice of the Corporation that the note under Regulation 44.01 of the ESR-1988 is being misinterpreted by the field Officers, particularly the Vigilance Wing and the Revenue Monitoring and penal charges for period of six months is being claimed if the maximum demand recorded is more than the sanctioned load during second and subsequent months immediately after an electromechanical meter is replaced by trivector meter. In such cases, the penal charges have to be restricted to that particular month only. Such misinterpretation has resulted in large number of consumer complaints and unnecessary complications. It is reiterated and clarified that the penal charges be restricted to that particular month only as per the said provisions.

In addition, until further orders are issued from the Corporate Office, the inventory of connected load / machinery need not be taken by the Inspecting Officers / Field Officers / MRT staff in **LT installations with sanctioned load of 40 H.P and above** where electronic trivector meters have been provided.

Instructions given as above shall be strictly followed and any deviation will be viewed seriously and personal responsibility will be fixed.

This shall come into immediate effect.

PTEN

*R. Srinivas* 5/8/2000.  
ADDITIONAL SECRETARY

To:

1. The Chief Engineer, Electricity (General), KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All the Zonal CEEs of KPTCL.
4. The Deputy Inspector General of Police (Vigilance), KPTCL, Bangalore.
5. All the Chief Controller of Accounts, KPTCL.

0378



6. The Chief Law Officer, KPTCL, Bangalore
7. All the SEEs of O&M Circles and MRT Circles, KPTCL.
8. The Superintending Engineer (Elec.), Commercial, O/o the CEE (G), KPTCL, Bangalore / The Superintending Engineer (Elec.), ARM Cell, KPTCL, Bangalore / The Superintending Engineer (Elec.), -Computers, KPTCL, Bangalore
9. The Superintendent of Police (Vigilance), KPTCL, Bangalore / Hubli.
10. All the Executive Engineers (Elec.), of O&M Divisions and MRT Divisions.
11. The Executive Engineers (Elec.), - Vigilance, Bangalore / Mangalore / Hubli and Gulbarga.
12. All the Deputy Controller of Accounts of O&M Circles and Deputy Controller of Accounts, Revenue Monitoring, KPTCL.
13. All the Assistant Executive Engineers (Elec.), of Vigilance Wing of KPTCL.
14. All the Assistant Executive Engineers (Elec.), of O&M Sub-divisions.
15. All the Accounts Officers , Revenue Monitoring and Internal Audit KPTCL.
16. All the Officers of Corporate Office, KPTCL, Bangalore.
17. PS to Director - Distribution / Transmission / P & IT /Finance / CMD with a request to place it before the Directors.
18. PS to A.D.S.
19. SA-II, Records, Corporate Office.

Copy for information to:

Sri.T.Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0379

815

# Karnataka Power Transmission Corporation Limited

**READ:** 1) B. O. No. KPTCL /B35/5929/99 - 2000 dated 28-9-99.

## **PREAMBLE:**

Board Order No. KPTCL/ B35/5929/99-2000 dated 18-3-2000 was issued for facilitating appointing, out side inspecting agency, for inspection of some of the costly and critical items. A list of agencies was furnished in the para 2 of the order for the purpose.

After careful and thorough study of note dated 3-7-2000 of SEE, FMG. The Corporation is pleased to accord approval for the following.

**B. O. No. KPTCL /B35/5929/99-2000.**

Date: 7 / 8 / 2000

In partial modification to B. O. No. KPTCL/ B35/5929/99-2000 dated 18-3-2000 approval is accorded to include M/s. Central Power Research Institute ( CPRI) in the list of firms from whom bids for **Third Party Inspection** is to be invited, in addition to the 9 firms listed in para 2 of the earlier order .

**BY ORDER**

*Signature* 4/8/2000

**ADDITIONAL SECRETARY**

## **Copy to:**

1. The Chief Engineer, Electy., (G) KPTCL, Bangalore .
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Chief Engineers, Electy., KPTCL,
4. The Chief Law Officer, KPTCL, Bangalore.
5. The Chief Indl. Relations Officer, KPTCL, Bangalore.
6. The Inspector General of Police (Vig.) KPTCL, Bangalore.
7. All Chief Controllers, KPTCL, .
8. All Superintending Engineers, Elec., KPTCL,
9. The Suptdg. Engr. Ele., (Computer) KPTCL, Bangalore.
10. All Controllers of Accounts, KPTCL,
11. All Executive Engineers, Ele., KPTCL,
12. All Dy. Controllers of Accounts, KPTCL,
13. All Accounts Officers (Internal Audit), KPTCL,

0380



Grams : KAPTRANS  
Fax : 080-2218930

Office : 2210685  
Telex : 845-2435

KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

NO.KPTCL/B11/1455/99-2000.

Corporate Office,  
Cauvery Bhavan,  
Bangalore - 560 009.  
Dated: ... 10/8/2000

CIRCULAR

Sub: Mode of payment by the consumers – Regulation  
Clause 30.04 of ESR.

Ref.: Board Notification No. KEB/B11/B10/6948/90-91  
dated 10/12/98.

The Board in its Notification dated 10/12/98 had amended the Regulation  
Clause 30.04. which reads as follows:

Power Supply charges

Mode of payment

(a) The consumer shall pay the Power Supply charges at the office of issue  
or at the jurisdictional cash counters as indicated hereunder:

- i) Upto a limit of Rs. 2000/- through Cash or Cheque or Demand  
Draft.
- ii) Rs. 2001/- and above through Cheque or Demand Draft only.

Note: Demand Draft / Cheque shall be issued in favour of Karnataka  
Electricity Board drawn on any scheduled commercial bank situated  
at the headquarters of the office of issue along with the bill and  
obtain receipt. The RR No. and ledger folio No. shall be indicated  
on the reverse side of the Demand Draft / Cheque.

Payment by Cheque / Demand Draft sent by post or by money order is also  
admissible at the consumer's risk, subject to furnishing of RR No. ledger and Folio  
Number.

After the issue of above amendment, many field officers have expressed  
their difficulties in collecting Power Supply charges from the consumers of  
Rs. 2000/- & above through Cheque or D.D.

The subject has been examined. As a consumer friendly measure, I am  
directed to convey approval for the following:

- 1) To collect the cash upto Rs. 5000/- at spot collection only incase of revenue  
recovery drive by KPTCL staff.

3880

0381

P.T.O.

2) In regular cash counters, to collect through cash only upto Rs. 2000/- in respect of energy bills & by Cheque or D.D. for Rs. 2001 & above.

The above instructions shall be followed strictly. Failure to adhere the above instructions, disciplinary measures will be initiated on the concerned officer/official.

*[Handwritten Signature]* 8/8

ADDITIONAL SECRETARY

To: -

All Executive Engineers (Ele.). O&M Divisions, KPTCL, for information & needful.

All Assistant Executive Engineers (Ele.). O&M Sub-Divisions, KPTCL, for information & needful.

Copy to: -

The Chief Engineer (Electv.) (General), KPTCL, Cauvery Bhavan, Bangalore.

The Chief Financial Adviser, KPTCL, Cauvery Bhavan, Bangalore.

The Inspector General of Police (Vigilance), KPTCL, Bangalore.

All Chief Engineers Electv., KPTCL.

All Chief Controllers of Accounts, KPTCL.

The Chief Law Officer, KPTCL, Cauvery Bhavan, Bangalore.

The Chief Industrial Relation Officer, KPTCL, Bangalore.

The Superintendent of Police (Vigilance), KPTCL.

All Controllers, KPTCL.

All Superintending Engineers (Ele). O&M Circle, KPTCL.

The Superintending Engineer (Ele.). ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.

The Superintending Engineer (Computers) & EA to CMD, KPTCL.

All Deputy Controllers of Accounts, O&M Circles, KPTCL.

All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.

The Public Relation Officer, KPTCL, Bangalore.

The Resident Audit Officer (Audit Wing) KPTCL, Cauvery Bhavan, Bangalore.

All Accounts Officers (Internal Audit), KPTCL.

All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.

All Accounts Officers, O&M Divisions, KPTCL.

All Officers of Corporate Office.

PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)

Director (Personnel & Information Technology)/Secretary/Additional Secretary.

SA II (Records) Corporate Office.

Copy for information to: -

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.



KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

READ:

1. Board vide Circular No. B11/B10/6948/90-91 dated 31/12/96 instructed that all the I.P. Set installations serviced on or after 01/01/97 shall be provided with 3 phase Electro-mechanical meters. Further, the meter reading of electromechanical meters fixed to I.P. Set installations upto 10HP shall be taken once in 3 months & submitted to revenue section for necessary entries in the ledger.
2. The Karnataka Electricity Regulatory Authority has directed the KPTCL to have the pattern of I.P. Set consumption for which meters have been fixed on or after 01/01/97.
3. In view of the above, it is desired to obtain the consumption of IP Sets with immediate effect. Hence the Board Order.

ORDER No. KPTCL/B11/B10/6948/90-91/METERS/BANGALORE dated 11/8/2000

Approval is hereby accorded to engage persons to Read IP Set meters every month which have been serviced on or after 01/01/97 with the following conditions.

- a) 2 to 3 persons be engaged in Rural sub-divisions & one person to be engaged in urban sub-division.
- b) An amount of Rs. 5/- be paid to each person per installation/month.
- c) Persons who are literate be taken giving preference to the persons who have completed ITC training at KPTCL.
- d) Sufficient training shall be given to these persons before assigning the job.
- e) The appointed persons should evince interest in bringing the correct reading.
- f) The readings of IP sets may also be got through Lineman of the sub-divisions wherever possible & remuneration of Rs. 5/- per installation of IP set shall be paid as incentive to KPTCL camp lineman.

The Assistant Executive Engineer (Ele.) of O&M sub-divisions are authorised to entrust the work to the Lineman.

- g) The O&M EE's are authorised to appoint the persons only for a fixed period of 6 months for bringing the meter readings & they should see that the persons bring correct readings.
- h) The sub-division officers should furnish the monthly consumption details of I.P. Sets in the following manner to the Director Research, KPTCL, K.R. Circle, Bangalore by 10<sup>th</sup> of following month.

4887

0383

Sl. No.	RR No.	Sanctioned Load	Consumption	Remarks if any	Signature of M.R.
---------	--------	-----------------	-------------	----------------	-------------------

By Order

*[Signature]* 11/8/2000.

(B.T. JNANESHWAR)

ADDITIONAL SECRETARY, KPTCL.

Copy To: -

- The Chief Engineer Electy., (General), KPTCL, Bangalore.
- The Chief Financial Adviser, KPTCL, Bangalore.
- The Director (Research), KPTCL, K.R. Circle, Bangalore, for information & to send the consolidated consumption of all the IP Sets to the Corporate Office.
- The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, B'lore.
- The Inspector General of Police (Vigilance), KPTCL Bangalore.
- All Zonal Chief Engineers Electy., KPTCL.
- All Chief Controllers of Accounts, KPTCL.
- The Chief Law Officer, KPTCL, Bangalore.
- The Chief Industrial Relation Officer, KPTCL, Bangalore.
- The Superintendent of Police (Vigilance), KPTCL, Hubli/Bangalore.
- All Controllers, KPTCL.
- All Superintending Engineers (Ele), O&M Circle, KPTCL.
- The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.
- The Superintending Engineer (Computers) & EA to CMD, KPTCL.
- All Deputy Controllers of Accounts, O&M Circles, KPTCL.
- All Deputy Controllers of Accounts (Revenue Monitoring), O&M Circles, KPTCL.
- All Executive Engineers (Ele), O&M Divisions, KPTCL.
- The Public Relation Officer, KPTCL, Cauvery Bhavan, Bangalore.
- The Resident Audit Officer (Audit Wing), KPTCL, Cauvery Bhavan, Bangalore.
- All Accounts Officers (Internal Audit), KPTCL.
- All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.
- All Accounts Officers, O&M Divisions, KPTCL.
- All Assistant Executive Engineers (Ele), O&M Sub-divisions, KPTCL.
- All Officers of Corporate Office.
- PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/Director (Personnel & Information Technology)/Secretary/Additional Secretary.
- SA II (Records) Corporate Office.

Copy for information to:

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

3889

0384





Copy to: -

The Chief Engineer Electy., (General), KPTCL, Bangalore.

The Chief Financial Adviser, KPTCL, Bangalore.

The Chief Electrical Inspector to Govt., of Karnataka, K.R. Circle, Bangalore.

The Inspector General of Police (Vigilance), KPTCL, Bangalore.

All Chief Engineers Electy., KPTCL.

All Chief Controllers of Accounts, KPTCL.

The Chief Law Officer, KPTCL, Bangalore.

The Chief Industrial Relation Officer, KPTCL, Bangalore.

The Superintendent of Police (Vigilance), KPTCL.

All Controllers, KPTCL.

All Superintending Engineers (Ele), O&M Circle, KPTCL.

The Superintending Engineer (Ele.), ARM Cell, KPTCL, BPL Building, K.R. Circle, Bangalore.

The Superintending Engineer (Computers) & EA to CMD, KPTCL.

All Deputy Controllers of Accounts, O&M Circles, KPTCL.

All Deputy Controllers of Accounts (Revenue Monitoring) O&M Circles, KPTCL.

The Public Relation Officer, KPTCL, Bangalore.

The Resident Audit Officer (Audit Wing), KPTCL, Cauvery Bhavan, Bangalore.

All Accounts Officers (Internal Audit), KPTCL.

All Accounts Officers (Revenue Monitoring), O&M Divisions, KPTCL.

All Accounts Officers, O&M Divisions, KPTCL.

All Officers of Corporate Office.

PS to CMD/Director (Finance)/Director (Distribution)/Director (Transmission)/

Director (Personnel & Information Technology)/Secretary/Additional Secretary.

SA II (Records) Corporate Office.

Copy for information to:

Shri. T. Hanumanthappa, Director (Labour), KPTCL, Bangalore.

0386

1000



# KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

Corporate Office,  
Cauvery Bhavan,  
Bangalore-560 009.

## READ:

- (I) IMC (Technical) Resolution Dated 13.11.98
- (II) Board Resolution No. BM-670/19149, Dated 30.11.98
- (III) Principal Secretary to Government. Department of Energy, Bangalore Lr. No. DE-171/EEB/98, Dated 06.01.99
- (IV) Board Order No. KEB/B-30/4179/97-98, Dated 08.01.99
- (V) ARM Cell, Corporate Office Note dated 03.08.2000

## PREAMBLE:

To encourage the HT Industries to draw more energy from grid by shutting down their Captive Generators, the Board, in its order dated 08.01.99 introduced a scheme of allotment of additional units at Rs. 3.25/- per unit, over and above their consumption of highest of average over 3 month blocks from December-97 to November-98. Many industries could not avail this benefit as their base units would have been impracticable in view of overdrawal immediately after lifting of powercut in November 1997.

Many industries have been representing that the period of consideration of consumption for fixing base limit be revised for coming into this scheme. Now, after 2 ½ years of lifting powercut, the consumption has stabilized and it is appropriate to consider the previous 12 months consumption for fixing the base limit.

Therefore, to induce more HT Industries under HT-2(a) tariff to avail the benefit of allotment of special units at Rs.3.25/- per unit, it has been approved to revise the period of fixing the base limit. Further, it has also been approved to allot additional demand upto 20% of the contract demand for availment of additional units under Rs.3.25/- scheme.

88CC

0387

P.T.O

Accordingly the following amendments are made to B.O.No.KEB/B-30/4179/97-98, dated 08.01.99.

**Corporate office order No.KPTCL/B-30/4179/97-98, DATED**

KPTCL is pleased to amend condition (2) of the B.O.No.KPTCL/B-30/4179/97-98, DATED 08.01.99 as detailed hereunder :-

As Existing	As Amended
<p>The assessed quantity for the Industry shall be fixed on the basis of highest of the average billed consumption in 3 months block from 01.12.97 to 30.11.98, as power cut was relaxed from 01.12.97 (Please see Annexure-1 for example).</p>	<p>a. To consider the same base for such Industries who are continuously using the special units allotment above base limit and come forward for renewal (Since it will not make any difference for them even at a later date).</p> <p>b. In case of new allotments, to consider the consumption of previous 12 months on the date of application for fixing the base limit as per the existing norms, (i.e., considering highest of the average billed consumption in 3 month blocks.)</p> <p>c. To consider the consumption of previous 12 months from the date of renewal in such cases where the industry has used units at special rates intermittently above base limit and fix the base as per the existing norms. However, in the months of usage of units at special rate, only base limit is considered for average calculation.</p> <p>d. To allot additional demand upto 20% of C.D for availment of additional units for a period of six months.</p>

Contd.,




The allotments will be issued by Additional Secretary on furnishing the consumption details.

The above amendments shall come into force with immediate effect for new entrants or from date of renewal for existing Industries.

The bills issued in this category shall be verified by AAO(Revenue). A.O (I/A) of the division shall check the fixation of base units after issue of the first bill and report discrepancies, if any, to the Additional Secretary with a copy to C.C.A(I/A).

All other conditions remains unaltered.

BY ORDER

 17/8/2000.

ADDITIONAL SECRETARY.

No. KPTCL/B-30/4179/97-98

Dated: 17 AUG 2000

Copy to:

1. The Chief Engineer Electy., (General), KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Chief Engineers (Electy), Major Works, KPTCL.
4. All Chief Engineers (Electy), PFC/REZ/JVC/LDC/HT Industries/T&P, KPTCL.
5. All Zonal Chief Engineers (Electy), KPTCL.
6. The Chief Controller of Accounts (I/A), KPTCL, Bangalore.
7. All the Chief Controllers, KPTCL.
8. The Director, ITC, KEB, Bangalore.
9. The Director Research, KPTCL, Bangalore.
10. The Inspector General of Police, (Vigilance), KPTCL, Bangalore.
11. All Superintending Engineers (Elec.), KPTCL, Bangalore.
12. The Principal Training Institute (M), KPTCL, Bangalore.
13. All the Executive Engineers (Elec.), KPTCL.
14. All the Deputy Controller of Accounts, KPTCL.
15. All the Accounts Officers (including Internal Audit), KPTCL.
16. All the officers of Board Secretariat, KPTCL.
17. PS to CMD / Director (P&IT) / Director (Finance)/ Director (Distribution)/ Director (Transmission)/ Secretary/ Additional Secretary.
18. Resident Audit Officer, KPTCL, Cauvery Bhavan, Bangalore.
19. SA-II, Records, Corporate Office, KPTCL.

Copy to:

1. Sri. T. Hanumanthappa, (Director), KPTCL, Bangalore.

0389

## ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ಸಂಖ್ಯೆ: ಕವಿಪ್ರನಿನಿ/ಬಿ19/6723/95-96

ಲಗತ್ತು:



ನಿಗಮ ಕಾರ್ಯಾಲಯ,

ಕಾವೇರಿ ಭವನ,

ಬೆಂಗಳೂರು-560 009

ದಿನಾಂಕ:

**17 AUG 2000**

### ಸುತ್ತೋಲೆ

ವಿಷಯ :- ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸುವ ಬಗ್ಗೆ - ಕಾಲಾವಧಿ ವಿಸ್ತರಿಸುವ ಕುರಿತು.

ಉಲ್ಲೇಖ:- 1) ನಿಗಮದ ಆದೇಶ ಸಂಖ್ಯೆ ಬಿ19/6723/95-96 ದಿನಾಂಕ: 30.6.2000.

2) ನಿಗಮದ ಸಮಸಂಖ್ಯೆ ಸುತ್ತೋಲೆ ದಿನಾಂಕ: 19.7.2000.

3) ನಿಗಮದ ಸಮಸಂಖ್ಯೆ ಸುತ್ತೋಲೆ ದಿನಾಂಕ: 29.7.2000.

4) ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ ಇಂಇ 84 ಇಂಇಬಿ 99 ದಿನಾಂಕ: 16.8.2000.

-- ಬಿ --

ಮೇಲ್ಕಂಡ ನಿಗಮದ ಆದೇಶ ಹಾಗೂ ಸ್ಪಷ್ಟೀಕರಣ ನೀಡಿರುವ ಸುತ್ತೋಲೆಗಳಲ್ಲಿ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ದಿನಾಂಕ: 15.8.2000 ಅಂತಿಮ ದಿನಾಂಕವೆಂದು ಸೂಚಿಸಲಾಗಿತ್ತು.

ಈ ಅಂತಿಮ ದಿನಾಂಕವನ್ನು ವಿಸ್ತರಿಸಬೇಕೆಂದು ನಿಗಮಕ್ಕೆ ಕರ್ನಾಟಕ ಸರ್ಕಾರವು ಉಲ್ಲೇಖ(4) ರಲ್ಲಿರುವ ಆದೇಶದ ಮುಖಾಂತರ ಸೂಚಿಸಿರುವುದರಿಂದ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಲು ನಿಗದಿಪಡಿಸಲಾಗಿದ್ದ ದಿನಾಂಕವನ್ನು 15.8.2000 ದಿಂದ 15.9.2000 ವರೆಗೆ ಅಂತಿಮ ಅವಕಾಶವಾಗಿ ವಿಸ್ತರಿಸಲಾಗಿದೆ. ಈಗಾಗಲೇ ಉಲ್ಲೇಖ(1), (2) ಮತ್ತು (3) ರಲ್ಲಿರುವ ಆದೇಶ ಮತ್ತು ಸುತ್ತೋಲೆಗಳಲ್ಲಿ ತಿಳಿಸಿರುವ ಇತರೆ ನಿಯಮಗಳಲ್ಲಿ ಯಾವುದೇ ಬದಲಾವಣೆಯಿರುವುದಿಲ್ಲ.

ಈ ಬಗ್ಗೆ ತಮ್ಮ ಕಾರ್ಯವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಬರುವ ಪ್ರದೇಶಗಳಲ್ಲಿ ವ್ಯಾಪಕ ಪ್ರಚಾರ ಮಾಡಿ ದಿನಾಂಕ: 15.9.2000 ದೊಳಗೆ ಎಲ್ಲಾ ಅನಧಿಕೃತ ನೀರಾವರಿ ಪಂಪುಸೆಟ್‌ಗಳನ್ನು ಸಕ್ರಮಗೊಳಿಸಿಕೊಳ್ಳಬೇಕೆಂದು ಇಲ್ಲವಾದಲ್ಲಿ ಅವುಗಳ ಸಂಪರ್ಕವನ್ನು ಕಡಿದುಹಾಕಿ ಕಾನೂನು ರೀತ್ಯ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದಾಗಿ ಹಸ್ತ ಪ್ರತಿಗಳ ಮುಖಾಂತರ, ಹಾಗೂ ಸಂಬಂಧಿಸಿದ ಪಂಚಾಯತಿ ಕಾರ್ಯಾಲಯದಲ್ಲಿ ಬ್ಯಾನರ್ ಹಾಕುವುದರ ಮೂಲಕ ಸಾರ್ವಜನಿಕರ ಗಮನಕ್ಕೆ ತರುವುದು.

ಬಿ.ಬಿ.ನೀಕ್ಷಣ 17/8  
ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ,  
ಕವಿಪ್ರನಿನಿ.

ಗೆ:

1. ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್(ಎ), ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು.
2. ಮುಖ್ಯ ಅರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು.
3. ಎಲ್ಲಾ ವಲಯ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ ಗಳು(ಎ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
4. ಎಲ್ಲಾ ಮುಖ್ಯ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕವಿಪ್ರನಿನಿ.
5. ಉಪ ಆರಕ್ಷಕ ಮಹಾ ನಿರೀಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು.
6. ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್‌ಗಳು ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ, ಕವಿಪ್ರನಿನಿ.
7. ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು/ಹುಬ್ಬಳ್ಳಿ.
8. ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕವಿಪ್ರನಿನಿ
9. ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್(ಎ), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ : ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
10. ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕವಿಪ್ರನಿನಿ, ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
11. ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ಎ), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ಉಪವಿಭಾಗ, ಕವಿಪ್ರನಿನಿ.
12. ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು, ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕವಿಪ್ರನಿನಿ, ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
13. ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು : ನಿರ್ದೇಶಕರು (ಆರ್ಥಿಕ) : (ವಿತರಣೆ) : (ಪ್ರಸಾರಣ) : ಕಾರ್ಯದರ್ಶಿ : ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಇವರುಗಳ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಗಳು, ಕವಿಪ್ರನಿನಿ, ಬೆಂಗಳೂರು.
14. ಮಹಾ ಕಡತ.

ಪ್ರತಿ ಈ ಕೆಳಕಂಡವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ:

1. ಶ್ರೀ. ಟಿ. ಹನುಮಂತಪ್ಪ, ನಿರ್ದೇಶಕರು, ಕವಿಪ್ರನಿನಿ ಹಾಗೂ ಕವಿಮಂ ನೌಕರರ ಸಂಘದ ಅಧ್ಯಕ್ಷರು.
2. ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿ, ಕವಿಮಂ ನೌಕರರ ಸಂಘ (ಡಿ. ನಂ.659) : ಇಂಜಿನಿಯರುಗಳ ಸಂಘ : ಲೆಕ್ಕಾಧಿಕಾರಿಗಳ ಸಂಘ : ಪರಿಶಿಷ್ಟ ಜಾತಿ ಮತ್ತು ಪರಿಶಿಷ್ಟ ವರ್ಗಗಳ



KARNATAKA POWER TRANSMISSION CORPORATION LIMITED

No. T/Coml./F60/Cys- 371

Office of the  
Chief Engineer, Electy. (Genl.),  
Cauvery Bhavan, P.B.No.9990,  
Bangalore, Dated: 21-8-2000.

All the Exe. Engineer, El.,  
O&M Divisions, KPTCL.,

All the Asst. Exe. Engineers, El.,  
O&M Sub-Division, KPTCL.,

Sir,

Sub: Back billing of un-authorized load under  
Regulation 44.01 (a).

Ref: Corporation Ltr.No.B11/1381/99-2000  
Dt.14-8-2000.

\* \* \*

Under the provision of Regulation 44.01(a) the consumer is  
required to pay to the Board for such connected load exceeding  
the load indicated in the agreement and for the proportional  
energy consumed by such excess load, at thrice the normal rates  
applicable.

Clarifications are sought regarding which slab rate is to be  
taken for back billing since sanctioned load falls under one slab  
while total connected load falls under another slab.

The Corporate Office has now issued a clarification vide  
reference. Accordingly, the slab rate applicable for the  
sanctioned load only is to be taken for back billing the un-  
authorized load.

All the Sub-Division officers preferring backbills shall  
make a note of this and accordingly bills should be prepared.

Yours faithfully,

APPROVED BY CEE(G)

  
Chief Engineer, Electy. (Genl.).

Copy to:-

The Addl. Secretary, KPTCL, Bangalore.  
All the Chief Engineers, Electy., O&M Zones, KPTCL.,  
The Chief Controller of Accounts-I/A, KPTCL, Bangalore.  
All the Supdg. Engineers, El., O&M Circles (Appeals), KPTCL.  
All the Accounts Officers-I/A, KPTCL.,

0391



KPTCL/B11/1381-99-2000

Corporation Office  
Cauvery Bhavan,  
Bangalore-09.

Dated: 14.Aug.2000.

To,

The Chief Engineer Elcty.,  
(General),  
KPTCL., Cauvery Bhavan,  
Bangalore-09.

Sir,

Sub:- Supply Regulation 44.01(a) - Unauthorised  
increase in load.

Ref:- 1) Ltr. No: SEE.BC. Appeals 5405 dtd:10.7.2000.  
2) T.O. Ltr. No: even No. dated: 7.9.1999 addressed  
to S.E.El., Appeals I & II.

C-O-C-O

Please refer to this office letter under reference (2) wherein  
Corporation has clarified under supply Regulation 44.01(a) of ESR. i.e.,  
billing of unauthorised increase in load.

Now S.E.El., Appeals is requesting this office whether the conte-  
nts issued in Corporation letter dtd:7.9.1999 can be applied to all similar  
Appeal cases pending before the Appeal Authority Since many field Officers  
are requesting this office to clarify the matter. I am directed to clarify  
once again that as per the provisions of Regulation 44.01 (a). Whenever  
the excess unauthorised load recorded in the energy meter has to be back  
billed at thrice the normal rate applicable to the slab of sanctioned load.

In this connection, I am directed to request you to issued Circular  
Instructions to the field Officers as above. Copy of the Circular issued  
from your office may be sent to this office.

Please treat the matter as urgent.

Yours faithfully

Sd/-  
Addl. Secretary,  
KPTCL., Bangalore.

- 8 SEP 2000

Memo No: BGM/SEE/DCA/AO/SA-2/ 1230-1-16

Copy to All the Exe. Engr. El., O&M Dvn's, KPTCL., of Belgaum Circle for infn.  
Copy to All the Asst. Exe. Engr. El., O&M Sub-Dvn's, - do - - do -

Superintending Engineer El.,  
O&M Circle, KPTCL., Belgaum.

0392

bbb/-



# KARNATAKA POWER TRANSMISSION CORPORATION LTD.,

## PREAMBLE:

The Institute of Cost & Works Accountants of India (ICWAI), Bangalore Chapter, as a part of their Report on Introduction of Costing Practices in KPTCL has suggested that KPTCL should immediately consider implementing a good VENDOR RATING SYSTEM.

In order to effectively implement the recommendations of the ICWAI on the Vendor Development and Vendor Rating, a detailed discussions were held on this subject in the 9<sup>th</sup> meeting of the Directors of the Board on 08.08.2000.

In the meeting, it was resolved to:

- I. create the Vendor Development Cell (VDC) consisting of the following officers.
  - a. Chief Engineer (Electy.,) (Tendering and Procurement)
  - b. Chief Engineer (Electy.,) Major Works (South)
  - c. Chief Engineer (Electy.,) (MM&P)  
advised and assisted by CAs
  - d. Chief Controller of Accounts,(I/A)
  - e. Superintending Engineer (Elec.,) (PMG)

authorise the VDC to interact with the Institute of Cost and Works Accountants of India and to come out with a comprehensive proposal for implementation of Vendor Development and Vendor Rating in KPTCL in respect of 3 or 4 major items of materials procured by each of the procurement authorities.

CH. (H2) give a time frame of 3 months to the above cell to complete all the required formalities viz., identification of items, preparation and evaluation of questionnaire, assessment of capability of vendors, short listing of Vendors, Rating of Vendors, Monitoring Vendors performance, etc.,

Hence this order.

0393

21 AUG 2000

BOARD ORDER NO. B25/3816/2000-2001

DATE 1 AUG 2000

Board is pleased to create the Vendor Development Cell (VDC) consisting of the following Officers.

- a. Chief Engineer (Electy.) (Tendering and Procurement) } advised and
- b. Chief Engineer (Electy.) Major Works (South) } assisted by
- c. Chief Engineer (Electy.) (MM&P) } CAs
- d. Chief Controller of Accounts,(I/A)
- e. Superintending Engineer (Elec.,) (PMG).

Board is also pleased to

- (i) authorise the VDC to interact with the Institute of Cost and Works Accountants of India and to come out with a comprehensive proposal for implementation of Vendor Development and Vendor Rating in KPTCL in respect of 3 or 4 major items of materials procured by each of the procurement authorities.
- (ii) give a time frame of 3 months to the above cell to complete all the required formalities viz., identification of items, preparation and evaluation of questionnaire, assessment of capability of vendors, short listing of Vendors, Rating of Vendors, Monitoring Vendors performance, etc.,

CEE MM&P will be the convenor of the cell. VDC shall give a presentation to the Board of Directors immediately after completion of the assignment.

*P. Srinivasan* 19/8/2000  
ADDITIONAL SECRETARY

Copy to:

1. The Chief Engineer Electy (General), KPTCL, Bangalore.
2. The Chief Financial Adviser, KPTCL, Bangalore
3. All Chief Engineers (Electy), Major Works, KPTCL.
4. All Chief Engineer (Electy) PFC/ADB,JVC,LDC,HT Industries, RE Zone, KPTCL.
5. All Zonal Chief Engineer (Electy), KPTCL.
6. All Chief Controllers, KPTCL.
7. The Director, ITC, KPTCL, Bangalore.
8. The Director, Research, KPTCL, Bangalore
9. The Inspector General of Police, (Vigilance), KPTCL, Bangalore.
10. All Superintending Engineer (Electy), KPTCL
11. All Controllers, KPTCL.



12. The Principal Training Institute (M), KPTCL, Bangalore.
13. All the Executive Engineers (Elec.), KPTCL, Bangalore.
14. All the Deputy Controller of Accounts, KPTCL.
15. All the officers of Board Secretariat, KPTCL.
16. PS to CMD D(D) / D(T) / D(F) / D(P&IT) / Secretary / ADS, KPTCL.
17. Resident Audit Officer, KPTCL, Cauvery Bhavan, Bangalore.
18. SA-11, Records, Board Secretariat.

Copy for information to :

19. Sri. T. Hanumanthappa, Member(Labour), KPTCL., Bangalore.
20. The General Secretary, KPTCL., Employees Union, Reg. No. 659, Bangalore.
21. The General Secretary, KPTCL., Engineers Association, Bangalore.
22. The General Secretary, KPTCL., Accounts Officers Association, Bangalore.
23. The General Secretary, KPTCL, SC/ST Welfare Association, Bangalore.

ಟೆಲೆಫೋನ್ : 0845-2435

ಫ್ಯಾಕ್ಸ್ : 080-2218930

ಕಛೇರಿ : 2210685

## ಕರ್ನಾಟಕ ವಿದ್ಯುತ್ ಪ್ರಸಾರಣ ನಿಗಮ ನಿಯಮಿತ

ನಂ./ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ./ಬಿ20/4026/2000-01.

ನಿಗಮ ಕಾರ್ಯಾಲಯ  
ಕಾವೇರಿ ಭವನ  
ಬೆಂಗಳೂರು-560009  
ದಿನಾಂಕ: 23-8-2000

### ಸುತ್ತೋಲೆ

ವಿಷಯ:- ವಿದ್ಯುತ್ ಬಾಕಿ ವಸೂಲಾತಿಯ ಬಗ್ಗೆ.

- ಉಲ್ಲೇಖ:- (1) ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ ಡಿಇ 84 ಇಇಬಿ. 99 ದಿನಾಂಕ 21-6-2000.  
(2) ನಿಗಮದ ಸುತ್ತೋಲೆ ಸಂಖ್ಯೆ: ಬಿ11/1426/99-2000, ದಿನಾಂಕ 21-06-2000.  
(3) ನಿಗಮದ ಸುತ್ತೋಲೆ ಸಂಖ್ಯೆ : ಬಿ20/4026/2000-01 ದಿನಾಂಕ 5-7-2000.

ವಿದ್ಯುತ್ ಸರಬರಾಜು ನಿಬಂಧನೆ-1988 ರ, ನಿಬಂಧನೆ 30.06 ರ ರೀತ್ಯ ನಿರ್ದಿಷ್ಟ ಅವಧಿಯೊಳಗೆ ವಿದ್ಯುತ್ ಬಿಲ್ ಪಾವತಿಸದೇ ಇರುವ ಯಾವುದೇ ಗ್ರಾಹಕರ ಸ್ಥಾವರಗಳ ವಿದ್ಯುತ್ ಸಂಪರ್ಕವನ್ನು ತೆಗೆದುಹಾಕುವ ಅಧಿಕಾರವನ್ನು ನಿಗಮವು ಹೊಂದಿರುತ್ತದೆ.

ಆದಾಗ್ಯೂ ಬೇರೆ ಬೇರೆ ವರ್ಗಗಳಿಂದ ಬರಬೇಕಾದ ವಿದ್ಯುತ್ ಬಾಕಿಯು ಬೆಳೆಯುತ್ತಿರುವುದನ್ನು ಮನಗಂಡ ನಿಗಮವು ಉಲ್ಲೇಖ 2 ಮತ್ತು 3 ರ ಸುತ್ತೋಲೆಗಳಲ್ಲಿ ಬಾಕಿಯಿಟ್ಟುಕೊಂಡಿರುವ ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್ಟು ಹಾಗೂ ಗೃಹಬಳಕೆ ಸ್ಥಾವರಗಳ ವಿದ್ಯುತ್ ಸಂಪರ್ಕವನ್ನು ಸ್ಥಗಿತಗೊಳಿಸುವಂತೆ ಸೂಚನೆ ನೀಡಿರುತ್ತೆ.

ಸದರಿ ಸೂಚನೆಯನ್ನು ಮುಂದುವರಿಸುತ್ತಾ, ನೀರಾವರಿ ಪಂಪ್‌ಸೆಟ್ ಹಾಗೂ ಗೃಹಬಳಕೆ ಸ್ಥಾವರಗಳನ್ನು ಒಳಗೊಂಡಂತೆ, ಬಾಕಿಯಿರುವ ಎಲ್ಲಾ ವಿದ್ಯುತ್ ಬಳಕೆದಾರರ ಸ್ಥಾವರಕ್ಕೆ ಬೇಧ ಭಾವವಿಲ್ಲದೇ ಕಡ್ಡಾಯವಾಗಿ ವಿದ್ಯುತ್ ಸ್ಥಗಿತ ಗೊಳಿಸಬೇಕೆಂದು ಈ ಮೂಲಕ ಸೂಚಿಸಿದೆ. ಸೂಚನೆಯನ್ನು ದಯವಿಟ್ಟು ಪಾಲಿಸುವುದು.

ಬಿ.ಇ.ಎ.ನೋಡ್ 22/8  
ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ

ಇವರಿಗೆ :

- ಎಲ್ಲಾ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ವಿ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ ವಿಭಾಗಗಳು ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್‌ಗಳು (ವಿ.), ಪಾಲನೆ ಮತ್ತು ನಿರ್ವಹಣೆ, ಉಪ ವಿಭಾಗಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.

0396



### ಪ್ರತಿಗಳು:

- ಪ್ರಧಾನ ಇಂಜಿನಿಯರ್ (ವಿದ್ಯುಚ್ಛಕ್ತಿ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಆರ್ಥಿಕ ಸಲಹೆಗಾರರು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಮೈಸೂರು ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಇನ್ಸ್‌ಪೆಕ್ಟರ್ ಜನರಲ್ ಆಫ್ ಪೋಲೀಸ್ (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಮುಖ್ಯ ಇಂಜಿನಿಯರ್ (ಎ.)ಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಮತ್ತು ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಮುಖ್ಯ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಮುಖ್ಯ ಕಾನೂನು ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಮುಖ್ಯ ಔದ್ಯಮಿಕ ಬಾಂಧವ್ಯ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ.), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಸೂಕ್ತ ಕ್ರಮಕ್ಕಾಗಿ.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ.) (ರಿಫಾರ್ಮ್ಸ್), ನಿಗಮ ಕಾರ್ಯಾಲಯ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ.), ಎ.ಆರ್.ಎಂ. ಘಟಕ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬಿ.ಪಿ.ಎಲ್. ಕಟ್ಟಡ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಇಂಜಿನಿಯರ್ (ಎ.), (ಕಂಪ್ಯೂಟರ್ಸ್), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಅಧೀಕ್ಷಕ ಆರಕ್ಷಕರು (ಜಾಗೃತದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಹುಬ್ಬಳ್ಳಿ / ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಉಪ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಸಾರ್ವಜನಿಕ ಸಂಪರ್ಕ ಅಧಿಕಾರಿ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಬೆಂಗಳೂರು.
- ನಿವಾಸಿ ಲೆಕ್ಕ ಪರಿಶೋಧಕರು (ಪರಿಶೋಧನಾ ದಳ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ., ಕಾವೇರಿ ಭವನ, ಬೆಂಗಳೂರು.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ಆಂತರಿಕ ಪರಿಶೋಧನೆ), ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು (ರೆವಿನ್ಯೂ ಮಾನಿಟರಿಂಗ್), ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವೃತ್ತ ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ಎಲ್ಲಾ ಲೆಕ್ಕನಿಯಂತ್ರಣಾಧಿಕಾರಿಗಳು, ಕಾರ್ಯ ಮತ್ತು ಪಾಲನೆ ವಿಭಾಗ, ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ.
- ನಿಗಮ ಕಾರ್ಯಾಲಯದ ಎಲ್ಲಾ ಅಧಿಕಾರಿಗಳು.
- ಅಧ್ಯಕ್ಷರು ಮತ್ತು ವ್ಯವಸ್ಥಾಪಕ ನಿರ್ದೇಶಕರು/ ನಿರ್ದೇಶಕರು (ಆರ್ಥಿಕ)/ ನಿರ್ದೇಶಕರು (ವಿತರಣೆ)/ ನಿರ್ದೇಶಕರು (ಪ್ರಸರಣ) / ನಿರ್ದೇಶಕರು (ಸಿಬ್ಬಂದಿ ಮತ್ತು ಮಾಹಿತಿ ತಂತ್ರಜ್ಞಾನ)/ಕಾರ್ಯದರ್ಶಿ / ಅಧಿಕ ಕಾರ್ಯದರ್ಶಿ ಇವರುಗಳ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಗಳಿಗೆ.
- ಹಿ.ಸ.-೨ (ದಾಖಲೆ ವಿಭಾಗ), ನಿಗಮ ಕಾರ್ಯಾಲಯ.

### ಪ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:

- ಶ್ರೀ.ಟಿ.ಹನುಮಂತಪ್ಪ ನಿರ್ದೇಶಕರು, ( ಕಾರ್ಮಿಕ ) ಕ.ವಿ.ಪ್ರ.ನಿ.ನಿ. ಬೆಂಗಳೂರು.

0397

0900

# Karnataka Power Transmission Corporation Limited

**READ:** 1. Proceedings of the meeting on "Review of Progress of Major works" held on 11<sup>th</sup> November 1999 at the chambers of Director Transmission.

2. Board Order No. B5/B35/5954/99 - 2000 Dtd. 20-7-2000 defining duties and responsibilities of CEE, (T & P), CEE, MW, Bangalore, Davangere & CEE, PFC/REC.

## PREAMBLE:

It is observed that there is a vast difference in the provisions made in the DPR and the works executed as per actuals. The DPRs should be prepared as scientifically and as realistically as possible in future.

It is proposed to dispense with the present procedure of preparing the DPR and execution of work and adopt a new procedure which aims at preparing the DPR as realistically and scientifically as possible.

**B.O.NO.KPTCL/B35/ 5952 /2000 - 2001, DATED 25-8-2000**

APPROVAL IS ACCORDED TO THE FOLLOWING:

- 934
- A) To dispense with the present procedure.
  - B) The project to be executed during any year has to be identified and approved by the Technical committee with due budget provision.
  - C) For each project the concerned zonal Chief Engineer has to identify, acquire and provide barbed wire fencing and furnish relevant documents and dimensional sketch of the land etc., to CEE (G), CEE (MW), Director Research, SE (Technical),
  - D) After the land is acquired,
    1. CEE, Major Works will arrange for Geo Technical investigation of land and obtain block levels of the station site/ conduct detailed survey of the line and forward the same to SE Technical for furnishing the layout drawings and other details.
    2. SE (Tech) will arrange for inspection of the site and prepare the station layout as approved by the technical committee and forward the same to the concerned CE (Major Works) along with following details.
      - i) Levelling details
      - ii) Fault level of the station
      - iii) Electrical layout along with bill of material
      - iv) Foundation details
      - v) Plan of control room
      - vi) Road marking
      - vii) Cable duct route and design



- viii) Control cable schedule from equipment to equipment
- ix) Yard illumination and other details.

The above details shall be furnished for all 66/110/220 KV stations. In respect of 33 KV stations Major Works wing may adopt standard approved drawings.

3. The Chief Engineer Research and Development shall forward the earthmat design to CEE, Major Works based on previous experiences pending finalisation on final levelling of land.
4. CEE, (Major Works) will arrange to prepare a detailed and comprehensive estimate for line/ station, which will include all aspects of execution of work after receipt of details from the respective officers at (2) & (3) above. The estimate shall contain names of officers preparing the estimate.
5. CEE, (Major Works) will then forward the estimate to the CEE(G) for preparation of DPR.
6. CEE (G) will forward the DPR to Board for approval. The DPR shall contain the names of persons preparing the DPR and also furnish a certificate stating that "The DPR is prepared as per the estimate prepared by CEE, (MW)"
7. Simultaneously forest, railways and PTCC clearance proposals have to be taken up by Major Works with the concerned Authority soon after the line /location of the site is finalised.
8. After approval of DPR and based on budget provision, priority and after obtaining clearances from forest/railway Authorities (wherever applicable) work will be taken up duly following the prescribed procedure.

In case of DPRs already approved and where the approved DPRs do not contain provisions as per requirements in the manner defined above, a detailed execution estimate has to be prepared by the concerned Major Works as per the Board Circular No. B19/44/94-95 dated 1.8.96.

9. To facilitate simultaneous preparation of schemes to be posed to PFC or REC, the CEE (G) may forward Bill of quantities and estimate to CEE, PFC/REC pending preparation and approval of DPR to avoid delays.

*Atm...* 25/8/2000.

Additional Secretary

0399

898

**Copy to:**

1. The Chief Engineer, Electy., (G) KPTCL, Bangalore .
2. The Chief Financial Adviser, KPTCL, Bangalore.
3. All Chief Engineers, Electy., KPTCL,
4. The Chief Law Officer, KPTCL, Bangalore.
5. The Chief Indl. Relations Officer, KPTCL, Bangalore.
6. The Inspector General of Police (Vig.) KPTCL, Bangalore.
7. All Chief Controllers, KPTCL, .
8. All Superintending Engineers, Elec., KPTCL,
9. The Suptdg. Engr. Ele., (Computer) KPTCL, Bangalore.
10. All Controllers of Accounts, KPTCL,
11. All Executive Engineers, Ele., KPTCL,
12. All Dy. Controllers of Accounts, KPTCL,
13. All Accounts Officers (Internal Audit), KPTCL,
14. All Officers of Board Secretariat/The R.A.O. Cauvery Bhavan, B'lore.
15. PS to CMD / Director (Finance)/ Director (P & IT) / Director  
(Transmission)/ Director (Distribution) / Secretary/ Additional Secretary.
16. Head Clerk, Corporate Office, KPTCL, B'lore.

**Copy for information to:**

1. Sri. T. Hanumanthappa, Member, KPTCL, Bangalore.
2. The General Secretary KEB Employees Union/ Engineers  
Association/ Accounts Officers Association. / SC & ST Welfare Association,  
Bangalore.

400