

Tel.No.22875794, 22872801
Fax 08022374092
e-mail -
sebgkpwd@gmail.com



ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆ

ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರ ಕಚೇರಿ
ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆ
ಬೆಂಗಳೂರು ವೃತ್ತ, ಬೆಂಗಳೂರು

ಎಸ್‌ಇಬಿಸಿ :ಸಇಂ-1:ದರಪಟ್ಟಿ ತಿದ್ದುಪಡಿ:2023-24

8233 ದಿನಾಂಕ : 07/02/2024

ತಿದ್ದುಪಡಿ ಆದೇಶ - 1

ವಿಷಯ: 2023-24ನೇ ಸಾಲಿನ ಸಂಪುಟ-1,2 ಮತ್ತು 3ರ ದರಪಟ್ಟಿಗಳಲ್ಲಿ ತಿದ್ದುಪಡಿ ಮಾಡುವ ಕುರಿತು.

ಉಲ್ಲೇಖ: ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ : ಲೋಇ 86 ಆರ್.ಡಿ.ಎಫ್ 2022 ದಿನಾಂಕ 15-11-2023

2023-24 ನೇ ಸಾಲಿಗೆ ಸಂಪುಟ-1,2 ಮತ್ತು 3ರ ದರಪಟ್ಟಿಗಳನ್ನು ಉಲ್ಲೇಖಿತ ಸರ್ಕಾರದ ಆದೇಶದಂತೆ ದಿನಾಂಕ 15-11-2023 ರಿಂದ ಜಾರಿಗೊಳಿಸಲಾಗಿದ್ದು, ಸದರಿ ದರಪಟ್ಟಿಗಳಲ್ಲಿನ ಕೆಲವೊಂದು ಅಂಶಗಳಿಗೆ ತಿದ್ದುಪಡಿ ಮಾಡುವ ಅವಶ್ಯಕವಿದ್ದು ಅದರಂತೆ ತಿದ್ದುಪಡಿ ಆದೇಶವನ್ನು ದಿನಾಂಕ 05-02-2024 ರಿಂದ ಅನ್ವಯಿಸುವಂತೆ ಆದೇಶಿಸಲಾಗಿದೆ ಹಾಗೂ ಇಲಾಖೆಯ ಜಾಲತಾಣ www.kpwd.karnataka.gov.in ರಲ್ಲಿ ಪ್ರಕಟಿಸಲಾಗಿದೆ.



ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು
ಲೋಇ ಬೆಂಗಳೂರು ವೃತ್ತ

ಪ್ರತಿಯನ್ನು:

1. ಸರ್ಕಾರದ ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿಗಳು, ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆ, ವಿಕಾಸ ಸೌಧ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗಾಗಿ ಸಲ್ಲಿಸಿದೆ.
2. ಸರ್ಕಾರದ ಕಾರ್ಯದರ್ಶಿಗಳು, ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆ, ವಿಕಾಸ ಸೌಧ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗಾಗಿ ಸಲ್ಲಿಸಿದೆ.
3. ಸರ್ಕಾರದ ಕಾರ್ಯದರ್ಶಿಗಳು, ಜಲಸಂಪನ್ಮೂಲ ಇಲಾಖೆ, ವಿಕಾಸ ಸೌಧ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗಾಗಿ ಸಲ್ಲಿಸಿದೆ.
4. ಸರ್ಕಾರದ ಕಾರ್ಯದರ್ಶಿಗಳು, ಸಣ್ಣ ನೀರಾವರಿ ಇಲಾಖೆ, ವಿಕಾಸ ಸೌಧ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗಾಗಿ ಸಲ್ಲಿಸಿದೆ.
5. ಸರ್ಕಾರದ ಕಾರ್ಯದರ್ಶಿಗಳು, ಪಂಚಾಯತ್ ಇಂಜಿನಿಯರಿಂಗ್ ಇಲಾಖೆ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗಾಗಿ ಸಲ್ಲಿಸಿದೆ.
6. ಪ್ರಧಾನ ಅಭಿಯಂತರರು, ಪ್ರಾಂಸಿ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸುತ್ತಾ, ಇಲಾಖಾ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಅಪ್‌ಲೋಡ್ ಮಾಡಲು ಕೋರಿದೆ.

P.T.O

7. ಮುಖ್ಯ ಅಭಿಯಂತರರು, ಸಂಪರ್ಕ ಮತ್ತು ಕಟ್ಟಡಗಳು (ದಕ್ಷಿಣ, ಉತ್ತರ, ಈಶಾನ್ಯ ಮತ್ತು ಕೇಂದ್ರ) ರವರುಗಳ ಘನ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸಿದೆ.
8. ಮುಖ್ಯ ಅಭಿಯಂತರರು, ಬೆಸ್ಕಾಂ ಕೇಂದ್ರ ಕಚೇರಿ ಬೆಂಗಳೂರು ರವರ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸಿದೆ.
9. ಮುಖ್ಯ ಅಭಿಯಂತರರು, ಗ್ರಾಮೀಣಾಭಿವೃದ್ಧಿ ಇಲಾಖೆ, ಬೆಂಗಳೂರು ರವರ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸಿದೆ.
10. ನಿರ್ದೇಶಕರು, ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್, ಬಹುಮಹಡಿಗಳ ಕಟ್ಟಡ, ಬೆಂಗಳೂರು ರವರ ಘನ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸುತ್ತಾ, ಇ-ಪ್ರೋಕ್ ಪೋರ್ಟಲ್‌ನಲ್ಲಿ ಸದರಿ ಆದೇಶದಂತೆ ಪರಿಷ್ಕರಣೆಗಳನ್ನು ಅಪ್‌ಲೋಡ್ ಮಾಡಲು ಕೋರಿದೆ.
11. ಮುಖ್ಯ ಅಭಿಯಂತರರು, ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ, ಬೆಂಗಳೂರು ರವರ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸಿದೆ.
12. ಮುಖ್ಯ ಅಭಿಯಂತರರು, ಬೆಂಗಳೂರು ಅಭಿವೃದ್ಧಿ ಪ್ರಾಧಿಕಾರ, ಬೆಂಗಳೂರು ರವರ ಮಾಹಿತಿಗೆ ಸಲ್ಲಿಸಿದೆ.
13. ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು, ಲೋಇ ವೃತ್ತ, ಮೈಸೂರು, ಹಾಸನ, ಮಂಗಳೂರು, ಬಳ್ಳಾರಿ, ಕಲ್ಬುರ್ಗಿ, ಬೆಳಗಾವಿ, ಧಾರವಾಡ ಮತ್ತು ಶಿವಮೊಗ್ಗ ರವರುಗಳ ಮಾಹಿತಿಗಾಗಿ ಇ-ಮೇಲ್ ಮುಖಾಂತರ ಕಳುಹಿಸಿದೆ.
14. ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು, ಗ್ರಾಮೀಣಾಭಿವೃದ್ಧಿ ಇಲಾಖೆ, ಬೆಂಗಳೂರು ರವರ ಮಾಹಿತಿಗಾಗಿ ಇ-ಮೇಲ್ ಮುಖಾಂತರ ಕಳುಹಿಸಿದೆ.
15. ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು, ಲೋಇ ವಿಭಾಗ ಬೆಂಗಳೂರು, ರಾಮನಗರ, ರಾಮನಗರ ವಿಶೇಷ, ಕೋಲಾರ, ಚಿಕ್ಕಬಳ್ಳಾಪುರ, ತುಮಕೂರು ಮತ್ತು ಮಧುಗಿರಿ ರವರ ಮಾಹಿತಿಗಾಗಿ ಇ-ಮೇಲ್ ಮುಖಾಂತರ ಕಳುಹಿಸಿದೆ.
16. ಕಚೇರಿ ಪ್ರತಿ


 ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು
 ಲೋಇ ಬೆಂಗಳೂರು ವೃತ್ತ




GOVERNMENT OF KARNATAKA
PUBLIC WORKS DEPARTMENT

1st Corrigenda for Vol.1,2 & 3 Schedule of Rates w.e.f 05.02.2024

SL NO.	VOL.	ITEM NO	PAGE NO.	DESCRIPTION AS PRINTED IN KPWD SR	CLARIFICATIONS / CORRECTIONS / CHANGES MADE / TO BE READ AS
1	1	-	A-26	Point No. 3 : SI No. 5 : ರಚನೆಯಾದರ ಲಾಭಾಂಶ - ಶೇ.10 ಕ್ಕೂ 1,2,3 ನಳ ದರಗಳ ಮೇಲೆ	To be read as 'ರಚನೆಯಾದರ ಲಾಭಾಂಶ - ಶೇ.10 ಕ್ಕೂ 1,2,3 ಮತ್ತು 4 ರ ದರಗಳ ಮೇಲೆ'
2	1	-	A-38	Note : The material components are listed for the preparation of Rate Analysis only and cannot be used for direct payments	Note : The material components are listed for the preparation of Rate Analysis only and cannot be used for direct payments. The material rates are including loading, unloading, all leads & royalties but excludes GST.
3	1	2.6.1	16	For rates upto 5 m Height, adopt Formwork percentage as per Addendum-1 for item no 2.5.1 to 2.5.5	For rates upto 5 m Height, adopt Formwork percentage as per Addendum-1 for item no 2.4.1 to 2.5.5
4	1	17	112	Painting of old external walls above floor 2	Painting of old external walls above floor 2 (To be applied on finished rate of Painting works only)
5	2	8.16	43	Providing and fixing suitable plaster mesh 100mm wide manufactured out of hot dipped galvanised iron of nominal thickness 0.35mm with a zinc coating of 120g/m ² width, along route of walls chipped for services, junction between RCC and brick walls including cost of materials, labour for fixing complete as per specifications. (length of mesh only be measured for payment	To be read as 'Providing and fixing suitable plaster mesh manufactured out of hot dipped galvanised iron of nominal thickness 0.35mm with a zinc coating of 120g/m ² width, along route of walls chipped for services, junction between RCC and brick walls including cost of materials, labour for fixing complete as per specifications. (length of mesh only be measured for payment'
	2a	8.16.1	43	Plaster mesh 100mm wide	To be read as 'Plaster mesh 100mm wide'
	2b	8.16.3	43	Plaster mesh 200mm wide	To be read as 'Plaster mesh 200mm wide'
				Pavement Quality Concrete using paver - M40 grade Construction of M40 grade un-reinforced, dowel jointed, plain cement concrete pavement over a prepared sub base in recommended proportions, coarse and fine aggregate conforming to IS 383:2016, mixed in a maximum size of coarse aggregate not exceeding 25 mm, mixed in a batching and mixing plant as per approved mix design transported to site, laid with a slip form paver finisher, spread, compacted and finished in a continuous operation, expansion, construction and longitudinal joints, joint filler, separation membrane, sealant primer, joint rod, admixtures, curing compound, steel channels, finishing to lines and grades as per drawing	Pavement Quality Concrete using paver - M40 grade Construction of un-reinforced, dowel jointed M40 grade Pavement Quality Concrete Pavement over a prepared sub base in recommended proportions, Coarse and Fine aggregate conforming to IS 383:2016, maximum size of coarse aggregate not exceeding 31.5 mm, mixed in a batching and mixing plant as per approved mix design, limiting water cement ratio to maximum 0.40 to achieve minimum flexural strength or modulus of rupture of Concrete being 4.5MPa transported to site, laid with a slip form paver finisher, spread, compacted and finished in a continuous operation including provision of texturing, contraction, expansion, construction and longitudinal joints, joint filler, separation membrane, sealant primer, joint sealant as per IRC 57: 2018, debonding strip, dowel bar, tie rod, admixtures, curing compound, steel channels, finishing to lines and grades as per drawing (Reference to MoRTH Specification 602 along with IRC 15: 2017)
6	3	6.2	49		



7	3	6.4	50	<p>Thin White Topping Construction of Thin White Topping with M40 grade plain cement concrete pavement over existing Bituminous surface (Preparation to be done if necessary either by Milling or Levelling course with BM/DLC) with approved grade Cement as per IRC SP 76:2015, coarse and fine aggregate conforming to IS 383:2016, maximum size of fine aggregate not exceeding 25 mm, mixed in a batching and mixing plant as per approved mix design, including fibre reinforcement @ 9.25 kg/m³, transported to site, laid with slip form paver finisher, spread, compacted and finished in a continuous operation with Texture Curing Machine including provision of contraction joint, joint sealant, primer, joint sealant, admixtures, curing compound, steel channels, finishing to lines and grades as per drawing. (Cost of milling if necessary shall be paid seperately)</p>	<p>Thin White Topping Construction of Thin White Topping with M40 grade Pavement Quality Concrete Pavement over existing Bituminous surface (Preparation to be done if necessary either by Milling or Levelling course with BM) with approved grade Cement, Coarse and Fine aggregate conforming to IS 383:2016, maximum size of coarse aggregate not exceeding 31.5 mm, mixed in a batching and mixing plant as per approved mix design, limiting water cement ratio to maximum 0.40 to achieve minimum flexural strength or modulus of rupture of Concrete being 4.5MPa including fibre reinforcement @ 9.25 kg/m³, transported to site, laid with slip form paver finisher, spread, compacted and finished in a continuous operation with Texture Curing Machine including provision of contraction joint at short spacings (1mx1m or as per design), joint filler, sealant primer, joint sealant as per IRC 57: 2018, admixtures, curing compound, steel channels, finishing to lines and grades as per drawing. (Cost of milling & BM if necessary shall be paid seperately) (Reference to IRC SP 76:2015 along with MoRTH Specification 602)</p>
8	3	6.5	50	<p>NOTE : • Slip form or Fixed form pavers both are permitted for operation. Choice is decided based on Road width availability. If fixed form is used cost shall be deducted at Rs. 200.00/m³</p> <p>Pavement Quality M30 GradeConcrete (RMC) with OPC & GGGPS laid using Paver Construction of M30 grade un-reinforced, dowel jointed, plain cement concrete pavement over a prepared sub base with OPC @ 270 kg/m³ and GGBS@ 90 kg/m³, coarse and fine aggregate conforming to IS 383:2016, maximum size of coarse aggregate not exceeding 25 mm, mixed in a batching and mixing plant as per approved mix design transported to site, laid with a paver finisher, spread, compacted and finished in a continuous operation including provision of contraction, expansion, construction and longitudinal joints, joint filler, separation membrane, sealant primer, joint sealant, debonding strip, dowel bar, tie rod, admixtures, curing compound, steel channels, finishing to lines and grades as per drawing.</p>	<p>NOTE : • Slip form or Fixed form pavers both are permitted for operation. Choice is decided based on Road width availability. If fixed form is used cost shall be deducted at Rs. 200.00/m³ & if laid manually cost shall be deducted at Rs. 300.00/m³</p> <p>Pavement Quality M30 GradeConcrete (RMC) with OPC & GGGPS laid using Paver Construction of un-reinforced, dowel jointed M30 grade Pavement Quality Concrete Pavement over a prepared sub base OPC @ 270 kg/m³ and GGBS@ 90 kg/m³, Coarse and Fine aggregate conforming to IS 383:2016, maximum size of coarse aggregate not exceeding 31.5 mm, mixed in a batching and mixing plant as per approved mix design transported to site, laid with a paver finisher, spread, compacted and finished in a continuous operation including provision of contraction, expansion, construction and longitudinal joints, joint filler, separation membrane, sealant primer, joint sealant, debonding strip, dowel bar, tie rod, admixtures, curing compound, steel channels, finishing to lines and grades as per drawing.</p>
9	3	10.11	92	<p>Clearance of land slides in soil and ordinary rock by dozer and disposal of the same on the valley side. Rate printed as Rs. 669.00/ m³</p>	<p>Rate to be read as 'Rs. 67.00/ m³'</p>

10	3	10.13 & 10.14	93	Replacement of Metal Beam Crash Barrier	To be read as 'Removal of Metal Beam Crash Barrier'
11	3	10.15(ii)	93	Patching of Deep Potholes 75mm thick by restoring the Granular Base course using material conforming to WBM Grade -I with Type Screenings standards wherever necessary by manual means including trimming the pothole to the required shape and size, cleaning the pothole, applying Prime Coat (SS1) at 0.70kg per m ² over the WBM surface and covering the surface with SDBC 25mm thick including lead, loading unloading, rolling and finishing etc., complete as per specification.	To be read as "Patching of Deep Potholes 75mm thick by restoring the Granular Base course using material conforming to WBM Grade -II with type B Screenings standards wherever necessary by manual means including trimming the pothole to the required shape and size, cleaning the pothole, applying Prime Coat (SS1) at 0.70kg per m ² over the WBM surface and covering the surface with SDBC 25mm thick including lead, loading unloading, rolling and finishing etc., complete as per specification".
12	3	11.4,11.5,11.6	102	Extra over item no 12.12 (A) or (B)	Extra over item no 11.3.1 A or 11.3.2 B
13	3	11.8,11.9,11.10	103 & 104	Extra over item no 12.13 (A) or (B)	Extra over item no 11.7.1 A or 11.7.2 B
14	3	11.12,11.13,11.14	105	Extra over item no 12.12 (A) or (B)	Extra over item no 11.11.1 A or 11.11.2 B
15	3	11.16,11.17,11.18	106	Extra over item no 12.12 (A) or (B)	Extra over item no 11.15.1 A or 11.15.2 B
16	3	11.20,11.22	108	Extra over item no 12.12 (A) or (B)	Extra over item no 11.19.1 A or 11.19.2 B
17	3	11.21	108	Extra over item no 12.16 (A) or (B)	Extra over item no 11.19.1 A or 11.19.2 B
18	3	11.24	109	Extra over item no 12.12 (A) or (B)	Extra over item no 11.23.1 A or 11.23.2 B
19	3	11.25,11.26	109	Extra over item no 12.17 (A) or (B)	Extra over item no 11.23.1 A or 11.23.2 B
20	3	11.28,11.29,11.30	110 & 111	Extra over item no 12.18 (A) or (B)	Extra over item no 11.27.1 A or 11.27.2 B
21	3	11.32,11.33,11.34	112	Extra over item no 12.19 (A) or (B)	Extra over item no 11.31.1 A or 11.31.2 B


 ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು
 ಮೋಟೋಜಂಟಿ ಇಲಾಖೆ
 ಬೆಂಗಳೂರು ಪುರ, ಬೆಂಗಳೂರು